(AD)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
28 February 2002 (28.02.2002)

PCT

(10) International Publication Number
WO 02/16944 A2

(51) International Patent Classification[7]: G01N 33/53

(21) International Application Number: PCT/US01/26566

(22) International Filing Date: 24 August 2001 (24.08.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/645,706 24 August 2000 (24.08.2000) US

(71) Applicant *(for all designated States except US)*: **PROMEGA CORPORATION** [—/—]; 2800 Woods Hollow Road, Madison, WI 53711 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **WOOD, Keith, V.** [US/US]; 8380 Swan Road, Mt. Horeb, WI 53572 (US). **WOOD, Monika, G.** [US/US]; 8380 Swan Road, Mt. Horeb, WI 53572 (US). **ZHUANG, Yao** [US/US]; 6933 Chester Drive #H, Madison, WI 53719 (US). **PAGUIO, Aileen** [US/US]; 18 North Seventh Street, Madison, WI 53704 (US).

(74) Agent: **VIKSNINS, Ann, S.**; Schwegman, Lundberg, Woessner & Kluth, P.O. Box 2938, Minneapolis, MN 55402 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*
— *with sequence listing part of description published separately in electronic form and available upon request from the International Bureau*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/16944 A2

(54) Title: SYNTHETIC NUCLEIC ACID MOLECULE COMPOSITIONS AND METHODS OF PREPARATION

(57) Abstract: A method to prepare synthetic nucleic acid molecules having reduced inappropriate or unintended transcriptional characteristics when expressed in a particular host cell.

SYNTHETIC NUCLEIC ACID MOLECULE COMPOSITIONS AND METHODS OF PREPARATION

Statement of Government Rights

The invention was made at least in part with a grant from the Government of the United States of America (grant DMI-9402762 from the National Science Foundation). The Government has certain rights to the invention.

Background of the Invention

Transcription, the synthesis of an RNA molecule from a sequence of DNA is the first step in gene expression. Sequences which regulate DNA transcription include promoter sequences, polyadenylation signals, transcription factor binding sites and enhancer elements. A promoter is a DNA sequence capable of specific initiation of transcription and consists of three general regions. The core promoter is the sequence where the RNA polymerase and its cofactors bind to the DNA. Immediately upstream of the core promoter is the proximal promoter which contains several transcription factor binding sites that are responsible for the assembly of an activation complex that in turn recruits the polymerase complex. The distal promoter, located further upstream of the proximal promoter also contains transcription factor binding sites. Transcription termination and polyadenylation, like transcription initiation, are site specific and encoded by defined sequences. Enhancers are regulatory regions, containing multiple transcription factor binding sites, that can significantly increase the level of transcription from a responsive promoter regardless of the enhancer's orientation and distance with respect to the promoter as long as the enhancer and promoter are located within the same DNA molecule. The amount of transcript produced from a gene may also be regulated by a post-transcriptional mechanism, the most important being RNA splicing that removes intervening sequences (introns) from a primary transcript between splice donor and splice acceptor sequences.

Natural selection is the hypothesis that genotype-environment interactions occurring at the phenotypic level lead to differential reproductive success of individuals and therefore to modification of the gene pool of a population.

Some properties of nucleic acid molecules that are acted upon by natural selection include codon usage frequency, RNA secondary structure, the efficiency of intron splicing, and interactions with transcription factors or other nucleic acid binding proteins. Because of the degenerate nature of the genetic code, these properties can be optimized by natural selection without altering the corresponding amino acid sequence.

Under some conditions, it is useful to synthetically alter the natural nucleotide sequence encoding a polypeptide to better adapt the polypeptide for alternative applications. A common example is to alter the codon usage frequency of a gene when it is expressed in a foreign host cell. Although redundancy in the genetic code allows amino acids to be encoded by multiple codons, different organisms favor some codons over others. It has been found that the efficiency of protein translation in a non-native host cell can be substantially increased by adjusting the codon usage frequency but maintaining the same gene product (U.S. Patent Nos. 5,096,825, 5,670,356, and 5,874,304).

However, altering codon usage may, in turn, result in the unintentional introduction into a synthetic nucleic acid molecule of inappropriate transcription regulatory sequences. This may adversely effect transcription, resulting in anomalous expression of the synthetic DNA. Anomalous expression is defined as departure from normal or expected levels of expression. For example, transcription factor binding sites located downstream from a promoter have been demonstrated to effect promoter activity (Michael et al., 1990; Lamb et al., 1998; Johnson et al., 1998; Jones et al., 1997). Additionally, it is not uncommon for an enhancer element to exert activity and result in elevated levels of DNA transcription in the absence of a promoter sequence or for the presence of transcription regulatory sequences to increase the basal levels of gene expression in the absence of a promoter sequence.

Thus, what is needed is a method for making synthetic nucleic acid molecules with altered codon usage without also introducing inappropriate or unintended transcription regulatory sequences for expression in a particular host cell.

Summary of the Invention

The invention provides a synthetic nucleic acid molecule comprising at least 300 nucleotides of a coding region for a polypeptide, having a codon composition differing at more than 25% of the codons from a wild type nucleic acid sequence encoding a polypeptide, and having at least 3-fold fewer, preferably at least 5-fold fewer, transcription regulatory sequences than would result if the differing codons were randomly selected. Preferably, the synthetic nucleic acid molecule encodes a polypeptide that has an amino acid sequence that is at least 85%, preferably 90%, and most preferably 95% or 99% identical to the amino acid sequence of the naturally-occurring (native or wild type) polypeptide (protein) from which it is derived. Thus, it is recognized that some specific amino acid changes may also be desirable to alter a particular phenotypic characteristic of the polypeptide encoded by the synthetic nucleic acid molecule. Preferably, the amino acid sequence identity is over at least 100 contiguous amino acid residues. In one embodiment of the invention, the codons in the synthetic nucleic acid molecule that differ preferably encode the same amino acids as the corresponding codons in the wild type nucleic acid sequence.

The transcription regulatory sequences which are reduced in the synthetic nucleic acid molecule include, but are not limited to, any combination of transcription factor binding sequences, intron splice sites, poly(A) addition sites, enhancer sequences and promoter sequences. Transcription regulatory sequences are well known in the art.

It is preferred that the synthetic nucleic acid molecule of the invention has a codon composition that differs from that of the wild type nucleic acid sequence at more than 30%, 35%, 40% or more than 45%, e.g., 50%, 55%, 60% or more of the codons. Preferred codons for use in the invention are those which are employed more frequently than at least one other codon for the same amino

acid in a particular organism and, more preferably, are also not low-usage codons in that organism and are not low-usage codons in the organism used to clone or screen for the expression of the synthetic nucleic acid molecule (for example, *E. coli*). Moreover, preferred codons for certain amino acids (i.e., those amino acids that have three or more codons,), may include two or more codons that are employed more frequently than the other (non-preferred) codon(s). The presence of codons in the synthetic nucleic acid molecule that are employed more frequently in one organism than in another organism results in a synthetic nucleic acid molecule which, when introduced into the cells of the organism that employs those codons more frequently, is expressed in those cells at a level that is greater than the expression of the wild type or parent nucleic acid sequence in those cells. For example, the synthetic nucleic acid molecule of the invention is expressed at a level that is at least about 110%, e.g., 150%, 200%, 500% or more (1000%, 5000%, or 10000%) of that of the wild type nucleic acid sequence in a cell or cell extract under identical conditions (such as cell culture conditions, vector backbone, and the like).

In one embodiment of the invention, the codons that are different are those employed more frequently in a mammal, while in another embodiment the codons that are different are those employed more frequently in a plant. A particular type of mammal, e.g., human, may have a different set of preferred codons than another type of mammal. Likewise, a particular type of plant may have a different set of preferred codons than another type of plant. In one embodiment of the invention, the majority of the codons which differ are ones that are preferred codons in a desired host cell. Preferred codons for mammals (e.g., humans) and plants are known to the art (e.g., Wada et al., 1990). For example, preferred human codons include, but are not limited to, CGC (Arg), CTG (Leu), TCT (Ser), AGC (Ser), ACC (Thr), CCA (Pro), CCT (Pro), GCC (Ala), GGC (Gly), GTG (Val), ATC (Ile), ATT (Ile), AAG (Lys), AAC (Asn), CAG (Gln), CAC (His), GAG (Glu), GAC (Asp), TAC (Tyr), TGC (Cys) and TTC (Phe) (Wada et al., 1990). Thus, preferred "humanized" synthetic nucleic acid molecules of the invention have a codon composition which differs from a wild type nucleic acid sequence by having an increased number of the preferred

human codons, e.g. CGC, CTG, TCT, AGC, ACC, CCA, CCT, GCC, GGC, GTG, ATC, ATT, AAG, AAC, CAG, CAC, GAG, GAC, TAC, TGC, TTC, or any combination thereof. For example, the synthetic nucleic acid molecule of the invention may have an increased number of CTG or TTG leucine-encoding codons, GTG or GTC valine-encoding codons, GGC or GGT glycine-encoding codons, ATC or ATT isoleucine-encoding codons, CCA or CCT proline-encoding codons, CGC or CGT arginine-encoding codons, AGC or TCT serine-encoding codons, ACC or ACT threonine-encoding codon, GCC or GCT alanine-encoding codons, or any combination thereof, relative to the wild type nucleic acid sequence. Similarly, synthetic nucleic acid molecules having an increased number of codons that are employed more frequently in plants, have a codon composition which differs from a wild type or parent nucleic acid sequence by having an increased number of the plant codons including, but not limited to, CGC (Arg), CTT (Leu), TCT (Ser), TCC (Ser), ACC (Thr), CCA (Pro), CCT (Pro), GCT (Ser), GGA (Gly), GTG (Val), ATC (Ile), ATT (Ile), AAG (Lys), AAC (Asn), CAA (Gln), CAC (His), GAG (Glu), GAC (Asp), TAC (Tyr), TGC (Cys), TTC (Phe), or any combination thereof (Murray et al., 1989). Preferred codons may differ for different types of plants (Wada et al., 1990).

The choice of codon may be influenced by many factors such as, for example, the desire to have an increased number of nucleotide substitutions or decreased number of transcription regulatory sequences. Under some circumstances (e.g. to permit removal of a transcription factor binding site) it may be desirable to replace a non-preferred codon with a codon other than a preferred codon or a codon other than the most preferred codon. Under other circumstances, for example, to prepare codon distinct versions of a synthetic nucleic acid molecule, preferred codon pairs are selected based upon the largest number of mismatched bases, as well as the criteria described above.

The presence of codons in the synthetic nucleic acid molecule that are employed more frequently in one organism than in another organism, results in a synthetic nucleic acid molecule which, when introduced into a cell of the organism that employs those codons, is expressed in that cell at a level which is

greater than the level of expression of the wild type or parent nucleic acid sequence.

A synthetic nucleic acid molecule of the invention may encode a selectable marker protein or a reporter molecule. However, the invention applies to any gene and is not limited to synthetic reporter genes or synthetic selectable marker genes. In one embodiment of a synthetic nucleic acid molecule of the invention that is a reporter molecule, the synthetic nucleic acid molecule encodes a luciferase having a codon composition different than that of a wild type or parent *Renilla* luciferase or a beetle luciferase nucleic acid sequence. A synthetic click beetle luciferase nucleic acid molecule of the invention may optionally encode the amino acid valine at position 224 (i.e., it emits green light), or may optionally encode the amino acid histidine at position 224, histidine at position 247, isoleucine at position 346, glutamine at position 348 or combination thereof (i.e., it emits red light). Preferred synthetic luciferase nucleic acid molecules that are related to a wild type *Renilla* luciferase nucleic acid sequence include, but are not limited to, SEQ ID NO:21 (Rlucver2) or SEQ ID NO:22 (Rluc-final). Preferred synthetic luciferase nucleic acid molecules that are related to click beetle luciferase nucleic acid sequences include, but are not limited to, SEQ ID NO:7 (GRver5), SEQ ID NO:8 (GR6), SEQ ID NO:9 (GRver5.1), SEQ ID NO:14 (RDver5), SEQ ID NO:15 (RD7), SEQ ID NO:16 (RDver5.1), SEQ ID NO:17 (RDver5.2) or SEQ ID NO:18 (RD156-1H9).

The invention also provides an expression cassette. The expression cassette of the invention comprises a synthetic nucleic acid molecule of the invention operatively linked to a promoter that is functional in a cell. Preferred promoters are those functional in mammalian cells and those functional in plant cells. Optionally, the expression cassette may include other sequences, e.g., restriction enzyme recognition sequences and a Kozak sequence, and be a part of a larger polynucleotide molecule such as a plasmid, cosmid, artificial chromosome or vector, e.g., a viral vector.

Also provided is a host cell comprising the synthetic nucleic acid molecule of the invention, an isolated polypeptide (e.g., a fusion polypeptide

encoded by the synthetic nucleic acid molecule of the invention), and compositions and kits comprising the synthetic nucleic acid molecule of the invention or the polypeptide encoded thereby in suitable container means and, optionally, instruction means. Preferred isolated polypeptides include, but are not limited to, those comprising SEQ ID NO:31 (GRver5.1), SEQ ID NO:226 (Rluc-final), or SEQ ID NO:223 (RD156-1H9).

The invention also provides a method to prepare a synthetic nucleic acid molecule of the invention by genetically altering a parent (either a wild type or another synthetic) nucleic acid sequence. The method may be used to prepare a synthetic nucleic acid molecule encoding a polypeptide comprising at least 100 amino acids. One embodiment of the invention is directed to the preparation of synthetic genes encoding reporter or selectable marker proteins. The method of the invention may be employed to alter the codon usage frequency and decrease the number of transcription regulatory sequences in any open reading frame or to decrease the number of transcription regulatory sites in a vector backbone. Preferably, the codon usage frequency in the synthetic nucleic acid molecule is altered to reflect that of the host organism desired for expression of that nucleic acid molecule while also decreasing the number of potential transcription regulatory sequences relative to the parent nucleic acid molecule.

Thus, the invention provides a method to prepare a synthetic nucleic acid molecule comprising an open reading frame. The method comprises altering (e.g., decreasing or eliminating) a plurality of transcription regulatory sequences in a parent (wild type or a synthetic) nucleic acid sequence that encodes a polypeptide having at least 100 amino acids to yield a synthetic nucleic acid molecule which has a decreased number of transcription regulatory sequences and which preferably encodes the same amino acids as the parent nucleic acid molecule. The transcription regulatory sequences are selected from the group consisting of transcription factor binding sequences, intron splice sites, poly(A) addition sites, enhancer sequences and promoter sequences, and the resulting synthetic nucleic acid molecule has at least 3-fold fewer, preferably 5-fold fewer, transcription regulatory sequences relative to the parent nucleic acid sequence. The method also comprises altering greater than 25% of the codons in the

synthetic nucleic acid sequence which has a decreased number of transcription regulatory sequences to yield a further synthetic nucleic acid molecule, wherein the codons that are altered encode the same amino acids as those in the corresponding position in the synthetic nucleic acid molecule which has a decreased number of transcription regulatory sequences and/or in the parent nucleic acid sequence. Preferably, the codons which are altered do not result in an increase in transcriptional regulatory sequences. Preferably, the further synthetic nucleic acid molecule encodes a polypeptide that has at least 85%, preferably 90%, and most preferably 95% or 99% contiguous amino acid sequence identity to the amino acid sequence of the polypeptide encoded by the parent nucleic acid sequence.

Alternatively, the method comprises altering greater than 25% of the codons in a parent nucleic acid sequence which encodes a polypeptide having at least 100 amino acids to yield a codon-altered synthetic nucleic acid molecule, wherein the codons that are altered encode the same amino acids as those present in the corresponding positions in the parent nucleic acid sequence. Then, a plurality of transcription regulatory sequences in the codon-altered synthetic nucleic acid molecule are altered to yield a further synthetic nucleic acid molecule. Preferably, the codons which are altered do not result in an increase in transcriptional regulatory sequences. Also, preferably, the further synthetic nucleic acid molecule encodes a polypeptide that has at least 85%, preferably 90%, and most preferably 95% or 99% contiguous amino acid sequence identity to the amino acid sequence of the polypeptide encoded by the parent nucleic acid sequence. Also provided is a synthetic (including a further synthetic) nucleic acid molecule prepared by the methods of the invention.

As described hereinbelow, the methods of the invention were employed with click beetle luciferase and *Renilla* luciferase nucleic acid sequences. While both of these nucleic acid molecules encode luciferase proteins, they are from entirely different families and are widely separated evolutionarily. These proteins have unrelated amino acid sequences, protein structures, and they utilize dissimilar chemical substrates. The fact that they share the name "luciferase" should not be interpreted to mean that they are from the same family, or even

largely similar families. The methods produced synthetic luciferase nucleic acid molecules which exhibited significantly enhanced levels of mammalian expression without negatively effecting other desirable physical or biochemical properties (including protein half-life) and which were also largely devoid of known transcription regulatory elements.

The invention also provides at least two synthetic nucleic acid molecules that encode highly related polypeptides, but which synthetic nucleic acid molecules have an increased number of nucleotide differences relative to each other. These differences decrease the recombination frequency between the two synthetic nucleic acid molecules when those molecules are both present in a cell (i.e., they are "codon distinct" versions of a synthetic nucleic acid molecule). Thus, the invention provides a method for preparing at least two synthetic nucleic acid molecules that are codon distinct versions of a parent nucleic acid sequence that encodes a polypeptide. The method comprises altering a parent nucleic acid sequence to yield a first synthetic nucleic acid molecule having an increased number of a first plurality of codons that are employed more frequently in a selected host cell relative to the number of those codons present in the parent nucleic acid sequence. Optionally, the first synthetic nucleic acid molecule also has a decreased number of transcription regulatory sequences relative to the parent nucleic acid sequence. The parent nucleic acid sequence is also altered to yield a second synthetic nucleic acid molecule having an increased number of a second plurality of codons that are employed more frequently in the host cell relative to the number of those codons in the parent nucleic acid sequence, wherein the first plurality of codons is different than the second plurality of codons, and wherein the first and the second synthetic nucleic acid molecules preferably encode the same polypeptide. Optionally, the second synthetic nucleic acid molecule has a decreased number of transcription regulatory sequences relative to the parent nucleic acid sequence. Either or both synthetic molecules can then be further modified.

Clearly, the present invention has applications with many genes and across many fields of science including, but not limited to, life science research,

agrigenetics, genetic therapy, developmental science and pharmaceutical development.

Brief Description of the Figures

Figure 1. Codons and their corresponding amino acids.

Figure 2. A nucleotide sequence comparison of a yellow-green (YG) click beetle luciferase nucleic acid sequence (YG #81-6G01; SEQ ID NO:2) and various synthetic green (GR) click beetle luciferase nucleic acid sequences (GRver1, SEQ ID NO:3; GRver2, SEQ ID NO:4; GRver3, SEQ ID NO:5; GRver4, SEQ ID NO:6; GRver5, SEQ ID NO:7; GR6, SEQ ID NO:8; GRver5.1, SEQ ID NO:9) and various red (RD) click beetle luciferase nucleic acid sequences (RDver1, SEQ ID NO:10; RDver2, SEQ ID NO:11; RDver3, SEQ ID NO:12; RDver4, SEQ ID NO:13; RDver5, SEQ ID NO:14; RD7, SEQ ID NO:15; RDver5.1, SEQ ID NO:16; RDver5.2, SEQ ID NO:17; RD156-1H9, SEQ ID NO:18). The nucleotides enclosed in boxes are nucleotides that differ from the nucleotide present at the homologous position in SEQ ID NO:2.

Figure 3. An amino acid sequence comparison of a YG click beetle luciferase amino acid sequence (YG#81-6G01, SEQ ID NO:24) and various synthetic GR click beetle luciferase amino acid sequences (GRver1, SEQ ID NO:25; GRver2, SEQ ID NO:26; GRver3, SEQ ID NO:27; GRver4, SEQ ID NO:28; GRver5, SEQ ID NO:29; GR6, SEQ ID NO:30; GRver5.1, SEQ ID NO:31) and various red (RD) click beetle luciferase amino acid sequences (RDver1, SEQ ID NO:32; RDver2, SEQ ID NO:33; RDver3, SEQ ID NO:34; RDver4, SEQ ID NO:218; RDver5, SEQ ID NO:219; RD7, SEQ ID NO:220; RDver5.1, SEQ ID NO:221; RDver5.2, SEQ ID NO:222; RD156-1H9, SEQ ID NO:223). All amino acid sequences are inferred from the corresponding nucleotide sequence. The amino acids enclosed in boxes are amino acids that differ from the amino acid present at the homologous position in SEQ ID NO:24.

Figure 4. Codon usage in YG#81-6G01, GRver1, RDver1, GRver5, and RDver5, and humans (HUM) and relative codon usage in YG#81-6G01, GRver5, RDver5, and humans.

Figure 5. Codon usage summaries for YG#81-6G01 (Figure 5A), and GR/RD synthetic nucleic acid sequences, GRver1 (Figure 5B), RDver1 (Figure 5C), GRver2 (Figure 5D), RDver2 (Figure 5E), GRver3 (Figure 5F), RDver3 (Figure 5G), GRver4 (Figure 5H), RDver4 (Figure 5I), GRver5 (Figure 5J), RDver5 (5K).

Figure 6. Oligonucleotides employed to prepare synthetic GR/RD luciferase genes (SEQ ID Nos. 35-245).

Figure 7. A nucleotide sequence comparison of a wild type *Renilla reniformis* luciferase nucleic acid sequence Genbank Accession No. M63501 (RELLUC, SEQ ID NO:19) and various synthetic *Renilla* luciferase nucleic acid sequences (Rlucver1, SEQ ID NO:20; Rlucver2, SEQ ID NO:21; Rluc-final, SEQ ID NO:22). The nucleotides enclosed in boxes are nucleotides that differ from the nucleotide present at the homologous position in SEQ ID NO:19.

Figure 8. An amino acid sequence comparison of a wild type *Renilla reniformis* luciferase amino acid sequence (RELLUC, SEQ ID NO:224) and various synthetic *Renilla reniformis* luciferase amino acid sequences (Rlucver1, SEQ ID NO:225; Rlucver2, SEQ ID NO:226; Rluc-final, SEQ ID NO:227). All amino acid sequences are inferred from the corresponding nucleotide sequence. The amino acids enclosed in boxes are amino acids that differ from the amino acid present at the homologous position in SEQ ID NO:224.

Figure 9. Codon usage in wild-type (A) versus synthetic (B) *Renilla* luciferase genes. For codon usage in selected organisms, see, e.g., Wada et al., 1990; Sharp et al., 1988; Aota et al., 1988; and Sharp et al., 1987, and for plant codons, Murray et al. 1989.

Figure 10. Oligonucleotides employed to prepare synthetic *Renilla* luciferase gene (SEQ ID Nos. 246-292).

Figure 11. A nucleotide sequence comparison of a wild type yellow-green (YG) click beetle luciferase nucleic acid sequence (LUCPPLYG, SEQ ID NO:1) and the synthetic green click beetle luciferase nucleic acid sequences (GRver5.1, SEQ ID NO:9) and the synthetic red click beetle luciferase nucleic acid sequences (RD156-1H9, SEQ ID NO:18). The nucleotides enclosed in boxes are nucleotides that differ from the nucleotide present at the homologous

position in SEQ ID NO:1. Both synthetic sequences have a codon composition that differs from LUCPPLYG at more than 25% of the codons and have at least 3-fold fewer transcription regulatory sequences relative to a random selection of codons at the codons which differ.

Figure 12. An amino acid sequence comparison of a wild type YG click beetle luciferase amino acid sequence (LUCPPLYG, SEQ ID NO:23) and the synthetic GR click beetle luciferase amino acid sequences (GRver5.1, SEQ ID NO:31) and the red (RD) click beetle luciferase amino acid sequences (RD156-1H9, SEQ ID NO:223). All amino acid sequences are inferred from the corresponding nucleotide sequence. The amino acids enclosed in boxes are amino acids that differ from the amino acid present at the homologous position in SEQ ID NO:23.

Figure 13. pRL vector series. All of the vectors contain the *Renilla* wild type or synthetic gene as further described herein. Figure 13A illustrates the *Renilla* luciferase gene in the pGL3 vectors (Promega Corp.) Figure 13B illustrates the *Renilla* luciferase co-reporter vector series. pRL-TK has the herpes simplex virus (HSV) tk promoter; pRL-SV40 has the SV40 virus early enhancer/promoter; pRL-CMV has the cytomegalovirus (CMV) enhancer and immediate early promoter; pRL-null has MCS (multiple cloning sites) but no promoter or enhancer; pRL-TK(Int $^-$) has HSV/tk promoter without an intron that is present in the other plasmids; pR-GL3B has the pGL-3 Basic backbone (Promega Corp.); pR-GL3 TK has the pGL3-Basic backbone with an HSV tk promoter.

Figure 14. Half-life of synthetic (Rluc-final) and native *Renilla* luciferases in CHO cells.

Figures 15A-B. *In vitro* transcription/translation of *Renilla* luciferase nucleic acid sequences. A) t = 0-60 minutes; B) linear range.

Figures 15C-D. *In vitro* translation of native and synthetic (Rluc-final) *Renilla* luciferase RNAs in a rabbit reticulocyte lysate. RNA was quantitated and the same amount was employed as in the translation reaction shown in Figures 15A-B. C) t = 0-60 minutes; D) linear range.

Figures 15E-F. Translation of native and synthetic (Rluc-final) *Renilla* RNAs in a wheat germ extract. E) t = 0-60 minutes; F) linear range.

Figure 16. High expression from a synthetic *Renilla* nucleic acid sequence reduces the risk of promoter interference in a co-transfection assay. CHO cells were co-transfected with a constant amount (50 ng) of firefly luciferase expression vector (pGL3 control vector, with SV40 promoter and enhancer; Luc+) and a pRL vector having a native (0 ng, 50 ng, 100 ng, 500 ng, 1 μg or 2 μg) or synthetic (0 ng, 5 ng, 10 ng, 50 ng, 100 ng or 200 ng) *Renilla* luciferase gene.

Figures 17A-B. Illustrates the reactions catalyzed by firefly and click beetle (17A), and *Renilla* (17B) luciferases.

Figure 18. Nucleotide and inferred amino acid sequence of click beetle luciferases in pGL3 vectors (GRver5.1 in pGL3, SEQ ID NO:297 encoding SEQ ID NO:298; RDver5.1 in pGL3, SEQ ID NO:299 encoding SEQ ID NO:300; and RD156-1H9 in pGL3, SEQ ID NO:301 encoding SEQ ID NO:302). To clone GRver5.1, RDver5.1, and RD156-1H9 nucleic acid sequences into pGL3 vectors, an oligonucleotide having an *Nco* I site at the initiation codon was employed, which resulted in an amino acid substitution at position 2 to valine.

Detailed Description of the Invention

Definitions

The term "gene" as used herein, refers to a DNA sequence that comprises coding sequences necessary for the production of a polypeptide or protein precursor. The polypeptide can be encoded by a full length coding sequence or by any portion of the coding sequence, as long as the desired protein activity is retained.

A "nucleic acid", as used herein, is a covalently linked sequence of nucleotides in which the 3′ position of the pentose of one nucleotide is joined by a phosphodiester group to the 5′ position of the pentose of the next, and in which the nucleotide residues (bases) are linked in specific sequence, i.e., a linear order of nucleotides. A "polynucleotide", as used herein, is a nucleic acid containing a sequence that is greater than about 100 nucleotides in length. An

"oligonucleotide", as used herein, is a short polynucleotide or a portion of a polynucleotide. An oligonucleotide typically contains a sequence of about two to about one hundred bases. The word "oligo" is sometimes used in place of the word "oligonucleotide".

Nucleic acid molecules are said to have a "5′-terminus" (5′ end) and a "3′-terminus" (3′ end) because nucleic acid phosphodiester linkages occur to the 5′ carbon and 3′ carbon of the pentose ring of the substituent mononucleotides. The end of a polynucleotide at which a new linkage would be to a 5′ carbon is its 5′ terminal nucleotide. The end of a polynucleotide at which a new linkage would be to a 3′ carbon is its 3′ terminal nucleotide. A terminal nucleotide, as used herein, is the nucleotide at the end position of the 3′- or 5′-terminus.

DNA molecules are said to have "5′ ends" and "3′ ends" because mononucleotides are reacted to make oligonucleotides in a manner such that the 5′ phosphate of one mononucleotide pentose ring is attached to the 3′ oxygen of its neighbor in one direction via a phosphodiester linkage. Therefore, an end of an oligonucleotides referred to as the "5′ end" if its 5′ phosphate is not linked to the 3′ oxygen of a mononucleotide pentose ring and as the "3′ end" if its 3′ oxygen is not linked to a 5′ phosphate of a subsequent mononucleotide pentose ring.

As used herein, a nucleic acid sequence, even if internal to a larger oligonucleotide or polynucleotide, also may be said to have 5′ and 3′ ends. In either a linear or circular DNA molecule, discrete elements are referred to as being "upstream" or 5′ of the "downstream" or 3′ elements. This terminology reflects the fact that transcription proceeds in a 5′ to 3′ fashion along the DNA strand. Typically, promoter and enhancer elements that direct transcription of a linked gene are generally located 5′ or upstream of the coding region. However, enhancer elements can exert their effect even when located 3′ of the promoter element and the coding region. Transcription termination and polyadenylation signals are located 3′ or downstream of the coding region.

The term "codon" as used herein, is a basic genetic coding unit, consisting of a sequence of three nucleotides that specify a particular amino acid to be incorporation into a polypeptide chain, or a start or stop signal. Figure 1

contains a codon table. The term "coding region" when used in reference to structural gene refers to the nucleotide sequences that encode the amino acids found in the nascent polypeptide as a result of translation of a mRNA molecule. Typically, the coding region is bounded on the 5′ side by the nucleotide triplet "ATG" which encodes the initiator methionine and on the 3′ side by a stop codon (e.g., TAA, TAG, TGA). In some cases the coding region is also known to initiate by a nucleotide triplet "TTG".

By "protein" and "polypeptide" is meant any chain of amino acids, regardless of length or post-translational modification (e.g., glycosylation or phosphorylation). The synthetic genes of the invention may also encode a variant of a naturally-occurring protein or polypeptide fragment thereof. Preferably, such a protein polypeptide has an amino acid sequence that is at least 85%, preferably 90%, and most preferably 95% or 99% identical to the amino acid sequence of the naturally-occurring (native) protein from which it is derived.

Polypeptide molecules are said to have an "amino terminus" (N-terminus) and a "carboxy terminus" (C-terminus) because peptide linkages occur between the backbone amino group of a first amino acid residue and the backbone carboxyl group of a second amino acid residue. The terms "N-terminal" and "C-terminal" in reference to polypeptide sequences refer to regions of polypeptides including portions of the N-terminal and C-terminal regions of the polypeptide, respectively. A sequence that includes a portion of the N-terminal region of polypeptide includes amino acids predominantly from the N-terminal half of the polypeptide chain, but is not limited to such sequences. For example, an N-terminal sequence may include an interior portion of the polypeptide sequence including bases from both the N-terminal and C-terminal halves of the polypeptide. The same applies to C-terminal regions. N-terminal and C-terminal regions may, but need not, include the amino acid defining the ultimate N-terminus and C-terminus of the polypeptide, respectively.

The term "wild type" as used herein, refers to a gene or gene product that has the characteristics of that gene or gene product isolated from a naturally

occurring source. A wild type gene is that which is most frequently observed in a population and is thus arbitrarily designated the "wild type" form of the gene. In contrast, the term "mutant" refers to a gene or gene product that displays modifications in sequence and/or functional properties (i.e., altered characteristics) when compared to the wild type gene or gene product. It is noted that naturally-occurring mutants can be isolated; these are identified by the fact that they have altered characteristics when compared to the wild type gene or gene product.

The terms "complementary" or "complementarity" are used in reference to a sequence of nucleotides related by the base-pairing rules. For example, for the sequence 5′ "A-G-T" 3′, is complementary to the sequence 3′ "T-C-A" 5′. Complementarity may be "partial," in which only some of the nucleic acids' bases are matched according to the base pairing rules. Or, there may be "complete" or "total" complementarity between the nucleic acids. The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of hybridization between nucleic acid strands. This is of particular importance in amplification reactions, as well as detection methods which depend upon hybridization of nucleic acids.

The term "recombinant protein" or "recombinant polypeptide" as used herein refers to a protein molecule expressed from a recombinant DNA molecule. In contrast, the term "native protein" is used herein to indicate a protein isolated from a naturally occurring (i.e., a nonrecombinant) source. Molecular biological techniques may be used to produce a recombinant form of a protein with identical properties as compared to the native form of the protein.

The terms "fusion protein" and "fusion partner" refer to a chimeric protein containing the protein of interest (e.g., luciferase) joined to an exogenous protein fragment (e.g., a fusion partner which consists of a non-luciferase protein). The fusion partner may enhance the solubility of protein as expressed in a host cell, may, for example, provide an affinity tag to allow purification of the recombinant fusion protein from the host cell or culture supernatant, or both. If desired, the fusion partner may be removed from the protein of interest by a variety of enzymatic or chemical means known to the art.

The terms "cell," "cell line," "host cell," as used herein, are used interchangeably, and all such designations include progeny or potential progeny of these designations. By "transformed cell" is meant a cell into which (or into an ancestor of which) has been introduced a DNA molecule comprising a synthetic gene. Optionally, a synthetic gene of the invention may be introduced into a suitable cell line so as to create a stably-transfected cell line capable of producing the protein or polypeptide encoded by the synthetic gene. Vectors , cells, and methods for constructing such cell lines are well known in the art, e.g. in Ausubel, et al. (infra). The words "transformants" or "transformed cells" include the primary transformed cells derived from the originally transformed cell without regard to the number of transfers. All progeny may not be precisely identical in DNA content, due to deliberate or inadvertent mutations. Nonetheless, mutant progeny that have the same functionality as screened for in the originally transformed cell are included in the definition of transformants.

Nucleic acids are known to contain different types of mutations. A "point" mutation refers to an alteration in the sequence of a nucleotide at a single base position from the wild type sequence. Mutations may also refer to insertion or deletion of one or more bases, so that the nucleic acid sequence differs from the wild-type sequence.

The term "homology" refers to a degree of complementarity. There may be partial homology or complete homology (i.e., identity). Homology is often measured using sequence analysis software (e.g., Sequence Analysis Software Package of the Genetics Computer Group. University of Wisconsin Biotechnology Center. 1710 University Avenue. Madison, WI 53705). Such software matches similar sequences by assigning degrees of homology to various substitutions, deletions, insertions, and other modifications. Conservative substitutions typically include substitutions within the following groups: glycine, alanine; valine, isoleucine, leucine; aspartic acid, glutamic acid, asparagine, glutamine; serine, threonine; lysine, arginine; and phenylalanine, tyrosine.

A "partially complementary" sequence is one that at least partially inhibits a completely complementary sequence from hybridizing to a target

nucleic acid is referred to using the functional term "substantially homologous." The inhibition of hybridization of the completely complementary sequence to the target sequence may be examined using a hybridization assay (Southern or Northern blot, solution hybridization and the like) under conditions of low stringency. A substantially homologous sequence or probe will compete for and inhibit the binding (i.e., the hybridization) of a completely homologous to a target under conditions of low stringency. This is not to say that conditions of low stringency are such that non-specific binding is permitted; low stringency conditions require that the binding of two sequences to one another be a specific (i.e., selective) interaction. The absence of non-specific binding may be tested by the use of a second target which lacks even a partial degree of complementarity (e.g., less than about 30% identity). In this case, in the absence of non-specific binding, the probe will not hybridize to the second non-complementary target.

When used in reference to a double-stranded nucleic acid sequence such as a cDNA or a genomic clone, the term "substantially homologous" refers to any probe which can hybridize to either or both strands of the double-stranded nucleic acid sequence under conditions of low stringency as described herein.

"Probe" refers to an oligonucleotide designed to be sufficiently complementary to a sequence in a denatured nucleic acid to be probed (in relation to its length) to be bound under selected stringency conditions.

"Hybridization" and "binding" in the context of probes and denature melted nucleic acid are used interchangeably. Probes which are hybridized or bound to denatured nucleic acid are base paired to complementary sequences in the polynucleotide. Whether or not a particular probe remains base paired with the polynucleotide depends on the degree of complementarity, the length of the probe, and the stringency of the binding conditions. The higher the stringency, the higher must be the degree of complementarity and/or the longer the probe.

The term "hybridization" is used in reference to the pairing of complementary nucleic acid strands. Hybridization and the strength of hybridization (i.e., the strength of the association between nucleic acid strands) is impacted by many factors well known in the art including the degree of

complementarity between the nucleic acids, stringency of the conditions involved affected by such conditions as the concentration of salts, the Tm (melting temperature) of the formed hybrid, the presence of other components (e.g., the presence or absence of polyethylene glycol), the molarity of the hybridizing strands and the G:C content of the nucleic acid strands.

The term "stringency" is used in reference to the conditions of temperature, ionic strength, and the presence of other compounds, under which nucleic acid hybridizations are conducted. With "high stringency" conditions, nucleic acid base pairing will occur only between nucleic acid fragments that have a high frequency of complementary base sequences. Thus, conditions of "medium" or "low" stringency are often required when it is desired that nucleic acids which are not completely complementary to one another be hybridized or annealed together. The art knows well that numerous equivalent conditions can be employed to comprise medium or low stringency conditions. The choice of hybridization conditions is generally evident to one skilled in the art and is usually guided by the purpose of the hybridization, the type of hybridization (DNA-DNA or DNA-RNA), and the level of desired relatedness between the sequences (e.g., Sambrook et al., 1989; Nucleic Acid Hybridization, A Practical Approach, IRL Press, Washington D.C., 1985, for a general discussion of the methods).

The stability of nucleic acid duplexes is known to decrease with an increased number of mismatched bases, and further to be decreased to a greater or lesser degree depending on the relative positions of mismatches in the hybrid duplexes. Thus, the stringency of hybridization can be used to maximize or minimize stability of such duplexes. Hybridization stringency can be altered by: adjusting the temperature of hybridization; adjusting the percentage of helix destabilizing agents, such as formamide, in the hybridization mix; and adjusting the temperature and/or salt concentration of the wash solutions. For filter hybridizations, the final stringency of hybridizations often is determined by the salt concentration and/or temperature used for the post-hybridization washes.

"High stringency conditions" when used in reference to nucleic acid hybridization comprise conditions equivalent to binding or hybridization at 42°C

in a solution consisting of 5X SSPE (43.8 g/l NaCl, 6.9 g/l NaH_2PO_4 H_2O and 1.85 g/l EDTA, pH adjusted to 7.4 with NaOH), 0.5% SDS, 5X Denhardt's reagent and 100 μg/ml denatured salmon sperm DNA followed by washing in a solution comprising 0.1X SSPE, 1.0% SDS at 42°C when a probe of about 500 nucleotides in length is employed.

"Medium stringency conditions" when used in reference to nucleic acid hybridization comprise conditions equivalent to binding or hybridization at 42°C in a solution consisting of 5X SSPE (43.8 g/l NaCl, 6.9 g/l NaH_2PO_4 H_2O and 1.85 g/l EDTA, pH adjusted to 7.4 with NaOH), 0.5% SDS, 5X Denhardt's reagent and 100 μg/ml denatured salmon sperm DNA followed by washing in a solution comprising 1.0X SSPE, 1.0% SDS at 42°C when a probe of about 500 nucleotides in length is employed.

"Low stringency conditions" comprise conditions equivalent to binding or hybridization at 42°C in a solution consisting of 5X SSPE (43.8 g/l NaCl, 6.9 g/l NaH_2PO_4 H_2O and 1.85 g/l EDTA, pH adjusted to 7.4 with NaOH), 0.1% SDS, 5X Denhardt's reagent [50X Denhardt's contains per 500 ml: 5 g Ficoll (Type 400, Pharmacia), 5 g BSA (Fraction V; Sigma)] and 100 g/ml denatured salmon sperm DNA followed by washing in a solution comprising 5X SSPE, 0.1% SDS at 42°C when a probe of about 500 nucleotides in length is employed.

The term "T_m" is used in reference to the "melting temperature". The melting temperature is the temperature at which 50% of a population of double-stranded nucleic acid molecules becomes dissociated into single strands. The equation for calculating the T_m of nucleic acids is well-known in the art. The Tm of a hybrid nucleic acid is often estimated using a formula adopted from hybridization assays in 1 M salt, and commonly used for calculating Tm for PCR primers: [(number of A + T) x 2°C + (number of G+C) x 4°C]. (C.R. Newton et al., PCR, 2nd Ed., Springer-Verlag (New York, 1997), p. 24). This formula was found to be inaccurate for primers longer than 20 nucleotides. (Id.) Another simple estimate of the T_m value may be calculated by the equation: $T_m = 81.5 +$ 0.41(% G + C), when a nucleic acid is in aqueous solution at 1 M NaCl. (e.g., Anderson and Young, Quantitative Filter Hybridization, in Nucleic Acid Hybridization, 1985). Other more sophisticated computations exist in the art

which take structural as well as sequence characteristics into account for the calculation of T_m. A calculated T_m is merely an estimate; the optimum temperature is commonly determined empirically.

The term "isolated" when used in relation to a nucleic acid, as in "isolated oligonucleotide" or "isolated polynucleotide" refers to a nucleic acid sequence that is identified and separated from at least one contaminant with which it is ordinarily associated in its source. Thus, an isolated nucleic acid is present in a form or setting that is different from that in which it is found in nature. In contrast, non-isolated nucleic acids (e.g., DNA and RNA) are found in the state they exist in nature. For example, a given DNA sequence (e.g., a gene) is found on the host cell chromosome in proximity to neighboring genes; RNA sequences (e.g., a specific mRNA sequence encoding a specific protein), are found in the cell as a mixture with numerous other mRNAs that encode a multitude of proteins. However, isolated nucleic acid includes, by way of example, such nucleic acid in cells ordinarily expressing that nucleic acid where the nucleic acid is in a chromosomal location different from that of natural cells, or is otherwise flanked by a different nucleic acid sequence than that found in nature. The isolated nucleic acid or oligonucleotide may be present in single-stranded or double-stranded form. When an isolated nucleic acid or oligonucleotide is to be utilized to express a protein, the oligonucleotide contains at a minimum, the sense or coding strand (i.e., the oligonucleotide may single-stranded), but may contain both the sense and anti-sense strands (i.e., the oligonucleotide may be double-stranded).

The term "isolated" when used in relation to a polypeptide, as in "isolated protein" or "isolated polypeptide" refers to a polypeptide that is identified and separated from at least one contaminant with which it is ordinarily associated in its source. Thus, an isolated polypeptide is present in a form or setting that is different from that in which it is found in nature. In contrast, non-isolated polypeptides (e.g., proteins and enzymes) are found in the state they exist in nature.

The term "purified" or "to purify" means the result of any process that removes some of a contaminant from the component of interest, such as a protein

or nucleic acid. The percent of a purified component is thereby increased in the sample.

The term "operably linked" as used herein refer to the linkage of nucleic acid sequences in such a manner that a nucleic acid molecule capable of directing the transcription of a given gene and/or the synthesis of a desired protein molecule is produced. The term also refers to the linkage of sequences encoding amino acids in such a manner that a functional (e.g., enzymatically active, capable of binding to a binding partner, capable of inhibiting, etc.) protein or polypeptide is produced.

The term "recombinant DNA molecule" means a hybrid DNA sequence comprising at least two nucleotide sequences not normally found together in nature. The term "vector" is used in reference to nucleic acid molecules into which fragments of DNA may be inserted or cloned and can be used to transfer DNA segment(s) into a cell and capable of replication in a cell. Vectors may be derived from plasmids, bacteriophages, viruses, cosmids, and the like.

The terms "recombinant vector" and "expression vector" as used herein refer to DNA or RNA sequences containing a desired coding sequence and appropriate DNA or RNA sequences necessary for the expression of the operably linked coding sequence in a particular host organism. Prokaryotic expression vectors include a promoter, a ribosome binding site, an origin of replication for autonomous replication in a host cell and possibly other sequences, e.g. an optional operator sequence, optional restriction enzyme sites. A promoter is defined as a DNA sequence that directs RNA polymerase to bind to DNA and to initiate RNA synthesis. Eukaryotic expression vectors include a promoter, optionally a polyadenlyation signal and optionally an enhancer sequence.

The term "a polynucleotide having a nucleotide sequence encoding a gene," means a nucleic acid sequence comprising the coding region of a gene, or in other words the nucleic acid sequence which encodes a gene product. The coding region may be present in either a cDNA, genomic DNA or RNA form. When present in a DNA form, the oligonucleotide may be single-stranded (i.e., the sense strand) or double-stranded. Suitable control elements such as enhancers/promoters, splice junctions, polyadenylation signals, etc. may be

placed in close proximity to the coding region of the gene if needed to permit proper initiation of transcription and/or correct processing of the primary RNA transcript. Alternatively, the coding region utilized in the expression vectors of the present invention may contain endogenous enhancers/promoters, splice junctions, intervening sequences, polyadenylation signals, etc. In further embodiments, the coding region may contain a combination of both endogenous and exogenous control elements.

The term "transcription regulatory element" or "transcription regulatory sequence" refers to a genetic element or sequence that controls some aspect of the expression of nucleic acid sequence(s). For example, a promoter is a regulatory element that facilitates the initiation of transcription of an operably linked coding region. Other regulatory elements include, but are not limited to, transcription factor binding sites, splicing signals, polyadenylation signals, termination signals and enhancer elements.

Transcriptional control signals in eukaryotes comprise "promoter" and "enhancer" elements. Promoters and enhancers consist of short arrays of DNA sequences that interact specifically with cellular proteins involved in transcription (Maniatis et al., 1987). Promoter and enhancer elements have been isolated from a variety of eukaryotic sources including genes in yeast, insect and mammalian cells. Promoter and enhancer elements have also been isolated from viruses and analogous control elements, such as promoters, are also found in prokaryotes. The selection of a particular promoter and enhancer depends on the cell type used to express the protein of interest. Some eukaryotic promoters and enhancers have a broad host range while others are functional in a limited subset of cell types (for review, see Voss et al., 1986; and Maniatis et al., 1987. For example, the SV40 early gene enhancer is very active in a wide variety of cell types from many mammalian species and has been widely used for the expression of proteins in mammalian cells (Dijkema et al., 1985). Two other examples of promoter/enhancer elements active in a broad range of mammalian cell types are those from the human elongation factor 1 gene (Uetsuki et al., 1989; Kim, et al., 1990; and Mizushima and Nagata, 1990) and the long terminal

repeats of the Rous sarcoma virus (Gorman et al., 1982); and the human cytomegalovirus (Boshart et al., 1985).

The term "promoter/enhancer" denotes a segment of DNA containing sequences capable of providing both promoter and enhancer functions (i.e., the functions provided by a promoter element and an enhancer element as described above). For example, the long terminal repeats of retroviruses contain both promoter and enhancer functions. The enhancer/promoter may be "endogenous" or "exogenous" or "heterologous." An "endogenous" enhancer/promoter is one that is naturally linked with a given gene in the genome. An "exogenous" or "heterologous" enhancer/promoter is one that is placed in juxtaposition to a gene by means of genetic manipulation (i.e., molecular biological techniques) such that transcription of the gene is directed by the linked enhancer/promoter.

The presence of "splicing signals" on an expression vector often results in higher levels of expression of the recombinant transcript in eukaryotic host cells. Splicing signals mediate the removal of introns from the primary RNA transcript and consist of a splice donor and acceptor site (Sambrook, et al., Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, New York , 1989, pp. 16.7-16.8). A commonly used splice donor and acceptor site is the splice junction from the 16S RNA of SV40.

Efficient expression of recombinant DNA sequences in eukaryotic cells requires expression of signals directing the efficient termination and polyadenylation of the resulting transcript. Transcription termination signals are generally found downstream of the polyadenylation signal and are a few hundred nucleotides in length. The term "poly(A) site" or "poly(A) sequence" as used herein denotes a DNA sequence which directs both the termination and polyadenylation of the nascent RNA transcript. Efficient polyadenylation of the recombinant transcript is desirable, as transcripts lacking a poly(A) tail are unstable and are rapidly degraded. The poly(A) signal utilized in an expression vector may be "heterologous" or "endogenous." An endogenous poly(A) signal is one that is found naturally at the 3′ end of the coding region of a given gene in the genome. A heterologous poly(A) signal is one which has been isolated from one gene and positioned 3′ to another gene. A commonly used heterologous

poly(A) signal is the SV40 poly(A) signal. The SV40 poly(A) signal is contained on a 237 bp *Bam*H I/*Bcl* I restriction fragment and directs both termination and polyadenylation (Sambrook, supra, at 16.6-16.7).

Eukaryotic expression vectors may also contain "viral replicons "or "viral origins of replication." Viral replicons are viral DNA sequences which allow for the extrachromosomal replication of a vector in a host cell expressing the appropriate replication factors. Vectors containing either the SV40 or polyoma virus origin of replication replicate to high copy number (up to 10^4 copies/cell) in cells that express the appropriate viral T antigen. In contrast, vectors containing the replicons from bovine papillomavirus or Epstein-Barr virus replicate extrachromosomally at low copy number (about 100 copies/cell).

The term "*in vitro*" refers to an artificial environment and to processes or reactions that occur within an artificial environment. *In vitro* environments include, but are not limited to, test tubes and cell lysates. The term "*in situ*" refers to cell culture. The term "*in vivo*" refers to the natural environment (e.g., an animal or a cell) and to processes or reaction that occur within a natural environment.

The term "expression system" refers to any assay or system for determining (e.g., detecting) the expression of a gene of interest. Those skilled in the field of molecular biology will understand that any of a wide variety of expression systems may be used. A wide range of suitable mammalian cells are available from a wide range of source (e.g., the American Type Culture Collection, Rockland, MD). The method of transformation or transfection and the choice of expression vehicle will depend on the host system selected. Transformation and transfection methods are described, e.g., in Ausubel, et al., Current Protocols in Molecular Biology. John Wiley & Sons, New York. 1992. Expression systems include *in vitro* gene expression assays where a gene of interest (e.g., a reporter gene) is linked to a regulatory sequence and the expression of the gene is monitored following treatment with an agent that inhibits or induces expression of the gene. Detection of gene expression can be through any suitable means including, but not limited to, detection of expressed mRNA or protein (e.g., a detectable product of a reporter gene) or through a

detectable change in the phenotype of a cell expressing the gene of interest. Expression systems may also comprise assays where a cleavage event or other nucleic acid or cellular change is detected.

The term "enzyme" refers to molecules or molecule aggregates that are responsible for catalyzing chemical and biological reactions. Such molecules are typically proteins, but can also comprise short peptides, RNAs, ribozymes, antibodies, and other molecules. A molecule that catalyzes chemical and biological reactions is referred to as "having enzyme activity" or "having catalytic activity."

All amino acid residues identified herein are in the natural L-configuration. In keeping with standard polypeptide nomenclature (see J. Biol. Chem., 243, 3557 (1969)), abbreviations for amino acid residues are as shown in the following Table of Correspondence.

TABLE OF CORRESPONDENCE

1-Letter	3-Letter	AMINO ACID
Y	Tyr	L-tyrosine
G	Gly	glycine
F	Phe	L-phenylalanine
M	Met	L-methionine
A	Ala	L-alanine
S	Ser	L-serine
I	Ile	L-isoleucine
L	Leu	L-leucine
T	Thr	L-threonine
V	Val	L-valine
P	Pro	L-proline
K	Lys	L-lysine
H	His	L-histidine
Q	Gln	L-glutamine
E	Glu	L-glutamic acid
W	Trp	L-tryptophan

R	Arg	L-arginine
D	Asp	L-aspartic acid
N	Asn	L-asparagine
C	Cys	L-cysteine

The term "sequence homology" means the proportion of base matches between two nucleic acid sequences or the proportion of amino acid matches between two amino acid sequences. When sequence homology is expressed as a percentage, e.g., 50%, the percentage denotes the proportion of matches over the length of sequence from one sequence that is compared to some other sequence. Gaps (in either of the two sequences) are permitted to maximize matching; gap lengths of 15 bases or less are usually used, 6 bases or less are preferred with 2 bases or less more preferred. When using oligonucleotides as probes or treatments, the sequence homology between the target nucleic acid and the oligonucleotide sequence is generally not less than 17 target base matches out of 20 possible oligonucleotide base pair matches (85%); preferably not less than 9 matches out of 10 possible base pair matches (90%), and more preferably not less than 19 matches out of 20 possible base pair matches (95%).

Two amino acid sequences are homologous if there is a partial or complete identity between their sequences. For example, 85% homology means that 85% of the amino acids are identical when the two sequences are aligned for maximum matching. Gaps (in either of the two sequences being matched) are allowed in maximizing matching; gap lengths of 5 or less are preferred with 2 or less being more preferred. Alternatively and preferably, two protein sequences (or polypeptide sequences derived from them of at least 100 amino acids in length) are homologous, as this term is used herein, if they have an alignment score of at more than 5 (in standard deviation units) using the program ALIGN with the mutation data matrix and a gap penalty of 6 or greater. See Dayhoff, M. O., in Atlas of Protein Sequence and Structure, 1972, volume 5, National Biomedical Research Foundation, pp. 101-110, and Supplement 2 to this volume, pp. 1-10. The two sequences or parts thereof are more preferably

homologous if their amino acids are greater than or equal to 85% identical when optimally aligned using the ALIGN program.

The following terms are used to describe the sequence relationships between two or more polynucleotides: "reference sequence", "comparison window", "sequence identity", "percentage of sequence identity", and "substantial identity". A "reference sequence" is a defined sequence used as a basis for a sequence comparison; a reference sequence may be a subset of a larger sequence, for example, as a segment of a full-length cDNA or gene sequence given in a sequence listing, or may comprise a complete cDNA or gene sequence. Generally, a reference sequence is at least 20 nucleotides in length, frequently at least 25 nucleotides in length, and often at least 50 nucleotides in length. Since two polynucleotides may each (1) comprise a sequence (i.e., a portion of the complete polynucleotide sequence) that is similar between the two polynucleotides, and (2) may further comprise a sequence that is divergent between the two polynucleotides, sequence comparisons between two (or more) polynucleotides are typically performed by comparing sequences of the two polynucleotides over a "comparison window" to identify and compare local regions of sequence similarity.

A "comparison window", as used herein, refers to a conceptual segment of at least 20 contiguous nucleotides and wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e., gaps) of 20 percent or less as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences.

Methods of alignment of sequences for comparison are well known in the art. Thus, the determination of percent identity between any two sequences can be accomplished using a mathematical algorithm. Preferred, non-limiting examples of such mathematical algorithms are the algorithm of Myers and Miller (1988); the local homology algorithm of Smith and Waterman (1981); the homology alignment algorithm of Needleman and Wunsch (1970); the search-for-similarity-method of Pearson and Lipman (1988); the algorithm of Karlin and Altschul (1990), modified as in Karlin and Altschul (1993).

Computer implementations of these mathematical algorithms can be utilized for comparison of sequences to determine sequence identity. Such implementations include, but are not limited to: CLUSTAL in the PC/Gene program (available from Intelligenetics, Mountain View, California); the ALIGN program (Version 2.0) and GAP, BESTFIT, BLAST, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Version 8 (available from Genetics Computer Group (GCG), 575 Science Drive, Madison, Wisconsin, USA). Alignments using these programs can be performed using the default parameters. The CLUSTAL program is well described by Higgins et al. (1988); Higgins et al. (1989); Corpet et al. (1988); Huang et al. (1992); and Pearson et al. (1994). The ALIGN program is based on the algorithm of Myers and Miller, *supra*. The BLAST programs of Altschul et al. (1990), are based on the algorithm of Karlin and Altschul *supra*. To obtain gapped alignments for comparison purposes, Gapped BLAST (in BLAST 2.0) can be utilized as described in Altschul et al. (1997). Alternatively, PSI-BLAST (in BLAST 2.0) can be used to perform an iterated search that detects distant relationships between molecules. See Altschul et al., *supra*. When utilizing BLAST, Gapped BLAST, PSI-BLAST, the default parameters of the respective programs (e.g. BLASTN for nucleotide sequences, BLASTX for proteins) can be used. See http://www.ncbi.nlm.nih.gov. Alignment may also be performed manually by inspection.

The term "sequence identity" means that two polynucleotide sequences are identical (i.e., on a nucleotide-by-nucleotide basis) over the window of comparison. The term "percentage of sequence identity" means that two polynucleotide sequences are identical (i.e., on a nucleotide-by-nucleotide basis) for the stated proportion of nucleotides over the window of comparison. The term "percentage of sequence identity" is calculated by comparing two optimally aligned sequences over the window of comparison, determining the number of positions at which the identical nucleic acid base (e.g., A, T, C, G, U, or I) occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison (i.e., the window size), and multiplying the result by 100 to yield the

percentage of sequence identity. The terms "substantial identity" as used herein denote a characteristic of a polynucleotide sequence, wherein the polynucleotide comprises a sequence that has at least 60%, preferably at least 65%, more preferably at least 70%, up to about 85%, and even more preferably at least 90 to 95%, more usually at least 99%, sequence identity as compared to a reference sequence over a comparison window of at least 20 nucleotide positions, frequently over a window of at least 20-50 nucleotides, and preferably at least 300 nucleotides, wherein the percentage of sequence identity is calculated by comparing the reference sequence to the polynucleotide sequence which may include deletions or additions which total 20 percent or less of the reference sequence over the window of comparison. The reference sequence may be a subset of a larger sequence.

As applied to polypeptides, the term "substantial identity" means that two peptide sequences, when optimally aligned, such as by the programs GAP or BESTFIT using default gap weights, share at least about 85% sequence identity, preferably at least about 90% sequence identity, more preferably at least about 95 % sequence identity, and most preferably at least about 99 % sequence identity.

The Synthetic Nucleic Acid Molecules and Methods of the Invention

The invention provides compositions comprising synthetic nucleic acid molecules, as well as methods for preparing those molecules which yield synthetic nucleic acid molecules that are efficiently expressed as a polypeptide or protein with desirable characteristics including reduced inappropriate or unintended transcription characteristics when expressed in a particular cell type.

Natural selection is the hypothesis that genotype-environment interactions occurring at the phenotypic level lead to differential reproductive success of individuals and hence to modification of the gene pool of a population. It is generally accepted that the amino acid sequence of a protein found in nature has undergone optimization by natural selection. However, amino acids exist within the sequence of a protein that do not contribute significantly to the activity of the protein and these amino acids can be changed

to other amino acids with little or no consequence. Furthermore, a protein may be useful outside its natural environment or for purposes that differ from the conditions of its natural selection. In these circumstances, the amino acid sequence can be synthetically altered to better adapt the protein for its utility in various applications.

Likewise, the nucleic acid sequence that encodes a protein is also optimized by natural selection. The relationship between coding DNA and its transcribed RNA is such that any change to the DNA affects the resulting RNA. Thus, natural selection works on both molecules simultaneously. However, this relationship does not exist between nucleic acids and proteins. Because multiple codons encode the same amino acid, many different nucleotide sequences can encode an identical protein. A specific protein composed of 500 amino acids can theoretically be encoded by more than 10^{150} different nucleic acid sequences.

Natural selection acts on nucleic acids to achieve proper encoding of the corresponding protein. Presumably, other properties of nucleic acid molecules are also acted upon by natural selection. These properties include codon usage frequency, RNA secondary structure, the efficiency of intron splicing, and interactions with transcription factors or other nucleic acid binding proteins. These other properties may alter the efficiency of protein translation and the resulting phenotype. Because of the redundant nature of the genetic code, these other attributes can be optimized by natural selection without altering the corresponding amino acid sequence.

Under some conditions, it is useful to synthetically alter the natural nucleotide sequence encoding a protein to better adapt the protein for alternative applications. A common example is to alter the codon usage frequency of a gene when it is expressed in a foreign host. Although redundancy in the genetic code allows amino acids to be encoded by multiple codons, different organisms favor some codons over others. The codon usage frequencies tend to differ most for organisms with widely separated evolutionary histories. It has been found that when transferring genes between evolutionarily distant organisms, the efficiency of protein translation can be substantially increased by adjusting the codon usage frequency (see U.S. Patent Nos. 5,096,825, 5,670,356 and 5,874,304).

Because of the need for evolutionary distance, the codon usage of reporter genes often does not correspond to the optimal codon usage of the experimental cells. Examples include β-galactosidase (β-*gal*) and chloramphenicol acetyltransferase (*cat*) reporter genes that are derived from *E. coli* and are commonly used in mammalian cells; the β-glucuronidase (*gus*) reporter gene that is derived from *E. coli* and commonly used in plant cells; the firefly luciferase (*luc*) reporter gene that is derived from an insect and commonly used in plant and mammalian cells; and the *Renilla* luciferase, and green fluorescent protein (*gfp*) reporter genes which are derived from coelenterates and are commonly used in plant and mammalian cells. To achieve sensitive quantitation of reporter gene expression, the activity of the gene product must not be endogenous to the experimental host cells. Thus, reporter genes are usually selected from organisms having unique and distinctive phenotypes. Consequently, these organisms often have widely separated evolutionary histories from the experimental host cells.

Previously, to create genes having a more optimal codon usage frequency but still encoding the same gene product, a synthetic nucleic acid sequence was made by replacing existing codons with codons that were generally more favorable to the experimental host cell (see U.S. Patent Nos. 5,096,825, 5,670,356 and 5,874,304.) The result was a net improvement in codon usage frequency of the synthetic gene. However, the optimization of other attributes was not considered and so these synthetic genes likely did not reflect genes optimized by natural selection.

In particular, improvements in codon usage frequency are intended only for optimization of a RNA sequence based on its role in translation into a protein. Thus, previously described methods did not address how the sequence of a synthetic gene affects the role of DNA in transcription into RNA. Most notably, consideration had not been given as to how transcription factors may interact with the synthetic DNA and consequently modulate or otherwise influence gene transcription. For genes found in nature, the DNA would be optimally transcribed by the native host cell and would yield an RNA that encodes a properly folded gene product. In contrast, synthetic genes have

previously not been optimized for transcriptional characteristics. Rather, this property has been ignored or left to chance.

This concern is important for all genes, but particularly important for reporter genes, which are most commonly used to quantitate transcriptional behavior in the experimental host cells. Hundreds of transcription factors have been identified in different cell types under different physiological conditions, and likely more exist but have not yet been identified. All of these transcription factors can influence the transcription of an introduced gene. A useful synthetic reporter gene of the invention has a minimal risk of influencing or perturbing intrinsic transcriptional characteristics of the host cell because the structure of that gene has been altered. A particularly useful synthetic reporter gene will have desirable characteristics under a new set and/or a wide variety of experimental conditions. To best achieve these characteristics, the structure of the synthetic gene should have minimal potential for interacting with transcription factors within a broad range of host cells and physiological conditions. Minimizing potential interactions between a reporter gene and a host cell's endogenous transcription factors increases the value of a reporter gene by reducing the risk of inappropriate transcriptional characteristics of the gene within a particular experiment, increasing applicability of the gene in various environments, and increasing the acceptance of the resulting experimental data.

In contrast, a reporter gene comprising a native nucleotide sequence, based on a genomic or cDNA clone from the original host organism, may interact with transcription factors when expressed in an exogenous host. This risk stems from two circumstances. First, the native nucleotide sequence contains sequences that were optimized through natural selection to influence gene transcription within the native host organism. However, these sequences might also influence transcription when the gene is expressed in exogenous hosts, i.e., out of context, thus interfering with its performance as a reporter gene. Second, the nucleotide sequence may inadvertently interact with transcription factors that were not present in the native host organism, and thus did not participate in its natural selection. The probability of such inadvertent

interactions increases with greater evolutionary separation between the experimental cells and the native organism of the reporter gene.

These potential interactions with transcription factors would likely be disrupted when using a synthetic reporter gene having alterations in codon usage frequency. However, a synthetic reporter gene sequence, designed by choosing codons based only on codon usage frequency, is likely to contain other unintended transcription factor binding sites since the synthetic gene has not been subjected to the benefit of natural selection to correct inappropriate transcriptional activities. Inadvertent interactions with transcription factors could also occur whenever the encoded amino acid sequence is artificially altered, e.g., to introduce amino acid substitutions. Similarly, these changes have not been subjected to natural selection, and thus may exhibit undesired characteristics.

Thus, the invention provides a method for preparing synthetic nucleic acid sequences that reduce the risk of undesirable interactions of the nucleic acid with transcription factors when expressed in a particular host cell, thereby reducing inappropriate or unintended transcriptional characteristics. Preferably, the method yields synthetic genes containing improved codon usage frequencies for a particular host cell and with a reduced occurrence of transcription factor binding sites. The invention also provides a method of preparing synthetic genes containing improved codon usage frequencies with a reduced occurrence of transcription factor binding sites and additional beneficial structural attributes. Such additional attributes include the absence of inappropriate RNA splicing junctions, poly(A) addition signals, undesirable restriction sites, ribosomal binding sites, and secondary structural motifs such as hairpin loops.

Also provided is a method for preparing two synthetic genes encoding the same or highly similar proteins ("codon distinct" versions). Preferably, the two synthetic genes have a reduced ability to hybridize to a common polynucleotide probe sequence, or have a reduced risk of recombining when present together in living cells. To detect recombination, PCR amplification of the reporter sequences using primers complementary to flanking sequences and sequencing of the amplified sequences may be employed.

To select codons for the synthetic nucleic acid molecules of the invention, preferred codons have a relatively high codon usage frequency in a selected host cell, and their introduction results in the introduction of relatively few transcription factor binding sites, relatively few other undesirable structural attributes, and optionally a characteristic that distinguishes the synthetic gene from another gene encoding a highly similar protein. Thus, the synthetic nucleic acid product obtained by the method of the invention is a synthetic gene with improved level of expression due to improved codon usage frequency, a reduced risk of inappropriate transcriptional behavior due to a reduced number of undesirable transcription regulatory sequences, and optionally any additional characteristic due to other criteria that may be employed to select the synthetic sequence.

The invention may be employed with any nucleic acid sequence, e.g., a native sequence such as a cDNA or one which has been manipulated *in vitro*, e.g., to introduce specific alterations such as the introduction or removal of a restriction enzyme recognition site, the alteration of a codon to encode a different amino acid or to encode a fusion protein, or to alter GC or AT content (% of composition) of nucleic acid molecules. Moreover, the method of the invention is useful with any gene, but particularly useful for reporter genes as well as other genes associated with the expression of reporter genes, such as selectable markers. Preferred genes include, but are not limited to, those encoding lactamase (β-gal), neomycin resistance (Neo), CAT, GUS, galactopyranoside, GFP, xylosidase, thymidine kinase, arabinosidase and the like. As used herein, a "marker gene" or "reporter gene" is a gene that imparts a distinct phenotype to cells expressing the gene and thus permits cells having the gene to be distinguished from cells that do not have the gene. Such genes may encode either a selectable or screenable marker, depending on whether the marker confers a trait which one can 'select' for by chemical means, i.e., through the use of a selective agent (e.g., a herbicide, antibiotic, or the like), or whether it is simply a "reporter" trait that one can identify through observation or testing, i.e., by 'screening'. Elements of the present disclosure are exemplified in detail through the use of particular marker genes. Of course, many examples of

suitable marker genes or reporter genes are known to the art and can be employed in the practice of the invention. Therefore, it will be understood that the following discussion is exemplary rather than exhaustive. In light of the techniques disclosed herein and the general recombinant techniques which are known in the art, the present invention renders possible the alteration of any gene.

Exemplary marker genes include, but are not limited to, a *neo* gene, a β-gal gene, a *gus* gene, a *cat* gene, a *gpt* gene, a *hyg* gene, a *hisD* gene, a *ble* gene, a *mprt* gene, a *bar* gene, a nitrilase gene, a mutant acetolactate synthase gene (ALS) or acetoacid synthase gene (AAS), a methotrexate-resistant *dhfr* gene, a dalapon dehalogenase gene, a mutated anthranilate synthase gene that confers resistance to 5-methyl tryptophan (WO 97/26366), an R-locus gene, a β-lactamase gene, a *xylE* gene, an α-amylase gene, a tyrosinase gene, a luciferase (*luc*) gene, (e.g., a *Renilla reniformis* luciferase gene, a firefly luciferase gene, or a click beetle luciferase (*Pyrophorus plagiophthalamus*) gene), an aequorin gene, or a green fluorescent protein gene. Included within the terms selectable or screenable marker genes are also genes which encode a "secretable marker" whose secretion can be detected as a means of identifying or selecting for transformed cells. Examples include markers which encode a secretable antigen that can be identified by antibody interaction, or even secretable enzymes which can be detected by their catalytic activity. Secretable proteins fall into a number of classes, including small, diffusible proteins detectable, e.g., by ELISA, and proteins that are inserted or trapped in the cell membrane.

The method of the invention can be performed by, although it is not limited to, a recursive process. The process includes assigning preferred codons to each amino acid in a target molecule, e.g., a native nucleotide sequence, based on codon usage in a particular species, identifying potential transcription regulatory sequences such as transcription factor binding sites in the nucleic acid sequence having preferred codons, e.g., using a database of such binding sites, optionally identifying other undesirable sequences, and substituting an alternative codon (i.e., encoding the same amino acid) at positions where undesirable transcription factor binding sites or other sequences occur. For

codon distinct versions, alternative preferred codons are substituted in each version. If necessary, the identification and elimination of potential transcription factor or other undesirable sequences can be repeated until a nucleotide sequence is achieved containing a maximum number of preferred codons and a minimum number of undesired sequences including transcription regulatory sequences or other undesirable sequences. Also, optionally, desired sequences, e.g., restriction enzyme recognition sites, can be introduced. After a synthetic nucleic acid molecule is designed and constructed, its properties relative to the parent nucleic acid sequence can be determined by methods well known to the art. For example, the expression of the synthetic and target nucleic acid molecules in a series of vectors in a particular cell can be compared.

Thus, generally, the method of the invention comprises identifying a target nucleic acid sequence, such as a vector backbone, a reporter gene or a selectable marker gene, and a host cell of interest, for example, a plant (dicot or monocot), fungus, yeast or mammalian cell. Preferred host cells are mammalian host cells such as CHO, COS, 293, Hela, CV-1 and NIH3T3 cells. Based on preferred codon usage in the host cell(s) and, optionally, low codon usage in the host cell(s), e.g., high usage mammalian codons and low usage *E. coli* and mammalian codons, codons to be replaced are determined. For codon distinct versions of two synthetic nucleic acid molecules, alternative preferred codons are introduced to each version. Thus, for amino acids having more than two codons, one preferred codon is introduced to one version and another preferred codon is introduced to the other version. For amino acids having six codons, the two codons with the largest number of mismatched bases are identified and one is introduced to one version and the other codon is introduced to the other version. Concurrent, subsequent or prior to selecting codons to be replaced, desired and undesired sequences, such as undesired transcriptional regulatory sequences, in the target sequence are identified. These sequences can be identified using databases and software such as EPD, NNPD, REBASE, TRANSFAC, TESS, GenePro, MAR (www.ncgr.org/MAR-search) and BCM Gene Finder, further described herein. After the sequences are identified, the modification(s) are introduced. Once a desired synthetic nucleic acid sequence is obtained, it can be

prepared by methods well known to the art (such as PCR with overlapping primers), and its structural and functional properties compared to the target nucleic acid sequence, including, but not limited to, percent homology, presence or absence of certain sequences, for example, restriction sites, percent of codons changed (such as an increased or decreased usage of certain codons) and expression rates.

As described below, the method was used to create synthetic reporter genes encoding *Renilla reniformis* luciferase, and two click beetle luciferases (one emitting green light and the other emitting red light). For both systems, the synthetic genes support much greater levels of expression than the corresponding native or parent genes for the protein. In addition, the native and parent genes demonstrated anomalous transcription characteristics when expressed in mammalian cells, which were not evident in the synthetic genes. In particular, basal expression of the native or parent genes is relatively high. Furthermore, the expression is induced to very high levels by an enhancer sequence in the absence of known promoters. The synthetic genes show lower basal expression and do not show the anomalous enhancer behavior. Presumably, the enhancer is activating transcriptional elements found in the native genes that are absent in the synthetic genes. The results clearly show that the synthetic nucleic acid sequences exhibit superior performance as reporter genes.

Exemplary Uses of the Molecules of the Invention

The synthetic genes of the invention preferably encode the same proteins as their native counterpart (or nearly so), but have improved codon usage while being largely devoid of known transcription regulatory elements in the coding region. (It is recognized that a small number of amino acid changes may be desired to enhance a property of the native counterpart protein, e.g. to enhance luminescence of a luciferase.) This increases the level of expression of the protein the synthetic gene encodes and reduces the risk of anomalous expression of the protein. For example, studies of many important events of gene regulation, which may be mediated by weak promoters, are limited by insufficient reporter signals from inadequate expression of the reporter proteins.

The synthetic luciferase genes described herein permit detection of weak promoter activity because of the large increase in level of expression, which enables increased detection sensitivity. Also, the use of some selectable markers may be limited by the expression of that marker in an exogenous cell. Thus, synthetic selectable marker genes which have improved codon usage for that cell, and have a decrease in other undesirable sequences, (e.g., transcription factor binding sites), can permit the use of those markers in cells that otherwise were undesirable as hosts for those markers.

Promoter crosstalk is another concern when a co-reporter gene is used to normalize transfection efficiencies. With the enhanced expression of synthetic genes, the amount of DNA containing strong promoters can be reduced, or DNA containing weaker promoters can be employed, to drive the expression of the co-reporter. In addition, there may be a reduction in the background expression from the synthetic reporter genes of the invention. This characteristic makes synthetic reporter genes more desirable by minimizing the sporadic expression from the genes and reducing the interference resulting from other regulatory pathways.

The use of reporter genes in imaging systems, which can be used for *in vivo* biological studies or drug screening, is another use for the synthetic genes of the invention. Due to their increased level of expression, the protein encoded by a synthetic gene is more readily detectable by an imaging system. In fact, using a synthetic *Renilla* luciferase gene, luminescence in transfected CHO cells was detected visually without the aid of instrumentation.

In addition, the synthetic genes may be used to express fusion proteins, for example fusions with secretion leader sequences or cellular localization sequences, to study transcription in difficult-to-transfect cells such as primary cells, and/or to improve the analysis of regulatory pathways and genetic elements. Other uses include, but are not limited to, the detection of rare events that require extreme sensitivity (e.g., studying RNA recoding), use with IRES, to improve the efficiency of *in vitro* translation or *in vitro* transcription-translation coupled systems such as TNT (Promega Corp., Madison, WI), study of reporters optimized to different host organisms (e.g., plants, fungus, and the like), use of

multiple genes as co-reporters to monitor drug toxicity, as reporter molecules in multiwell assays, and as reporter molecules in drug screening with the advantage of minimizing possible interference of reporter signal by different signal transduction pathways and other regulatory mechanisms.

Additionally, uses for the nucleic acid molecules of the invention include fluorescence activated cell sorting (FACS), fluorescent microscopy, to detect and/or measure the level of gene expression *in vitro* and *in vivo*, (e.g., to determine promoter strength), subcellular localization or targeting (fusion protein), as a marker, in calibration, in a kit, (e.g., for dual assays), for *in vivo* imaging, to analyze regulatory pathways and genetic elements, and in multi-well formats.

With respect to synthetic DNA encoding luciferases, the use of synthetic click beetle luciferases provides advantages such as the measurement of dual reporters. As *Renilla* luciferase is better suited for *in vivo* imaging (because it does not depend on ATP or Mg^{2+} for reaction, unlike firefly luciferase, and because coelenterazine is more permeable to the cell membrane than luciferin), the synthetic *Renilla* luciferase gene can be employed *in vivo*. Further, the synthetic *Renilla* luciferase has improved fidelity and sensitivity in dual luciferase assays, e.g., for biological analysis or in drug screening platform.

Demonstration of the Invention Using Luciferase Genes

The reporter genes for click beetle luciferase and *Renilla* luciferase were used to demonstrate the invention because the reaction catalyzed by the protein they encode are significantly easier to quantify than the product of most genes. However, for the purposes of demonstrating the present invention they represent genes in general.

Although the click beetle luciferase and *Renilla* luciferase genes share the name "luciferase", this should not be interpreted to mean that they originate from the same family of genes. The two luciferase proteins are evolutionarily distinct; they have fundamentally different traits and physical structures, they use vastly different substrates (Figure 17), and they evolved from completely different families of genes. The click beetle luciferase is 61 kD in size, uses

luciferin as a substrate and evolved from the CoA synthetases. The *Renilla* luciferase originates from the sea pansy *Renilla Reniformis*, is 35 kD in size, uses coelenterazine as a substrate and evolved from the αβ hydrolases. The only shared trait of these two enzymes is that the reaction they catalyze results in light output. They are no more similar for resulting in light output than any other two enzymes would be, for example, simply because the reaction they catalyze results in heat.

Bioluminescence is the light produced in certain organisms as a result of luciferase-mediated oxidation reactions. The luciferase genes, e.g., the genes from luminous beetles, sea pansy, and, in particular, the luciferase from *Photinus pyralis* (the common firefly of North America), are currently the most popular luminescent reporter genes. Reference is made to Bronstein et al. (1994) for a review of luminescent reporter gene assays and to Wood (1995) for a review of the evolution of beetle bioluminescence. See Figure 17 for an illustration of the reactions catalyzed by each of firefly and click beetle luciferases (17A) and Renilla luciferase (17B).

Firefly luciferase and *Renilla* luciferase are highly valuable as genetic reporters due to the convenience, sensitivity and linear range of the luminescence assay. Today, luciferase is used in virtually every type of experimental biological system, including, but not limited to, prokaryotic and eukaryotic cell culture, transgenic plants and animals, and cell-free expression systems. The firefly luciferase enzyme is derived from a specific North American beetle, *Photinus pyralis*. The firefly luciferase enzyme and the click beetle luciferase enzyme are monomeric proteins (61 kDa) which generate light through monooxygenation of beetle luciferin utilizing ATP and O_2 (Figure 17A). The *Renilla* luciferase is derived from the sea pansy *Renilla reniformis*. The *Renilla* luciferase enzyme is a 36 kDa monomeric protein that utilizes O_2 and coelenterazine to generate light (Figure 17B).

The gene encoding firefly luciferase was cloned from *Photinus pyralis*, and demonstrated to produce active enzyme in *E. coli* (de Wet et al., 1987). The cDNA encoding firefly luciferase (*luc*) continues to gain favor as the gene of choice for reporting genetic activity in animal, plant and microbial cells. The

firefly luciferase reaction, modified by the addition of CoA to produce persistent light emission, provides an extremely sensitive and rapid *in vitro* assay for quantifying firefly luciferase expression in small samples of transfected cells or tissues.

To use firefly luciferase or click beetle luciferase as a genetic reporter, extracts of cells expressing the luciferase are mixed with substrates (beetle luciferin, Mg^{2+} ATP, and O_2), and luminescence is measured immediately. The assay is very rapid and sensitive, providing gene expression data with little effort. The conventional firefly luciferase assay has been further improved by including coenzyme A in the assay reagent to yield greater enzyme turnover and thus greater luminescence intensity (Promega Luciferase Assay Reagent, Cat.# E1500, Promega Corporation, Madison, Wis.). Using this reagent, luciferase activity can be readily measured in luminometers or scintillation counters. Firefly and click beetle luciferase activity can also be detected in living cells in culture by adding luciferin to the growth medium. This *in situ* luminescence relies on the ability of beetle luciferin to diffuse through cellular and peroxisomal membranes and on the intracellular availability of ATP and O_2 in the cytosol and peroxisome.

Further, although reporter genes are widely used to measure transcription events, their utility can be limited by the fidelity and efficiency of reporter expression. For example, in U.S. Patent No. 5,670,356, a firefly luciferase gene (referred to as luc+) was modified to improve the level of luciferase expression. While a higher level of expression was observed, it was not determined that higher expression had improved regulatory control.

The invention will be further described by the following nonlimiting examples.

Example 1

Synthetic Click Beetle (RD and GR) Luciferase Nucleic Acid Molecules

Luc*Ppl*YG is a wild-type click beetle luciferase that emits yellow-green luminescence (Wood, 1989). A mutant of Luc*Ppl*YG named YG#81-6G01 was envisioned. YG#81-6G01 lacks a peroxisome targeting signal, has a lower K_M

for luciferin and ATP, has increased signal stability and increased temperature stability when compared to the wild type (PCT/WO9914336). YG #81-6G01 was mutated to emit green luminescence by changing Ala at position 224 to Val (A224V is a green-shifting mutation), or to emit red luminescence by simultaneously introducing the amino acid substitutions A224H, S247H, N346I, and H348Q (red-shifting mutation set) (PCT/WO9518853)

Using YG #81-6G01 as a parent gene, two synthetic gene sequences were designed. One codes for a luciferase emitting green luminescence (GR) and one for a luciferase emitting red luminescence (RD). Both genes were designed to 1) have optimized codon usage for expression in mammalian cells, 2) have a reduced number of transcriptional regulatory sites including mammalian transcription factor binding sites, splice sites, poly(A) addition sites and promoters, as well as prokaryotic (*E. coli*) regulatory sites, 3) be devoid of unwanted restriction sites, e.g., those which are likely to interfere with standard cloning procedures, and 4) have a low DNA sequence identity compared to each other in order to minimize genetic rearrangements when both are present inside the same cell. In addition, desired sequences, e.g., a Kozak sequence or restriction enzyme recognition sites, may be identified and introduced.

Not all design criteria could be met equally well at the same time. The following priority was established for reduction of transcriptional regulatory sites: elimination of transcription factor (TF) binding sites received the highest priority, followed by elimination of splice sites and poly(A) addition sites, and finally prokaryotic regulatory sites. When removing regulatory sites, the strategy was to work from the lesser important to the most important to ensure that the most important changes were made last. Then the sequence was rechecked for the appearance of new lower priority sites and additional changes made as needed. Thus, the process for designing the synthetic GR and RD gene sequences, using computer programs described herein, involved 5 optionally iterative steps that are detailed below

1. Optimized codon usage and changed A224V to create GRver1, separately changed A224H, S247H, H348Q and N346I to create

RDver1. These particular amino acid changes were maintained throughout all subsequent manipulations to the sequence.

2. Removed undesired restriction sites, prokaryotic regulatory sites, splice sites, poly(A) sites thereby creating GRver2 and RDver2.
3. Removed transcription factor binding sites (first pass) and removed any newly created undesired sites as listed in step 2 above thereby creating GRver3 and RDver3.
4. Removed transcription factor binding sites created by step 3 above (second pass) and removed any newly created undesired sites as listed in step 2 above thereby creating GRver4 and RDver4.
5. Removed transcription factor binding sites created by step 4 above (third Pass) and confirmed absence of sites listed in step 2 above thereby creating GRver5 and RDver5.
6. Constructed the actual genes by PCR using synthetic oligonucleotides corresponding to fragments of GRver5 and RDver5 designed sequences (Figures 6 and 10) thereby creating GR6 and RD7. GR6, upon sequencing was found to have the serine residue at amino acid position 49 mutated to an asparagine and the proline at amino acid position 230 mutated to a serine (S49N, P230S). RD7, upon sequencing was found to have the histidine at amino acid position 36 mutated to a tyrosine (H36Y). These changes occurred during the PCR process.
7. The mutations described in step 6 above (S49N, P230S for GR6 and H36Y for RD7) were reversed to create GRver5.1 and RDver5.1.
8. RDver5.1 was further modified by changing the arginine codon at position 351 to a glycine codon (R351G) thereby creating RDver5.2 with improved spectral properties compared to RDver5.1.

9. RDver5.2 was further mutated to increase luminescence intensity thereby creating RD156-1H9 which encodes four additional amino acid changes (M2I, S349T, K488T, E538V) and three silent single base changes (SEQ ID NO:18).

1. Optimize codon usage and introduce mutations determining luminescence color

The starting gene sequence for this design step was YG #81-6G01 (SEQ ID NO:2).

a) Optimize codon usage:

The strategy was to adapt the codon usage for optimal expression in human cells and at the same time to avoid *E. coli* low-usage codons. Based on these requirements, the best two codons for expression in human cells for all amino acids with more than two codons were selected (see Wada et al., 1990). In the selection of codon pairs for amino acids with six codons, the selection was biased towards pairs that have the largest number of mismatched bases to allow design of GR and RD genes with minimum sequence identity (codon distinction):

Arg: CGC/CGT	Leu: CTG/TTG	Ser: TCT/AGC
Thr: ACC/ACT	Pro: CCA/CCT	Ala: GCC/GCT
Gly: GGC/GGT	Val: GTC/GTG	Ile: ATC/ATT

Based on this selection of codons, two gene sequences encoding the YG#81-6G01 luciferase protein sequence were computer generated. The two genes were designed to have minimum DNA sequence identity and at the same time closely similar codon usage. To achieve this, each codon in the two genes was replaced by a codon from the limited list described above in an alternating fashion (e.g., $Arg_{(n)}$ is CGC in gene 1 and CGT in gene 2, $Arg_{(n+1)}$ is CGT in gene 1 and CGC in gene 2).

For subsequent steps in the design process it was anticipated that changes had to be made to this limited optimal codon selection in order to meet other design criteria, however, the following low-usage codons in mammalian cells were not used unless needed to meet criteria of higher priority:

Arg: CGA Leu: CTA Ser: TCG
Pro: CCG Val: GTA Ile: ATA

Also, the following low-usage codons in *E. coli* were avoided when reasonable (note that 3 of these match the low-usage list for mammalian cells):

Arg: CGA/CGG/AGA/AGG
Leu: CTA Pro: CCC Ile: ATA

b) Introduce mutations determining luminescence color:

Into one of the two codon-optimized gene sequences was introduced the single green-shifting mutation and into the other were introduced the 4 red-shifting mutations as described above.

The two output sequences from this first design step were named GRver1 (version 1 GR) and RDver1 (version 1 RD). Their DNA sequences are 63% identical (594 mismatches), while the proteins they encode differ only by the 4 amino acids that determine luminescence color (see Figures 2 and 3 for an alignment of the DNA and protein sequences).

Tables 1 and 2 show, as an example, the codon usage for valine and leucine in human genes, the parent gene YG#81-6G01, the codon-optimized synthetic genes GRver1 and RDver1, as well as the final versions of the synthetic genes after completion of step 5 in the design process (GRver5 and RDver5). For a complete summary of the codon changes, see Figures 4 and 5.

Table 1: Valine

Codon	Human	Parent	GR ver1	RD ver1	GR ver5	RD ver5
GTA	4	13	0	0	1	1
GTC	**13**	**4**	**25**	**24**	**21**	**26**
GTG	**24**	**12**	**25**	**25**	**25**	**17**
GTT	9	20	0	0	3	5

Table 2: Leucine

Codon	Human	Parent	GR ver1	RD ver1	GR ver5	RD ver5
CTA	3	5	0	0	0	0
CTC	12	4	0	1	12	11
CTG	**24**	**4**	**28**	**27**	**19**	**18**

CTT	6	12	0	0	1	1
TTA	3	17	0	0	0	0
TTG	**6**	**13**	**27**	**27**	**23**	**25**

2. Remove undesired restriction sites, prokaryotic regulatory sites, splice sites and poly(A) addition sites

The starting gene sequences for this design step were GRver1 and RDver1.

a) Remove undesired restriction sites:

To check for the presence and location of undesired restriction sites, the sequences of both synthetic genes were compared against a database of restriction enzyme recognition sequences (REBASE ver.712, http://www.neb.com/rebase) using standard sequence analysis software (GenePro ver 6.10, Riverside Scientific Ent.).

Specifically, the following restriction enzymes were classified as undesired:

- *Bam*H I, *Xho* I, *Sfi* I, *Kpn* I, *Sac* I, *Mlu* I, *Nhe* I, *Sma* I, *Xho* I, *Bgl* II, *Hind* III, *Nco* I, *Nar* I, *Xba* I, *Hpa* I, *Sal* I,
- other cloning sites commonly used: *Eco*R I , *Eco*R V, *Cla* I,
- eight-base cutters (commonly used for complex constructs),
- *Bst*E II (to allow N-terminal fusions),
- *Xcm* I (can generate A/T overhang used for T-vector cloning).

To eliminate undesired restriction sites when found in a synthetic gene, one or more codons of the synthetic gene sequence were altered in accordance with the codon optimization guidelines described in 1a above.

b) Remove prokaryotic (*E. coli*) regulatory sequences:

To check for the presence and location of prokaryotic regulatory sequences, the sequences of both synthetic genes were searched for the presence of the following consensus sequences using standard sequence analysis software (GenePro):

- TATAAT (-10 Pribnow box of promoter)
- AGGA or GGAG (ribosome binding site; only considered if paired with a methionine codon 12 or fewer bases downstream).

To eliminate such regulatory sequences when found in a synthetic gene, one or more codons of the synthetic gene at sequence were altered in accordance with the codon optimization guidelines described in 1a above.

c) Remove splice sites:

To check for the presence and location of splice sites, the DNA strand corresponding to the primary RNA transcript of each synthetic gene was searched for the presence of the following consensus sequences (see Watson et al., 1983) using standard sequence analysis software (GenePro):

- splice donor site: AG | GTRAGT (exon | intron), the search was performed for AGGTRAG and the lower stringency GGTRAGT;
- splice acceptor site: $(Y)_nNCAG | G$ (intron | exon), the search was performed with n = 1.

To eliminate splice sites found in a synthetic gene, one or more codons of the synthetic gene sequence were altered in accordance with the codon optimization guidelines described in 1a above. Splice acceptor sites were generally difficult to eliminate in one gene without introducing them into the other gene because they tended to contain one of the two only Gln codons (CAG); they were removed by placing the Gln codon CAA in both genes at the expense of a slightly increased sequence identity between the two genes.

d) Remove poly(A) addition sites:

To check for the presence and location of poly(A) addition sites, the sequences of both synthetic genes were searched for the presence of the following consensus sequence using standard sequence analysis software (GenePro):

- AATAAA.

To eliminate each poly(A) addition site found in a synthetic gene, one or more codons of the synthetic gene sequence were altered in accordance with the codon optimization guidelines described in 1a above. The two output sequences from this second design step were named GRver2 and RDver2. Their DNA sequences are 63% identical (590 mismatches) (Figs. 2 and 3).

3. Remove transcription factor (TF) binding sites, then repeat steps 2 a-d

The starting gene sequences for this design step were GRver2 and RDver2.

To check for the presence, location and identity of potential TF binding sites, the sequences of both synthetic genes were used as query sequences to search a database of transcription factor binding sites (TRANSFAC v3.2). The TRANSFAC database (http://transfac.gbf.de/TRANSFAC/index:html) holds information on gene regulatory DNA sequences (TF binding sites) and proteins (TFs) that bind to and act through them. The SITE table of TRANSFAC Release 3.2 contains 4,401 entries of individual (putative) TF binding sites (including TF binding sites in eukaryotic genes, in artificial sequences resulting from mutagenesis studies and *in vitro* selection procedures based on random oligonucleotide mixtures or specific theoretical considerations, and consensus binding sequences (from Faisst and Meyer, 1992)).

The software tool used to locate and display these TF binding sites in the synthetic gene sequences was TESS (Transcription Element Search Software, http://agave.humgen.upenn.edu/tess/index.html). The filtered string-based search option was used with the following user-defined search parameters:

- Factor Selection Attribute: Organism Classification
- Search Pattern: Mammalia
- Max. Allowable Mismatch %: 0
- Min. element length: 5
- Min. log-likelihood: 10

This parameter selection specifies that only mammalian TF binding sites (approximately 1,400 of the 4,401 entries in the database) that are at least 5 bases long will be included in the search. It further specifies that only TF binding sites that have a perfect match in the query sequence and a minimum log likelihood (LLH) score of 10 will be reported. The LLH scoring method assigns 2 to an unambiguous match, 1 to a partially ambiguous match (e.g., A or T match W) and 0 to a match against 'N'. For example, a search with parameters specified above would result in a "hit" (positive result or match) for TATAA (SEQ ID NO:240) (LLH = 10), STRATG (SEQ ID NO:241) (LLH = 10), and MTTNCNNMA (SEQ ID NO:242) (LLH = 10) but not for TRATG (SEQ ID

NO: 243) (LLH = 9) if these four TF binding sites were present in the query sequence. A lower stringency test was performed at the end of the design process to re-evaluate the search parameters.

When TESS was tested with a mock query sequence containing known TF binding sites it was found that the program was unable to report matches to sites ending with the 3′ end of the query sequence. Thus, an extra nucleotide was added to the 3' end of all query sequences to eliminate this problem.

The first search for TF binding sites using the parameters described above found about 100 transcription factor binding sites (hits) for each of the two synthetic genes (GRver2 and RDver2). All sites were eliminated by changing one or more codons of the synthetic gene sequences in accordance with the codon optimization guidelines described in 1a above. However, it was expected that some these changes created new TF binding sites, other regulatory sites, and new restriction sites. Thus, steps 2 a-d were repeated as described, and 4 new restriction sites and 2 new splice sites were removed. The two output sequences from this third design step were named GRver3 and RDver3. Their DNA sequences are 66% identical (541 mismatches) (Figs. 2 and 3).

4. Remove new transcription factor (TF) binding sites, then repeat steps 2 a-d

The starting gene sequences for this design step were GRver3 and RDver3.

This fourth step is an iteration of the process described in step 3. The search for newly introduced TF binding sites yielded about 50 hits for each of the two synthetic genes. All sites were eliminated by changing one or more codons of the synthetic gene sequences in general accordance with the codon optimization guidelines described in 1a above. However, more high to medium usage codons were used to allow elimination of all TF binding sites. The lowest priority was placed on maintaining low sequence identity between the GR and RD genes. Then steps 2 a-d were repeated as described. The two output sequences from this fourth design step were named GRver4 and RDver4. Their DNA sequences are 68% identical (506 mismatches) (Figs 2 and 3).

5. Remove new transcription factor (TF) binding sites, then repeat steps 2 a-d

The starting gene sequences for this design step were GRver4 and RDver4.

This fifth step is another iteration of the process described in step 3 above. The search for new TF binding sites introduced in step 4 yielded about 20 hits for each of the two synthetic genes. All sites were eliminated by changing one or more codons of the synthetic gene sequences in general accordance with the codon optimization guidelines described in 1a above. However, more high to medium usage codons were used (these are all considered "preferred") to allow elimination of all TF binding sites. The lowest priority was placed on maintaining low sequence identity between the GR and RD genes. Then steps 2 a-d were repeated as described. Only one acceptor splice site could not be eliminated. As a final step the absence of all TF binding sites in both genes as specified in step 3 was confirmed. The two output sequences from this fifth and last design step were named GRver5 and RDver5. Their DNA sequences are 69% identical (504 mismatches) (Figs. 2 and 3).

Additional evaluation of GRver5 and RDver5

a) Use lower stringency parameters for TESS:

The search for TF binding sites was repeated as described in step 3 above, but with even less stringent user-defined parameters:

- setting LLH to 9 instead of 10 did not result in new hits;
- setting LLH to 0 through 8 (incl.) resulted in hits for two additional sites, MAMAG (22 hits) and CTKTK (24 hits);
- setting LLH to 8 and the minimum element length to 4, the search yielded (in addition to the two sites above) different 4-base sites for AP-1, NF-1, and c-Myb that are shortened versions of their longer respective consensus sites which were eliminated in steps 3-5 above.

It was not realistic to attempt complete elimination of these sites without introduction of new sites, so no further changes were made.

b) Search different database:

The Eukaryotic Promoter Database (release 45) contains information about reliably mapped transcription start sites (1253 sequences) of eukaryotic genes. This database was searched using BLASTN 1.4.11 with default parameters (optimized to find nearly identical sequences rapidly; see Altschul et al, 1990) at the National Center for Biotechnology Information site (http://www.ncbi.nlm.nih.gov/cgi-bin/BLAST). To test this approach, a portion of pGL3-Control vector sequence containing the SV40 promoter and enhancer was used as a query sequence, yielding the expected hits to SV40 sequences. No hits were found when using the two synthetic genes as query sequences.

Summary of GRver5 and RDver5 synthetic gene properties

Both genes, which at this stage were still only "virtual" sequences in the computer, have a codon usage that strongly favors mammalian high-usage codons and minimizes mammalian and *E. coli* low-usage codons. Figure 4 shows a summary of the codon usage of the parent gene and the various synthetic gene versions.

Both genes are also completely devoid of eukaryotic TF binding sites consisting of more than four unambiguous bases, donor and acceptor splice sites (one exception: GRver5 contains one splice acceptor site), poly(A) addition sites, specific prokaryotic (*E. coli*) regulatory sequences, and undesired restriction sites.

The gene sequence identity between GRver5 and RDver5 is only 69% (504 base mismatches) while their encoded proteins are 99% identical (4 amino acid mismatches), see Figures 2 and 3. Their identity with the parent sequence YG#81-6G1 is 74% (GRver5) and 73% (RDver5), see Figure 2. Their base composition is 49.9% GC (GRver5) and 49.5% GC (RDver5), compared to 40.2% GC for the parent YG#81-6G01.

Construction of synthetic genes

The two synthetic genes were constructed by assembly from synthetic oligonucleotides in a thermocycler followed by PCR amplification of the full-length genes (similar to Stemmer et al. (1995) Gene. 164, pp. 49-53).

Unintended mutations that interfered with the design goals of the synthetic genes were corrected.

a) Design of synthetic oligonucleotides:

The synthetic oligonucleotides were mostly 40mers that collectively code for both complete strands of each designed gene (1,626 bp) plus flanking regions needed for cloning (1,950 bp total for each gene; Figure 6). The 5' and 3' boundaries of all oligonucleotides specifying one strand were generally placed in a manner to give an average offset/overlap of 20 bases relative to the boundaries of the oligonucleotides specifying the opposite strand.

The ends of the flanking regions of both genes matched the ends of the amplification primers (pRAMtailup: 5'-gtactgagacgacgccagcccaagcttaggcctgagtg SEQ ID NO:229, and pRAMtaildn: 5'-ggcatgagcgtgaactgactgaactagcggccgccgag SEQ ID NO:230) to allow cloning of the genes into our *E. coli* expression vector pRAM (WO99/14336).

A total of 183 oligonucleotides were designed (Figure 6): fifteen oligonucleotides that collectively encode the upstream and downstream flanking sequences (identical for both genes; SEQ ID NOs: 35-49) and 168 oligonucleotides (4 x 42) that encode both strands of the two genes (SEQ ID NOs: 50-217).

All 183 oligonucleotides were run through the hairpin analysis of the OLIGO software (OLIGO 4.0 Primer Analysis Software © 1989-1991 by Wojciech Rychlik) to identify potentially detrimental intra-molecular loop formation. The guidelines for evaluating the analysis results were set according to recommendations of Dr. Sims (Sigma-Genosys Custom Gene Synthesis Department): oligos forming hairpins with $\Delta G < -10$ have to be avoided, those forming hairpins with $\Delta G \leq -7$ involving the 3' end of the oligonucleotide should also be avoided, while those with an overall $\Delta G \leq -5$ should not pose a problem for this application. The analysis identified 23 oligonucleotides able to form hairpins with a ΔG between -7.1 and -4.9. Of these, 5 had blocked or nearly blocked 3' ends (0-3 free bases) and were re-designed by removing 1-4 bases at their 3' end and adding it to the adjacent oligonucleotide.

The 40mer oligonucleotide covering the sequence complementary to the poly(A) tail had a very low complexity 3′ end (13 consecutive T bases). An additional 40mer was designed with a high complexity 3′ end but a consequently reduced overlap with one of its complementary oligonucleotides (11 instead of 20 bases) on the opposite strand.

Even though the oligos were designed for use in a thermocycler-based assembly reaction, they could also be used in a ligation-based protocol for gene construction. In this approach, the oligonucleotides are annealed in a pairwise fashion and the resulting short double-stranded fragments are ligated using the sticky overhangs. However, this would require that all oligonucleotides be phosphorylated.

b) Gene assembly and amplification

In a first step, each of the two synthetic genes was assembled in a separate reaction from 98 oligonucleotides. The total volume for each reaction was 50 µl:

0.5 µM oligonucleotides (= 0.25 pmoles of each oligo)
1.0 U *Taq* DNA polymerase
0.02 U *Pfu* DNA polymerase
2 mM $MgCl_2$
0.2 mM dNTPs (each)
0.1% gelatin
Cycling conditions: (94°C for 30 seconds, 52°C for 30 seconds, and 72°C for 30 seconds) x 55 cycles.

In a second step, each assembled synthetic gene was amplified in a separate reaction. The total volume for each reaction was 50 µl:

2.5 l assembly reaction
5.0 U *Taq* DNA polymerase
0.1 U *Pfu* DNA polymerase
1 M each primer (pRAMtailup, pRAMtaildn)
2 mM $MgCl_2$
0.2 mM dNTPs (each)

Cycling conditions: (94°C for 20 seconds, 65°C for 60 seconds, 72°C for 3 minutes) x 30 cycles.

The assembled and amplified genes were subcloned into the pRAM vector and expressed in *E. coli*, yielding 1-2% luminescent GR or RD clones. Five GR and five RD clones were isolated and analyzed further. Of the five GR clones, three had the correct insert size, of which one was weakly luminescent and one had an altered restriction pattern. Of the five RD clones, two had the correct size insert with an altered restriction pattern and one of those was weakly luminescent. Overall, the analysis indicated the presence of a large number of mutations in the genes, most likely the result of errors introduced in the assembly and amplification reactions.

c) Corrective assembly and amplification

To remove the large number of mutations present in the full-length synthetic genes we performed an additional assembly and amplification reaction for each gene using the proof-reading DNA polymerase *Tli*. The assembly reaction contained, in addition to the 98 GR or RD oligonucleotides, a small amount of DNA from the corresponding full-length clones with mutations described above. This allows the oligos to correct mutations present in the templates.

The following assembly reaction was performed for each of the synthetic genes. The total volume for each reaction was 50 µl:

0.5 µM oligonucleotides (= 0.25 pmoles of each oligo)
0.016 pmol plasmid (mix of clones with correct insert size)
2.5 U *Tli* DNA polymerase
2 mM $MgCl_2$
0.2 mM dNTPs (each)
0.1% gelatin
Cycling conditions: 94°C for 30 seconds, then (94°C for 30 seconds, 52°C for 30 seconds, 72°C for 30 seconds) for 55 cycles, then 72°C for 5 minutes.

The following amplification reaction was performed on each of the assembly reactions. The total volume for each amplification reaction was 50 µl:

1-5 µl of assembly reaction
40 pmol each primer (pRAMtailup, pRAMtaildn)
2.5 U *Tli* DNA polymerase
2 mM $MgCl_2$
0.2 mM dNTPs (each)
Cycling conditions: 94°C for 30 seconds, then (94°C for 20 seconds, 65°C for 60 seconds and 72°C for 3 minutes) for 30 cycles, then 72°C for 5 minutes.

The genes obtained from the corrective assembly and amplification step were subcloned into the pRAM vector and expressed in *E. coli*, yielding 75% luminescent GR or RD clones. Forty-four GR and 44 RD clones were analyzed with our screening robot (WO99/14336). The six best GR and RD clones were manually analyzed and one best GR and RD clone was selected (GR6 and RD7). Sequence analysis of GR6 revealed two point mutations in the coding region, both of which resulted in an amino acid substitution (S49N and P230S). Sequence analysis of RD7 revealed three point mutations in the coding region, one of which resulted in an amino acid substitution (H36Y). It was confirmed that none of the silent point mutations introduced any regulatory or restriction sites conflicting with the overall design criteria for the synthetic genes.

d) Reversal of unintended amino acid substitutions

The unintended amino acid substitutions present in the GR6 and RD7 synthetic genes were reversed by site-directed mutagenesis to match the GRver5 and RDver5 designed sequences, thereby creating GRver5.1 and RDver5.1. The DNA sequences of the mutated regions were confirmed by sequence analysis.

e) Improve spectral properties

The RDver5.1 gene was further modified to improve its spectral properties by introducing an amino change (R351G), thereby creating RDver5.2

pGL3 vectors with RD and GR genes

The parent click beetle luciferase YG#81-6G1 ("YG"), and the synthetic click beetle luciferase genes GRver5.1 ("GR"), RDver5.2 ("RD"), and RD156-1H9 were cloned into the four pGL3 reporter vectors (Promega Corp.):

- pGL3-Basic = no promoter, no enhancer
- pGL3-Control = SV40 promoter, SV40 enhancer
- pGL3-Enhancer = SV40 enhancer (3' to luciferase coding sequences)
- pGL3-Promoter = SV40 promoter.

The primers employed in the assembly of GR and RD synthetic genes facilitated the cloning of those genes into pRAM vectors. To introduce the genes into pGL3 vectors (Promega Corp., Madison, WI) for analysis in mammalian cells, each gene in a pRAM vector (pRAM RDver5.1, pRAM GRver5.1, and pRAM RD156-1H9) was amplified to introduce an *Nco* I site at the 5′ end and an *Xba* I site at the 3′ end of the gene. The primers for pRAM RDver5.1 and pRAM GRver5.1 were:

GR→5′ GGA TCC CAT GGT GAA GCG TGA GAA 3′ (SEQ ID NO:231) or

RD→5′ GGA TCC CAT GGT GAA ACG CGA 3′ (SEQ ID NO:232) and

5′ CTA GCT TTT TTT TCT AGA TAA TCA TGA AGA C 3' (SEQ ID NO:233)

The primers for pRAM RD156-1H9 were:

5′ GCG TAG CCA TGG TAA AGC GTG AGA AAA ATG TC 3′ (SEQ ID NO: 295) and

5′ CCG ACT CTA GAT TAC TAA CCG CCG GCC TTC ACC 3′ (SEQ ID NO: 296)

The PCR included:

100 ng DNA plasmid
1 μM primer upstream
1 μM primer downstream
0.2 mM dNTPs
1X buffer (Promega Corp.)
5 units *Pfu* DNA polymerase (Promega Corp.)
Sterile nanopure H_2O to 50 μl

The cycling parameters were: 94°C for 5 minutes; (94°C for 30 seconds; 55°C for 1 minute; and 72°C for 3 minutes) x 15 cycles. The purified PCR product was digested with *Nco* I and *Xba* I, ligated with pGL3-control that was also digested with *Nco* I and *Xba* I, and the ligated products introduced to *E. coli*. To insert the luciferase genes into the other pGL3 reporter vectors (basic, promoter and enhancer), the pGL3-control vectors containing each of the luciferase genes was digested with *Nco* I and *Xba* I, ligated with other pGL3 vectors that also were digested with *Nco* I and *Xba* I, and the ligated products introduced to *E. coli*. Note that the polypeptide encoded by GRver5.1 and RDver5.1 (and RD156-1H9, see below) nucleic acid sequences in pGL3 vectors has an amino acid substitution at position 2 to valine as a result of the *Nco* I site at the initiation codon in the oligonucleotide.

Because of internal *Nco* I and *Xba* I sites, the native gene in YG #81-6G01 was amplified from a *Hind* III site upstream to a *Hpa* I site downstream of the coding region and which included flanking sequences found in the GR and RD clones. The upstream primer (5'-CAA AAA GCT TGG CAT TCC GGT ACT GTT GGT AAA GCC ACC ATG GTG AAG CGA GAG- 3'; SEQ ID NO:234) and a downstream primer (5'- CAA TTG TTG TTG TTA ACT TGT TTA TT -3'; SEQ ID NO:235) were mixed with YG#81-6G01 and amplified using the PCR conditions above. The purified PCR product was digested with *Nco* I and *Xba* I, ligated with pGL3-control that was also digested with *Hind* III and *Hpa* I, and the ligated products introduced into *E. coli*. To insert YG#81-6G01 into the other pGL3 reporter vectors (basic, promoter and enhancer), the pGL3-control vectors containing YG#81-6G01 were digested with *Nco* I and *Xba* I, ligated with the other pGL3 vectors that also were digested with *Nco* I and *Xba* I, and the ligated products introduced to *E. coli*. Note that the clone of YG#81-6G01 in the pGL3 vectors has a C instead of an A at base 786, which yields a change in the amino acid sequence at residue 262 from Phe to Leu (Figure 2 shows the sequence of YG#81-6G01 prior to introduction into pGL3 vectors). To determine whether the altered amino acid at position 262 affected the enzyme biochemistry, the clone of YG#81-6G01 was mutated to resemble the original sequence. Both clones were then tested for expression in *E. coli*,

physical stability, substrate binding, and luminescence output kinetics. No significant differences were found.

Partially purified enzymes expressed from the synthetic genes and the parent gene were employed to determine Km for luciferin and ATP (see Table 3).

Table 3

Enzyme	K_M (LH_2)	K_M (ATP)
YG parent	2 μM	17 μM
GR	1.3 μM	25 μM
RD	24.5 μM	46 μM

In vitro eukaryotic transcription/translation reactions were also conducted using Promega's TNT T7 Quick system according to manufacturer's instructions. Luminescence levels were 1 to 37-fold and 1 to 77-fold higher (depending on the reaction time) for the synthetic GR and RD genes, respectively, compared to the parent gene (corrected for luminometer spectral sensitivity).

To test whether the synthetic click beetle luciferase genes and the wild type click beetle gene have improved expression in mammalian cells, each of the synthetic genes and the parent gene was cloned into a series of pGL3 vectors and introduced into CHO cells (Table 8). In all cases, the synthetic click beetle genes exhibited a higher expression than the native gene. Specifically, expression of the synthetic GR and RD genes was 1900-fold and 40-fold higher, respectively, than that of the parent (transfection efficiency normalized by comparison to native *Renilla* luciferase gene). Moreover, the data (basic versus control vector) show that the synthetic genes have reduced basal level transcription.

Further, in experiments with the enhancer vector where the percentage of activity in reference to the control is compared between the native and synthetic gene, the data showed that the synthetic genes have reduced risk of anomalous transcription characteristics. In particular, the parent gene appeared to contain one or more internal transcriptional regulatory sequences that are activated by

the enhancer in the vector, and thus is not suitable as a reporter gene while the synthetic GR and RD genes showed a clean reporter response (transfection efficiency normalized by comparison to native *Renilla* luciferase gene). See Table 9.

The clone names and their corresponding SEQ ID numbers for nucleotide sequence and amino acid sequence are listed below in Table 4.

Table 4

Clone name	Luciferase Type	SEQ ID NO.	SEQ ID NO.
LUCPPLYG	Wild type YG Click Beetle	1	23
YG#81-6G01	Mutant YG Click Beetle	2	24
GRver1	Synthetic Green Click Beetle	3	25
GRver2	Synthetic Green Click Beetle	4	26
GRver3	Synthetic Green Click Beetle	5	27
GRver4	Synthetic Green Click Beetle	6	28
GRver5	Synthetic Green Click Beetle	7	29
GR6	Synthetic Green Click Beetle	8	30
GRver5.1	Synthetic Green Click Beetle	9	31
RDver1	Synthetic Red Click Beetle	10	32
RDver2	Synthetic Red Click Beetle	11	33
RDver3	Synthetic Red Click Beetle	12	34
RDver4	Synthetic Red Click Beetle	13	218
RDver5	Synthetic Red Click Beetle	14	219
RD7	Synthetic Red Click Beetle	15	220
RDver5.1	Synthetic Red Click Beetle	16	221
RDver5.2	Synthetic Red Click Beetle	17	222
RD156-1H9	Synthetic Red Click Beetle	18	223
RELLUC	Wild type *Renilla*	19	224
Rlucver1	Synthetic *Renilla*	20	225
Rlucver2	Synthetic *Renilla*	21	226

Rluc-final	Synthetic *Renilla*	22	227

Example 2

Evolution of the RD luciferase gene

RDver5.2 was mutated to increase its luminescence intensity, thereby creating RD156-1H9 which carries four additional amino acid changes (M2I, S349T, K488T, E538V) and three silent point mutations (SEQ ID NO:18).

a) Site-directed mutagenesis:

The initial strategy was to use site-directed mutagenesis. There are four amino acid differences between the GR and RD synthetic genes with H348Q providing the greatest contribution to red color. Thus, this substitution may also cause structural changes in the protein that could lead to low light output. Optimization of positions near this area could increase light output. The following positions were selected for mutagenesis:

1. S344 (at the edge of the binding pocket for luciferin) – randomize this codon.
2. A245 (strictly conserved but closest to 348 and at the edge of the active site pocket) – randomize this codon.
3. I347 (not conserved, next to 348 in sequence) – mutate to hydrophobic amino acids only.
4. S349 (not conserved, next to 348 in sequence) – mutate to S, T, A, P only.

Oligonucleotides designed to mutate the above positions were used in a site-directed mutagenesis experiment (WO99/14336) and the resulting mutants were screened for luminescence intensity. There was little variation in light intensity and only about 25% were luminescent. For more detailed analysis, clones were picked and analyzed with the screening robot (PCT/WO9914336). None of the clones had a luminescence intensity (LI) higher than RDver5.2, but four of the clones had slightly lower composite Km for luciferin and ATP (Km).

b) Directed evolution:

Protocols and procedures used for the directed evolution are detailed in see PCT/WO9914336. DNA from the four clones with lower Km was combined and three libraries of random mutants were produced. The libraries were screened with the robot and clones with the highest LI values were selected. These clones were shuffled together and another robotic screen was completed with an incubation temperature of 46°C. The three clones with the highest LI values were RD156-0B4, RD156-1A5, and RD156-1H9.

c) Analysis:

The three clones with the highest LI values were selected for manual analysis to confirm that their luminescence intensity was higher than that of RDver5.2 and to ensure that their spectral properties were not compromised. One of the clones was slightly green-shifted, all others maintained the spectral properties of RDver5.2 (Table 5).

Table 5

Clone	Peak (nm)	Width (nm)
RD156-0B4	616	68
RD156-1A5	614	70
RD156-1H9	618	69
Rdver5.2 (prep #1)	617	70
Rdver5.2 (prep #2)	618	69

The Km values for luciferin and the luminescence intensity relative to RDver5.2 were determined for all three clones in several independent experiments. All cells samples were processed with CCLR lysis buffer (E1483, Promega Corp., Madison, WI) and diluted 1: 10 into buffer (25 mM HEPES pH 7.8, 5% glycerol, 1 mg/ml BSA, 150 mM NaCl). Table 7 summarizes the results (Lum: luminescence values were normalized to optical density; measurements for independent experiments are separated by forward slashes) from expression in bacterial cells. RD156-1H9, the clone with the highest luminescence intensity (5 to 10-fold increase) also has an about 2-fold higher Km for luciferin.

Table 6

Clone	Km Luciferin [μM]	Lum (normalized to RDver5.2)

RD156-0B4	8 /10	2.2 / 2.5
RD156-1A5	13 / 13	3.1 / 5.6
RD156-1H9	20 / 23 / 23	4 / 10.9 / 7.5
RDver5.2 (prep #1)	12 / 14 / 14	
RDver5.2 (prep #2)	40 / 50	
GRver5.1 (prep #1)	0.5	64
GRver5.1 (prep #2)	3	

Table 7 shows a comparison between the luminescence intensities of RD156-1H9, GRver5.1 and RDver5.2 normalized to GRver5.1 with and without correction for the spectral sensitivity of the luminometer photomultiplier tube. With correction, the luminescence intensity of clone RD156-1H9 was only about 2-fold lower than that of GRver5.1. The luciferin Km for clone RD156-1H9 is approximately 40-fold higher than GRver5.1. RD156-1H9 is thermostable at 50°C for at least 2 hours.

Table 7

Name	No Correction	With Correction
RDver5.2	0.016	0.06
GRver5.1	1.000	1.00
RD156-1H9	0.116	0.45

Tables 8 and 9 show a comparison of luciferase expression levels in CHO cells. Table 8 shows the expression levels only from the control vectors in comparison to the firefly luciferase gene (RLU = relative light units). Table 9 shows a comparison of the expression levels in all four pGL3 vectors calculated as a percent of the expression level in pGL3-control.

Table 8

Synthetic Click Beetle Gene Expression

Control vector	rlu
YG#81-6G01	177

Control vector	rlu
GRver5.1	343,417
RDver5.1	7,161
RD156-1H9	20,802
FireFly	488,016

Table 9

Synthetic Click Beetle Gene Expression

Vector	Percent of control vector
YG-control	100
RD-control	100
GR-control	100
RD156-1H9 control	100
YG-basic	3.3
RD-basic	1.0
GR-basic	0.2
RD156-1H9 basic	0.3
YG-promoter	4.2
RD-promoter	15.1
GR-promoter	5.7
RD156-1H9 promoter	15.5
YG-enhancer	51.5
RD-enhancer	2.8
GR-enhancer	1.4
RD156-1H9 enhancer	0.3

Example 3

Synthetic *Renilla* Luciferase Nucleic Acid Molecule

The synthetic *Renilla* luciferase genes prepared include 1) an introduced Kozak sequence, 2) codon usage optimized for mammalian (human) expression, 3) a reduction or elimination of unwanted restriction sites, 4) removal of prokaryotic regulatory sites (ribosome binding site and TATA box), 5) removal of splice sites and poly(A) addition sites, and 6) a reduction or elimination of mammalian transcriptional factor binding sequences.

The process of computer-assisted design of synthetic *Renilla* luciferase genes by iterative rounds of codon optimization and removal of transcription

factor binding sites and other regulatory sites as well as restriction sites can be described in three steps:

1. Using the wild type *Renilla* luciferase gene as the parent gene, codon usage was optimized, one amino acid was changed (T→A) to generate a Kozak consensus sequence, and undesired restriction sites were eliminated thereby creating synthetic gene Rlucver1.
2. Remove prokaryotic regulatory sites, splice sites, poly(A) sites and transcription factor (TF) binding sites (first pass). Then remove newly created TF binding sites. Then remove newly created undesired restriction enzyme sites, prokaryotic regulatory sites, splice sites, and poly(A) sites without introducing new TF binding sites. This thereby created Rlucver2.
3. Change 3 bases of Rlucver2 thereby creating Rluc-final.
4. The actual gene was then constructed from synthetic oligonucleotides corresponding to the Rluc-final designed sequence. All mutations resulting from the assembly or PCR process were corrected. This gene is Rluc-final (SEQ ID NO:22) and encodes the amino acid sequence of SEQ ID NO:227.

Codon Selection

Starting with the *Renilla reniformis* luciferase sequence in Genbank (Accession No. M63501, SEQ ID NO:19), codons were selected based on codon usage for optimal expression in human cells and to avoid *E. coli* low-usage codons. The best codon for expression in human cells (or the best two codons if found at a similar frequency) was chosen for all amino acids with more than one codon (Wada et al., 1990):

Arg: CGC	Lys: AAG
Leu: CTG	Asn: AAC
Ser: TCT/AGC	Gln: CAG
Thr: ACC	His: CAC
Pro: CCA/CCT	Glu: GAG
Ala: GCC	Asp: GAC
Gly: GGC	Tyr: TAC
Val: GTG	Cys: TGC

Ile: ATC/ATT Phe: TTC

In cases where two codons were selected for one amino acid, they were used in an alternating fashion. To meet other criteria for the synthetic gene, the initial optimal codon selection was modified to some extent later. For example, introduction of a Kozak sequence required the use of GCT for Ala at amino acid position 2 (see below).

The following low-usage codons in mammalian cells were not used unless needed: Arg: CGA, CGU; Leu: CTA, UUA; Ser: TCG; Pro: CCG; Val: GTA; and Ile: ATA. The following low-usage codons in *E. coli* were also avoided when reasonable (note that 3 of these match the low-usage list for mammalian cells): Arg: CGA/CGG/AGA/AGG, Leu: CTA; Pro: CCC; Ile: ATA.

Introduction of Kozak Sequences

The Kozak sequence: 5′ aaccATGGCT 3′ (SEQ ID NO: 293) (the *Nco* I site is underlined, the coding region is shown in capital letters) was introduced to the synthetic *Renilla* luciferase gene. The introduction of the Kozak sequence changes the second amino acid from Thr to Ala (GCT).

Removal of undesired restriction sites

REBASE ver. 808 (updated August 1, 1998; Restriction Enzyme Database; www.neb.com/rebase) was employed to identify undesirable restriction sites as described in Example 1. The following undesired restriction sites (in addition to those described in Example 1) were removed according to the process described in Example 1: *Eco*ICR I, *Nde*I, *Nsi*I, *Sph*I, *Spe*I, *Xma*I, *Pst*I.

The version of *Renilla* luciferase (Rluc) which incorporates all these changes is Rlucver1.

Removal of prokaryotic (*E. coli*) regulatory sequences, splice sites, and poly(A) sites

The priority and process for eliminating transcription regulation sites was as described in Example 1.

Removal of TF binding sites

The same process, tools, and criteria were used as described in Example 1, however, the newer version 3.3 of the TRANSFAC database was employed.

After removing prokaryotic regulatory sequences, splice sites and poly(A) sites from Rlucver1, the first search for TF binding sites identified about 60 hits. All sites were eliminated with the exception of three that could not be removed without altering the amino acid sequence of the synthetic *Renilla* gene:

1. site at position 63 composed of two codons for W (TGGTGG), for CAC-binding protein T00076;
2. site at position 522 composed of codons for KMV (AAN ATG GTN), for myc-DF1 T00517;
3. site at position 885 composed of codons for EMG (GAR ATG GGN), for myc-DF1 T00517.

The subsequent second search for (newly introduced) TF binding sites yielded about 20 hits. All new sites were eliminated, leaving only the three sites described above. Finally, any newly introduced restriction sites, prokaryotic regulatory sequences, splice sites and poly(A) sites were removed without introducing new TF binding sites if possible.

Rlucver2 was obtained (SEQ ID Nos. 21 and 226).

As in Example 1, lower stringency search parameters were specified for the TESS filtered string search to further evaluate the synthetic *Renilla* gene.

With the LLH reduced from 10 to 9 and the minimum element length reduced from 5 to 4, the TESS filtered string search did not show any new hits. When, in addition to the parameter changes listed above, the organism classification was expanded from "mammalia" to "chordata", the search yielded only four more TF binding sites. When the Min LLH was further reduced to between 8 and 0, the search showed two additional 5-base sites (MAMAG and CTKTK) which combined had four matches in Rlucver2, as well as several 4-base sites. Also as in Example 1, Rlucver2 was checked for hits to entries in the EPD (Eukaryotic Promoter Database, Release 45). Three hits were determined (one to Mus musculus promoter H-2L^d (Cell, 44, 261 (1986), one to Herpes Simplex Virus type 1 promoter b'g'2.7 kb, and one to Homo sapiens DHFR

promoter (J. Mol. Biol., 176, 169 (1984)). However, no further changes were made to Rlucver2.

Summary of Properties for Rlucver2

- All 30 low usage codons were eliminated. The introduction of a Kozak sequence changed the second amino acid from Thr to Ala;
- base composition: 55.7% GC (*Renilla* wild-type parent gene: 36.5%);
- one undesired restriction site could not be eliminated: *Eco*R V at position 488;
- the synthetic gene had no prokaryotic promoter sequence but one potentially functional ribosome binding site (RBS) at positions 867-73 (about 13 bases upstream of a Met codon) could not be eliminated;
- all poly(A) addition sites were eliminated;
- splice sites: 2 donor splice sites could not be eliminated (both share the amino acid sequence MGK);
- TF sites: all sites with a consensus of >4 unambiguous bases were eliminated (about 280 TF binding sites were removed) with 3 exceptions due to the preference to avoid changes to the amino acid sequence.

Synthetic *Renilla* luciferase sequences are shown in Figures 7 and 8. A codon usage comparison is shown in Figure 9.

When introduced into pGL3, Rluc-final has a Kozak sequence (CACCATGGCT). The changes in Rluc-final relative to Rlucver2 were introduced during gene assembly. One change was at position 619, a C to an A, which eliminated a eukaryotic promoter sequence and reduced the stability of a hairpin structure in the corresponding oligonucleotide employed to assemble the gene. Other changes included a change from CGC to AGA at positions 218-220 (resulted in a better oligonucleotide for PCR).

Gene Assembly Strategy

The gene assembly protocol employed for the synthetic *Renilla* luciferase was similar to that described in Example 1. The oligonucleotides employed are shown in Figure 10.

Sense Strand primer:
5′ AACCATGGCTTCCAAGGTGTACGACCCCGAGCAACGCAAA 3′ (SEQ ID NO:236)

Anti-sense Strand primer:
5′ GCTCTAGAATTACTGCTCGTTCTTCAGCACGCGCTCCACG 3′ (SEQ ID NO:237)

The resulting synthetic gene fragment was cloned into a pRAM vector using *Nco* I and *Xba* I. Two clones having the correct size insert were sequenced. Four to six mutations were found in the synthetic gene from each clone. These mutations were fixed by site-directed mutagenesis (Gene Editor from Promega Corp., Madison, WI) and swapping the correct regions between these two genes. The corrected gene was confirmed by sequencing.

Other Vectors

To prepare an expression vector for the synthetic *Renilla* luciferase gene in a pGL-3 control vector backbone, 5 μg of pGL3-control was digested with *Nco* I and *Xba* I in 50 μl final volume with 2 μl of each enzyme and 5 μl 10X buffer B (nanopure water was used to fill the volume to 50 μl). The digestion reaction was incubated at 37°C for 2 hours, and the whole mixture was run on a 1% agarose gel in 1XTAE. The desired vector backbone fragment was purified using Qiagen's QIAquick gel extraction kit.

The native *Renilla* luciferase gene fragment was cloned into pGL3-control vector using two oligonucleotides, *Nco* I-RL-F and *Xba* I-RL-R, to PCR amplify native *Renilla* luciferase gene using pRL-CMV as the template. The sequence for *Nco* I-RL-F is 5′-CGCTAGCCATGGCTTCGAAAGTTTATGATCC -3′ (SEQ ID NO:238); the sequence for *Xba* I-RL-R is 5′ GGCCAGTAACTCTAGAATTATTGTT-3′ (SEQ ID NO:239). The PCR reaction was carried out as follows:

Reaction mixture (for 100 μl):

DNA template (Plasmid)	1.0 μl (1.0 ng/μl final)

10 X Rec. Buffer	10.0 µl (Stratagene Corp.)
dNTPs (25 mM each)	1.0 µl (final 250 µM)
Primer 1 (10 µM)	2.0 µl (0.2 µM final)
Primer 2 (10 µM)	2.0 µl (0.2 µM final)
Pfu DNA Polymerase	2.0 µl (2.5 U/µl, Stratagene Corp.)
	82.0 µl double distilled water

PCR Reaction: heat 94°C for 2 minutes; (94°C for 20 seconds; 65°C for 1 minute; 72°C for 2 minutes; then 72°C for 5 minutes) x 25 cycles, then incubate on ice. The PCR amplified fragment was cut from a gel, and the DNA purified and stored at –20°C.

To introduce native *Renilla* luciferase gene fragment into pGL3-control vector, 5 µg of the PCR product of the native *Renilla* luciferase gene (RAM-RL-synthetic) was digested with *Nco* I and *Xba* I. The desired *Renilla* luciferase gene fragment was purified and stored at -20°C.

Then 100 ng of insert and 100 ng of pGL3-control vector backbone were digested with restriction enzymes *Nco* I and *Xba* I and ligated together. Then 2 µl of the ligation mixture was transformed into JM109 competent cells. Eight ampicillin resistance clones were picked and their DNA isolated. DNA from each positive clone of pGL3-control-native and pGL3-control-synthetic was purified. The correct sequences for the native gene and the synthetic gene in the vectors were confirmed by DNA sequencing.

To determine whether the synthetic *Renilla* luciferase gene has improved expression in mammalian cells, the gene was cloned into the mammalian expression vector pGL3-control vector under the control of SV40 promoter and SV40 early enhancer (Fig. 13A). The native *Renilla* luciferase gene was also cloned into the pGL-3 control vector so that the expression from synthetic gene and the native gene could be compared. The expression vectors were then transfected into four common mammalian cell lines (CHO, NIH3T3, Hela and CV-1; Table 10), and the expression levels compared between the vectors with the synthetic gene versus the native gene. The amount of DNA used was at two

different levels to ascertain that expression from the synthetic gene is consistently increased at different expression levels. The results show a 70-600 fold increase of expression for the synthetic *Renilla* luciferase gene in these cells (Table 10).

Table 10

Enhanced Synthetic *Renilla* Gene Expression

Cell Type	Amount Vector	Fold Expression Increase
CHO	0.2 μg	142
	2.8 μg	145
NIH3T3	0.2 μg	326
	2.0 μg	593
HeLa	0.2 μg	185
	1.0 μg	103
CV-1	0.2 μg	68
	2.0 μg	72

One important advantage of luciferase reporter is its short protein half-life. The enhanced expression could also result from extended protein half-life and, if so, this gives an undesired disadvantage of the new gene. This possibility is ruled out by a cycloheximide chase ("CHX Chase") experiment (Figure 14), which demonstrated that there was no increase of protein half-life resulted from the humanized *Renilla* luciferase gene.

To ensure that the increase in expression is not limited to one expression vector backbone, is promoter specific and/or cell specific, a synthetic *Renilla* gene (Rluc-final) as well as native *Renilla* gene were cloned into different vector backbones and under different promoters (Figure 13B). The synthetic gene always exhibited increased expression compared to its wild-type counterpart (Table 11).

Table 11

Renilla Gene Expression: native v. synthetic (Rluc-final)

Vector	NIH-3T3	HeLa	CHO
pRL-tk, native	3,834.6	922.4	7,671.9
pRL-tk, synthetic	13,252.5	9,040.2	41,743.5
pRL-CMV, native	168,062.2	842,482.5	153,539.5
pRL-CMV, synthetic	2,168,129	8,440,306	2,532,576
pRL-SV40, native	224,224.4	346,787.6	85,323.6
pRL-SV40, synthetic	1,469,588	2,632,510	1,422,830
pRL-null, native	2,853.8	431.7	2,434
pRL-null, synthetic	9,151.17	2,439	28,317.1
pRGL3b, native	12	21.8	17
pRGL3b, synthetic	130.5	212.4	1,094.5
pRGL3-tk, native	27.9	155.5	186.4
pRGL3-tk, synthetic	6,778.2	8,782.5	9,685.9
pRL-tk no intron, native	31.8	165	93.4
pRL-tk no intron, synthetic	6,665.5	6,379	21,433.1

Table 12

Renilla Luciferase Expression in Mammalian Cells

	Percent of control vector		
Vector	CHO cells	NIH3T3 cells	HeLa cells
pRL-control native	100	100	100
pRL-control synthetic	100	100	100
pRL-basic native	4.1	5.6	0.2
pRL-basic synthetic	0.4	0.1	0.0
pRL-promoter native	5.9	7.8	0.6
pRL-promoter synthetic	15.0	9.9	1.1

		Percent of control vector	
pRL-enhancer native	42.1	123.9	52.7
pRL-enhancer synthetic	2.6	1.5	5.4

(Vector backbones illustrated in Figure 13A)

With reduced spurious expression the synthetic gene should exhibit less basal level transcription in a promoterless vector. The synthetic and native *Renilla* luciferase genes were cloned into the pGL3-basic vector to compare the basal level of transcription. Because the synthetic gene itself has increased expression efficiency, the activity from the promoterless vector cannot be compared directly to judge the difference in basal transcription, rather, this is taken into consideration by comparing the percentage of activity from the promoterless vector in reference to the control vector (expression from the basic vector divided by the expression in the fully functional expression vector with both promoter and enhancer elements). The data demonstrate that the synthetic *Renilla* luciferase has a lower level of basal transcription than the native gene (Table 12)

It is well known to those skilled in the art that an enhancer can substantially stimulate promoter activity. To test whether the synthetic gene has reduced risk of inappropriate transcriptional characteristics, the native and synthetic gene were introduced into a vector with an enhancer element (pGL3-enhancer vector). Because the synthetic gene has higher expression efficiency, the activity of both cannot be compared directly to compare the level of transcription in the presence of the enhancer, however, this is taken into account by using the percentage of activity from enhancer vector in reference to the control vector (expression in the presence of enhancer divided by the expression in the fully functional expression vector with both promoter and enhancer elements). Such results show that when native gene is present, the enhancer alone is able to stimulate transcription from 42-124% of the control, however, when the native gene is replaced by the synthetic gene in the same vector, the activity only constitutes 1-5% of the value when the same enhancer and a strong

SV40 promoter are employed. This clearly demonstrates that synthetic gene has reduced risk of spurious expression (Table 12).

The synthetic *Renilla* gene (Rluc-final) was used in *in vitro* systems to compare translation efficiency with the native gene. In a T7 quick coupled transcription/translation system (Promega Corp., Madison, WI), pRL-null native plasmid (having the native *Renilla* luciferase gene under the control of the T7 promoter) or the same amount of pRL-null-synthetic plasmid (having the synthetic *Renilla* luciferase gene under the control of the T7 promoter) was added to the TNT reaction mixture and luciferase activity measured every 5 minutes up to 60 minutes. Dual Luciferase assay kit (Promega Corp.) was used to measure *Renilla* luciferase activity. The data showed that improved expression was obtained from the synthetic gene (Figure 15A,B). To further evidence the increased translation efficiency of the synthetic gene, RNA was prepared by an *in vitro* transcription system, then purified. pRL-null (native or synthetic) vectors were linearized with *Bam*H I. The DNA was purified by multiple phenol-chloroform extraction followed by ethanol precipitation. An *in vitro* T7 transcription system was employed by prepare RNAs. The DNA template was removed by using RNase-free DNase, and RNA was purified by phenol-chloroform extraction followed by multiple isopropanol precipitations. The same amount of purified RNA, either for the synthetic gene or the native gene, was then added to a rabbit reticulocyte lysate (Figure 15 C, D) or wheat germ lysate (Figure 15 E, F). Again, the synthetic *Renilla* luciferase gene RNA produced more luciferase than the native one. These data suggest that the translation efficiency is improved by the synthetic sequence. To determine why the synthetic gene was highly expressed in wheat germ, plant codon usage was determined. The lowest usage codons in higher plants coincided with those in mammals.

Reporter gene assays are widely used to study transcriptional regulation events. This is often carried out in co-transfection experiments, in which, along with the primary reporter construct containing the testing promoter, a second control reporter under a constitutive promoter is transfected into cells as an internal control to normalize experimental variations including transfection

efficiencies between the samples. Control reporter signal, potential promoter cross talk between the control reporter and primary reporter, as well as potential regulation of the control reporter by experimental conditions, are important aspects to consider for selecting a reliable co-reporter vector.

As described above, vector constructs were made by cloning synthetic *Renilla* luciferase gene into different vector backbones under different promoters. All the constructs showed higher expression in the three mammalian cell lines tested (Table 11). Thus, with better expression efficiency, the synthetic *Renilla* luciferase gives out higher signal when transfected into mammalian cells.

Because a higher signal is obtained, less promoter activity is required to achieve the same reporter signal, this reduced risk of promoter interference. CHO cells were transfected with 50 ng pGL3-control (firefly *luc+)* plus one of 5 different amounts of native pRL-TK plasmid (50, 100, 500, 1000, or 2000 ng) or synthetic pRL-TK (5, 10, 50, 100, or 200 ng). To each transfection, pUC19 carrier DNA was added to a total of 3 μg DNA. Shown in Figure 16 is the experiment demonstrating that 10 fold less pRL-TK DNA gives similar or more signal as the native gene, with reduced risk of inhibiting expression from the primary reporter pGL3-control.

Experimental treatment sometimes may activate cryptic sites within the gene and cause induction or suppression of the co-reporter expression, which would compromise its function as co-reporter for normalization of transfection efficiencies. One example is that TPA induces expression of co-reporter vectors harboring the wild-type gene when transfecting MCF-7 cells. 500 ng pRL-TK (native), 5 μg native and synthetic pRG-B, 2.5 μg native and synthetic pRG-TK were transfected per well of MCF-7 cells. 100 ng/well pGL3-control (firefly luc+) was co-transfected with all RL plasmids. Carrier DNA, pUC19, was used to bring the total DNA transfected to 5.1 μg/well. 15.3 μl TransFast Transfection Reagent (Promega Corp., Madison, WI) was added per well. Sixteen hours later, cells were trypsinized, pooled and split into six wells of a 6-well dish and allowed to attach to the well for 8 hours. Three wells were then treated with the 0.2 nM of the tumor promoter, TPA (phorbol-12-myristate-13-acetate, Calbiochem #524400-S), and three wells were mock treated with 20 μl DMSO.

Cells were harvested with 0.4 ml Passive Lysis Buffer 24 hours post TPA addition. The results showed that by using the synthetic gene, undesirable change of co-reporter expression by experimental stimuli can be avoided (Table 13). This demonstrates that using synthetic gene can reduce the risk of anomalous expression.

Table 13

TPA Induction

Vector	Rlu	Fold Induction
pRL-tk untreated (native)	184	
pRL-tk TPA treated (native)	812	4.4
pRG-B untreated (native)	1	
pRG-B TPA treated (native)	8	8.0
pRG-B untreated (final)	132	
pRG-B TPA treated (final)	195	1.47
pRG-tk untreated (native)	44	
pRG-tk TPA treated (native)	192	4.36
pRG-tk untreated (final)	12,816	
pRG-tk TPA treated (final)	11,347	0.88

References

Altschul et al., Nucl. Acids Res., 25, 3389 (1997).
Aota et al., Nucl. Acids Res., 16, 315 (1988).
Boshart et al., Cell, 41, 521 (1985).
Bronstein et al., Cal. Biochem., 219, 169 (1994).
Corpet et al., Nucl. Acids Res., 16, 881 (1988).
deWet et al., Mol. Cell. Biol., 7, 725 (1987).
Dijkema et al., EMBO J., 4, 761 (1985).
Faist and Meyer, Nucl. Acids Res., 20, 26 (1992).
Gorman et al., Proc. Natl. Acad. Sci. USA, 79, 6777 (1982).
Higgins et al., Gene, 73, 237 (1985).

Higgins et al., CABIOS, 5, 151 (1989).

Huang et al., CABIOS, 8, 155 (1992).

Itolcik et al., PNAS, 94, 12410 (1997).

Johnson et al., Mol. Reprod. Devel., 50, 377 (1998).

Jones et al., Mol. Cell. Biol., 17, 6970 (1997).

Karlin and Altschul, Proc. Natl. Acad. Sci. USA, 87, 2264 (1990).

Karlin and Altschul, Proc. Natl. Acad. Sci. USA, 90, 5873 (1993).

Keller et al., J. Cell Biol., 84, 3264 (1987).

Kim et al., Gene, 91, 217 (1990).

Lamb et al., Mol. Reprod. Devel., 51, 218 (1998).

Mariatis et al., Science, 236, 1237 (1987).

Michael et al., EMBO. J., 9, 481 (1990).

Mizushima and Nagata, Nucl. Acids Res., 18, 5322 (1990).

Murray et al., Nucl. Acids Res., 17, 477 (1989).

Myers and Miller, CABIOS, 4, 11 (1988).

Needleman and Wunsen, J. Mol. Biol., 48, 443 (1970).

Pearson and Lipman, Proc. Natl. Acad. Sci. USA, 85, 2444 (1988).

Pearson et al., Meth. Mol. Biol., 24, 307 (1994).

Sharp et al., Nucl. Acids Res., 16, 8207 (1988).

Sharp et al., Nucl. Acids Res., 15, 1281 (1987).

Smith and Waterman, Adv. Appl. Math., 2, 482 (1981).

Stemmer et al., Gene, 164, 49 (1995).

Uetsuki et al., J. Biol. Chem., 264, 5791 (1989).

Voss et al., Trends Biochem. Sci., 11, 287 (1986).

Wada et al., Nucl. Acids Res., 18, 2367 (1990).

Watson et al, eds. Recombinant DNA: A Short Course, Scientific American Books, W. H. Freeman and Company, New York (1983).

Wood, K. Photochemistry and Photobiology, 62, 662 (1995).

Wood, K. Science 244, 700 (1989)

All publications, patents and patent applications are incorporated herein by reference. While in the foregoing specification, this invention has been

described in relation to certain preferred embodiments thereof, and many details have been set forth for purposes of illustration, it will be apparent to those skilled in the art that the invention is susceptible to additional embodiments and that certain of the details herein may be varied considerably without departing from the basic principles of the invention.

WHAT IS CLAIMED IS:

1. A synthetic nucleic acid molecule comprising at least 300 nucleotides of a coding region for a polypeptide, having a codon composition differing at more than 25% of the codons from a wild type nucleic acid sequence encoding a polypeptide, and having at least 3-fold fewer transcription regulatory sequences relative to the average number of such sequences resulting from random selections of codons at the codons which differ, wherein the transcription regulatory sequences are selected from the group consisting of transcription factor binding sequences, intron splice sites, poly(A) addition sites and promoter sequences, and wherein the polypeptide encoded by the synthetic nucleic acid molecule has at least 85% sequence identity to the polypeptide encoded by the wild type nucleic acid sequence.

2. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has at least 5-fold fewer transcription regulatory sequences.

3. The synthetic nucleic acid molecule of claim 1 wherein the codon composition of the synthetic nucleic acid molecule differs from the wild type nucleic acid sequence at more than 35% of the codons.

4. The synthetic nucleic acid molecule of claim 1 wherein the codon composition of the synthetic nucleic acid molecule differs from the wild type nucleic acid sequence at more than 45% of the codons.

5. The synthetic nucleic acid molecule of claim 1 wherein the codon composition of the synthetic nucleic acid molecule differs from the wild type nucleic acid sequence at more than 55% of the codons.

6. The synthetic nucleic acid molecule of claim 1 wherein the majority of codons which differ are ones that are preferred codons of a desired host cell.

7. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule encodes a reporter molecule.

8. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule encodes a selectable marker protein.

9. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule encodes a luciferase.

10. The synthetic nucleic acid molecule of claim 9 wherein the wild type nucleic acid sequence encodes a *Renilla* luciferase.

11. The synthetic nucleic acid molecule of claim 9 wherein the wild type nucleic acid sequence encodes a beetle luciferase.

12. The synthetic nucleic acid molecule of claim 11 wherein the synthetic nucleic acid molecule encodes the amino acid valine at position 224.

13. The synthetic nucleic acid molecule of claim 11 wherein the synthetic nucleic acid molecule encodes the amino acid histidine at position 224, histidine at position 247, isoleucine at position 346, glutamine at position 348, or any combination thereof.

14. The synthetic nucleic acid molecule of claim 1 wherein the majority of codons which differ in the synthetic nucleic acid molecule are those which are employed more frequently in mammals.

15. The synthetic nucleic acid molecule of claim 1 wherein the majority of codons which differ in the synthetic nucleic acid molecule are those which are preferred codons in humans.

16. The synthetic nucleic acid molecule of claim 1 wherein the majority of codons which differ in the synthetic nucleic acid molecule are those which are preferred codons in plants.

17. The synthetic nucleic acid molecule of claim 9 wherein the synthetic nucleic acid molecule comprises SEQ ID NO:21 (Rlucver2) or SEQ ID NO:22 (Rluc-final).

18. The synthetic nucleic acid molecule of claim 9 wherein the synthetic nucleic acid molecule comprises SEQ ID NO:7 (GRver5), SEQ ID NO:8 (GRver6), SEQ ID NO:9 (GRver5.1), or SEQ ID NO:297 (GRver5.1).

19. The synthetic nucleic acid molecule of claim 9 wherein the synthetic nucleic acid molecule comprises SEQ ID NO:14 (RDver5), SEQ ID NO:15 (RDver7), SEQ ID NO:16 (RDver5.1), SEQ ID NO:299 (RDver5.1), SEQ ID NO:17 (RDver5.2), SEQ ID NO:18 (RD156-1H9) or SEQ ID NO:301 (RD156-1H9).

20. The synthetic nucleic acid molecule of claim 15 wherein the majority of codons which differ are the human codons CGC, CTG, TCT, AGC, ACC, CCA, CCT, GCC, GGC, GTG, ATC, ATT, AAG, AAC, CAG, CAC, GAG, GAC, TAC, TGC and TTC.

21. The synthetic nucleic acid molecule of claim 15 wherein the majority of codons which differ are the human codons CGC, CTG, TCT, ACC, CCA, GCC, GGC, GTC, and ATC or codons CGT, TTG, AGC, ACT, CCT, GCT, GGT, GTG and ATT.

22. The synthetic nucleic acid molecule of claim 16 wherein the majority of codons which differ are the plant codons CGC, CTT, TCT, TCC, ACC, CCA, CCT, GCT, GGA, GTG, ATC, ATT, AAG, AAC, CAA, CAC, GAG, GAC, TAC, TGC and TTC.

23. The synthetic nucleic acid molecule of claim 16 wherein the majority of codons which differ are the plant codons CGC, CTT, TCT, ACC, CCA, GTC, GGA, GTC, and ATC or codons CGT, TGG, AGC, ACT, CCT, GCC, GGT, GTG and ATT.

24. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule is expressed in a mammalian host cell at a level which is greater than that of the wild type nucleic acid sequence.

25. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of CTG or TTG leucine-encoding codons.

26. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of GTG or GTC valine-encoding codons.

27. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of GGC or GGT glycine-encoding codons.

28. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule an increased number of ATC or ATT isoleucine-encoding codons.

29. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of CCA or CCT proline-encoding codons.

30. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of CGC or CGT arginine-encoding codons.

31. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of AGC or TCT serine-encoding codons.

32. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of ACC or ACT threonine-encoding codons.

33. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule has an increased number of GCC or GCT alanine-encoding codons.

34. The synthetic nucleic acid molecule of claim 1 wherein the codons in the synthetic nucleic acid molecule which differ encode the same amino acids as the corresponding codons in the wild type nucleic acid sequence.

35. A plasmid comprising the synthetic nucleic acid molecule of claim 1.

36. An expression vector comprising the synthetic nucleic acid molecule of claim 1 linked to a promoter functional in a cell.

37. The expression vector of claim 36 wherein the synthetic nucleic acid molecule is operatively linked to a Kozak consensus sequence.

38. The expression vector of claim 36 wherein the promoter is functional in a mammalian cell.

39. The expression vector of claim 36 wherein the promoter is functional in a human cell.

40. The expression vector of claim 36 wherein the promoter is functional in a plant cell.

41. The expression vector of claim 36 wherein the expression vector further comprises a multiple cloning site.

42. The expression vector of claim 41 wherein the expression vector comprises a multiple cloning site positioned between the promoter and the synthetic nucleic acid molecule.

43. The expression vector of claim 41 wherein the expression vector comprises a multiple cloning site positioned downstream from the synthetic nucleic acid molecule.

44. A host cell comprising the expression vector of claim 36.

45. A reporter gene expression kit comprising, in suitable container means, the expression vector of claim 36.

46. An isolated polypeptide encoded by SEQ ID NO:9 (GRver5.1) or SEQ ID NO:18 (RD156-1H9).

47. A polynucleotide which hybridizes under stringent hybridization conditions to SEQ ID NO:22 (Rluc-final), SEQ ID NO:9 (GRver5.1), SEQ ID NO:18 (RD156-1H9), SEQ ID NO:297 (GRver5.1), SEQ ID NO:301 (RD156-1H9), or the complement thereof.

48. A method to prepare a synthetic nucleic acid molecule comprising an open reading frame, comprising:

a) altering a plurality of transcription regulatory sequences in a parent nucleic acid sequence which encodes a polypeptide having at least 100 amino acids to yield a synthetic nucleic acid molecule which has at least 3-fold fewer transcription regulatory sequences relative to the parent nucleic acid sequence, wherein the transcription regulatory sequences are selected from the group consisting of transcription factor binding sequences, intron splice sites, poly(A) addition sites, enhancer sequences and promoter sequences; and

b) altering greater than 25% of the codons in the synthetic nucleic acid sequence which has a decreased number of transcription regulatory sequences to yield a further synthetic nucleic acid molecule, wherein the codons which are altered do not result in an increased number of transcription regulatory sequences, wherein the further synthetic nucleic acid molecule encodes a polypeptide with at least 85% amino acid sequence identity to the polypeptide encoded by the parent nucleic acid sequence.

49. A method to prepare a synthetic nucleic acid molecule comprising an open reading frame, comprising:

a) altering greater than 25% of the codons in a parent nucleic acid sequence which encodes a polypeptide having at least 100 amino acids to yield a codon-altered synthetic nucleic acid molecule, and

b) altering a plurality of transcription regulatory sequences in the codon-altered synthetic nucleic acid molecule to yield a further synthetic nucleic acid molecule which has at least 3-fold fewer transcription regulatory sequences relative to a synthetic nucleic acid molecule with a random selection of codons at the codons which differ, wherein the transcription regulatory sequences are selected from the group consisting of transcription factor binding sequences, intron splice sites, poly(A)

addition sites, enhancer sequences and promoter sequences, and wherein the further synthetic nucleic acid molecule encodes a polypeptide with at least 85% amino acid sequence identity to the polypeptide encoded by the parent nucleic acid sequence.

50. The method of claim 48 or 49 wherein the parent nucleic acid sequence encodes a reporter molecule.

51. The method of claim 48 or 49 wherein the parent nucleic acid sequence encodes a luciferase.

52. The method of claim 48 or 49 wherein the synthetic nucleic acid molecule hybridizes under medium stringency hybridization conditions to the parent nucleic acid sequence.

53. The method of claim 48 or 49 wherein the codons which are altered encode the same amino acid as the corresponding codons in the parent nucleic acid sequence.

54. A synthetic nucleic acid molecule which is the further synthetic nucleic acid molecule prepared by the method of claim 48 or 49.

55. A method for preparing at least two synthetic nucleic acid molecules which are codon distinct versions of a parent nucleic acid sequence which encodes a polypeptide, comprising:
a) altering a parent nucleic acid sequence to yield a synthetic nucleic acid molecule having an increased number of a first plurality of codons that are employed more frequently in a selected host cell relative to the number of those codons in the parent nucleic acid sequence; and
b) altering the parent nucleic acid sequence to yield a further synthetic nucleic acid molecule having an increased number of a second plurality of codons that are employed more frequently in the host cell relative to

the number of those codons in the parent nucleic acid sequence, wherein the first plurality of codons is different than the second plurality of codons, and wherein the synthetic and the further synthetic nucleic acid molecules encode the same polypeptide.

56. The method of claim 55 further comprising altering a plurality of transcription regulatory sequences in the synthetic nucleic acid molecule, the further synthetic nucleic acid molecule, or both, to yield at least one yet further synthetic nucleic acid molecule which has at least 3-fold fewer transcription regulatory sequences relative to the synthetic nucleic acid molecule, the further synthetic nucleic acid molecule, or both.

57. The method of claim 55 further comprising altering at least one codon in the first synthetic sequence to yield a first modified synthetic sequence which encodes a polypeptide with at least one amino acid substitution relative to the polypeptide encoded by the first synthetic nucleic acid sequence.

58. The method of claim 56 further comprising altering at least one codon in the second synthetic sequence to yield a second modified synthetic sequence which encodes a polypeptide with at least one amino acid substitution relative to the polypeptide encoded by the first synthetic nucleic acid sequence.

59. The method of claim 55 wherein the synthetic sequences encode a luciferase.

60. The synthetic nucleic acid molecule of claim 1 wherein the synthetic nucleic acid molecule is expressed at a level which is at least 110% of that of the wild type nucleic acid sequence in a cell or cell extract under identical conditions.

61. The synthetic nucleic acid molecule of claim 1 wherein the polypeptide encoded by the synthetic nucleic acid molecule has at least 90% contiguous sequence identity to the polypeptide encoded by the wild type nucleic acid sequence.

62. The synthetic nucleic acid molecule of claim 1 wherein the polypeptide encoded by the synthetic nucleic acid molecule is identical in amino acid sequence to the polypeptide encoded by the wild type nucleic acid sequence.

63. A vector comprising a synthetic nucleic acid molecule having at least 3-fold fewer transcriptional regulatory sequences relative to a vector comprising a parent nucleic acid sequence, wherein the transcription regulatory sequences are selected from the group consisting of transcription factor binding sequences, intron splice sites, poly(A) addition sites and promoter sequences.

64. The vector of claim 63 wherein the synthetic nucleic acid molecule does not encode a polypeptide.

65. The method of claim 48 or 49 further comprising altering the further synthetic nucleic acid molecule to encode a polypeptide having at least one amino acid substitution relative to the polypeptide encoded by the parent nucleic acid sequence.

66. The method of claim 48 or 49 wherein the altering of transcription regulatory sequences does not introduce amino acid substitutions to the polypeptide encoded by the synthetic nucleic acid molecule.

Figure 1
The Genetic Code

First Position (5' end)	Second position				Third position (3' end)
	U	C	A	G	
U	Phe	Ser	Tyr	Cys	U
	Phe	Ser	Tyr	Cys	C
	Leu	Ser	Stop	Stop	A
	Leu	Ser	Stop	Trp	G
C	Leu	Pro	His	Arg	U
	Leu	Pro	His	Arg	C
	Leu	Pro	Gln	Arg	A
	Leu	Pro	Gln	Arg	G
A	Ile	Thr	Asn	Ser	U
	Ile	Thr	Asn	Ser	C
	Ile	Thr	Lys	Arg	A
	Met	Thr	Lys	Arg	G
G	Val	Ala	Asp	Gly	U
	Val	Ala	Asp	Gly	C
	Val	Ala	Glu	Gly	A
	Val	Ala	Glu	Gly	G

Figure 2


GRVER51.SEQ ATGATGAAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
GR6.SEQ ATGATGAAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
GRVER5.SEQ ATGATGAAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
GRVER4.SEQ ATGATGAAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
GRVER3.SEQ ATGATGAAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
GRVER2.SEQ ATGATGAAACGCGAAAAGAACGTCATCTACGGCCCAGAGC 40
GRVER1.SEQ ATGATGAAACGCGAAAAGAACGTCATCTACGGCCCAGAGC 40
YG81-6G1.SEQATGATGAAGCGAGAGAAAAATGTTATATATGGACCCGAAC 40
RDVER1.SEQ ATGATGAAGCGTGAGAAAAATGTGATTATGGTCCTGAAC 40
RDVER2.SEQ ATGATGAAGCGTGAGAAAAATGTGATTATGGTCCTGAAC 40
RDVER3.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RDVER4.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RDVER5.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RD7.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RDVER51.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RDVER52.SEQ ATGATGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
RD1561H9.SEQATGATAAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGC 40
GRVER51.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
GR6.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
GRVER5.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
GRVER4.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
GRVER3.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
GRVER2.SEQ CTCTGCACCCCATTGGAAGACCTGACCGCTGGTGAGATGTT 80
GRVER1.SEQ CTCTGCACCCCATTGGAAGACCTGACCGCCGGTGAGATGTT 80
YG81-6G1.SEQCCCTACACCCCCTTGGAAGACTTAACAGCTGGAGAAATGCCT 80
RDVER1.SEQ CATTGCATCCTCTGGAGGATTTGACTGCTGGCGAAATGCCT 80
RDVER2.SEQ CATTGCATCCTCTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RDVER3.SEQ CTTTGCACCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RDVER4.SEQ CTTTGCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RDVER5.SEQ CTCTCCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RD7.SEQ CTCTCCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RDVER51.SEQ CTCTCCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RDVER52.SEQ CTCTCCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
RD1561H9.SEQCTCTCCATCCTTTGGAGGATTTGACTGCCGGCGAAATGCCT 80
GRVER51.SEQ CTTCCGAGCACTGCGTAAACATAGTCACCTCCCTCAAGCA 120
GR6.SEQ CTTCCGAGCACTGCGTAAACATAGTCACCTCCCTCAAGCA 120
GRVER5.SEQ CTTCCGAGCACTGCGTAAACATAGTCACCTCCCTCAAGCA 120
GRVER4.SEQ CTTCCGTGCACTGCGTAAACATAGTCACCTCCCTCAAGCT 120
GRVER3.SEQ GTTCCGTGCCCTGCGTAAACATAGCCACCTGCCTCAAGCT 120
GRVER2.SEQ GTTCCGTGCTCTGCGTAAACATTCTCACTTGCCTCAAGCC 120
GRVER1.SEQ GTTCCGTGCTCTGCGTAAACATTCTCACTTGCCTCAAGCC 120
YG81-6G1.SEQCTTCCGTGCCCTTCGAAAACATTCTCATTTACCGCAGGCT 120
RDVER1.SEQ GTTTCGCGCCCTTGCGCAAGCACAGCCATCTGCCACAGGCT 120
RDVER2.SEQ GTTTCGCGCCCTTGCGCAAGCACAGCCATCTGCCACAAGCT 120
RDVER3.SEQ GTTTCGCGCCTTTGCGTAAGCACTCTCATTTGCCTCAAGCC 120
RDVER4.SEQ GTTTCGTGCCTTTGCGTAAACACTCTCATTTGCCTCAAGCC 120
RDVER5.SEQ GTTTCGTGCCTCTCCGCAAGCACTCTCATTTGCCTCAAGCC 120
RD7.SEQ GTTTCGTGCCTCTCCGCAAGCACTCTTATTTGCCTCAAGCC 120
RDVER51.SEQ GTTTCGTGCCTCTCCGCAAGCACTCTCATTTGCCTCAAGCC 120
RDVER52.SEQ GTTTCGTGCCTCTCCGCAAGCACTCTCATTTGCCTCAAGCC 120
RD1561H9.SEQGTTTCGTGCCTCTCCGCAAGCACTCTCATTTGCCTCAAGCC 120

Figure 2 (cont.)

```
GRVER51.SEQ  CTCGTGGACGTCGTGGGAGACGAGAGCCTCTCCTACAAAG 160
GR6.SEQ      CTCGTGGACGTCGTGGGAGACGAGAACCTCTCCTACAAAG 160
GRVER5.SEQ   CTCGTGGACGTCGTGGGAGACGAGAGCCTCTCCTACAAAG 160
GRVER4.SEQ   CTCGTGGACGTCGTGGGAGACGAGAGCCTCTCTTACAAAG 160
GRVER3.SEQ   CTCGTGGACGTCGTGGGTGACGAGAGCCTGTCTTACAAAG 160
GRVER2.SEQ   CTGGTCGATGTCGTGGCGACGAGAGCTTGTCTTATAAGG 160
GRVER1.SEQ   CTGGTGGATGTCGTGGCGACGAAAGCTTGTCTTATAAGG 160
YG81-6G1.SEQTTAGTAGATGTGGTTGGCGACGAATCGCTTTCCTATAAAG 160
RDVER1.SEQ   TTGGTCGACGTGGTCGGTGATGAGTCTCTGAGCTACAAAG 160
RDVER2.SEQ   TTGGTGGACGTGGTCGGTGATGAATCTCTGAGCTACAAAG 160
RDVER3.SEQ   TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTATAAGG 160
RDVER4.SEQ   TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160
RDVER5.SEQ   TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160
RD7.SEQ      TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160
RDVER51.SEQ  TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160
RDVER52.SEQ  TTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160
RD1561H9.SEQTTGGTCGATGTGGTCGGCGATGAAATCTTTGAGCTACAAGG 160

GRVER51.SEQ  AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA 200
GR6.SEQ      AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA 200
GRVER5.SEQ   AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA 200
GRVER4.SEQ   AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA 200
GRVER3.SEQ   AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTGCA 200
GRVER2.SEQ   AATTTTTCGAAGCTACTGTCCTGTTGGCCCAATCTCTGCA 200
GRVER1.SEQ   AGTTTTTCGAAGCTACTGTCCTGTTGGCCCAGTCTCTGCA 200
YG81-6G1.SEQAGTTTTTTGAAGCGACAGTCCTCCTAGCGCAAAGTCTCCA 200
RDVER1.SEQ   AATTCTTTGAGGCCACCGTGTTGCTGGCTCAAAGCTTGCA 200
RDVER2.SEQ   AGTTCTTTGAGGCAACCGTGTTGCTGGCTCAGAGCTTGCA 200
RDVER3.SEQ   AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCTTTGCA 200
RDVER4.SEQ   AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCTTGCA 200
RDVER5.SEQ   AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA 200
RD7.SEQ      AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA 200
RDVER51.SEQ  AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA 200
RDVER52.SEQ  AGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA 200
RD1561H9.SEQAGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA 200

GRVER51.SEQ  TAATTGTGGGTACAAAATGAACGATGTGGTGAGCATTTGT 240
GR6.SEQ      TAATTGTGGGTACAAAATGAACGATGTGGTGAGCATTTGT 240
GRVER5.SEQ   TAATTGTGGGTACAAAATGAACGATGTGGTGAGCATTTGT 240
GRVER4.SEQ   TAATTGTGGATACAAAATGAACGATGTGGTGAGCATTTGT 240
GRVER3.SEQ   TAATTGTGGTTACAAAATGAACGATGTGGTGAGCATCTGT 240
GRVER2.SEQ   TAATTGCGGTTACAAAATGAACGATGTGGTCAGCATTTGT 240
GRVER1.SEQ   TAATTGCGGTTACAAAATGAACGATGTGGTCAGCATTTGT 240
YG81-6G1.SEQCAATTGTGGATACAAGATGAATGATGTAGTGTCGATCTGC 240
RDVER1.SEQ   CAACTGTGGCTATAAGATGAATGACGTCGTGTCTATCTGC 240
RDVER2.SEQ   CAACTGTGGCTATAAGATGAATGACGTCGTGTCTATCTGC 240
RDVER3.SEQ   TAATTGCGGCTACAAGATGAACGACGTCGTCTCTATTTGT 240
RDVER4.SEQ   TAATTGTGGCTACAAGATGAACGACGTCGTCTCCATTTGT 240
RDVER5.SEQ   CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
RD7.SEQ      CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
RDVER51.SEQ  CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
RDVER52.SEQ  CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
RD1561H9.SEQCAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
```

Figure 2 (cont.)

```
GRVER51.SEQ  G C T G A G A A T A A C A C T C G C T T C T T T A T T C C T G T A A T C G C T G  280
GR6.SEQ      G C T G A G A A T A A C A C T C G C T T C T T T A T T C C T G T A A T C G C T G  280
GRVER5.SEQ   G C T G A G A A T A A C A C T C G C T T C T T T A T T C C T G T A A T C G C T G  280
GRVER4.SEQ   G C T G A G A A T A A C A C T C G C T T C T T T A T C C C T G T T A T C G C T G  280
GRVER3.SEQ   G C T G A G A A T A A C A C T C G C T T T T T T A T C C C T G T G A T C G C T G  280
GRVER2.SEQ   G C T G A G A A T A A C A C C C G C T T T T T C A T C C C A G T G A T T G C C G  280
GRVER1.SEQ   G C T G A G A A T A A C A C C C G C T T T T T C A T C C C A G T G A T T G C C G  280
YG81-6G1.SEQ G C C G A G A A T A A T A C A A G A T T T T T A T T C C C G T T A T T G C A G  280
RDVER1.SEQ   G C C G A A A A C A A T A C T C G T T T C T T T A T T C C T G T C A T C G C T G  280
RDVER2.SEQ   G C C G A A A A C A A T A C T C G T T T C T T T A T T C C T G T C A T C G C T G  280
RDVER3.SEQ   G C C G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RDVER4.SEQ   G C A G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RDVER5.SEQ   G C T G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RD7.SEQ      G C T G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RDVER51.SEQ  G C T G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RDVER52.SEQ  G C T G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280
RD1561H9.SEQ G C T G A A A A C A A T A C C C G T T T C T T C A T T C C A G T C A T C G C C G  280

GRVER51.SEQ  C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GR6.SEQ      C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GRVER5.SEQ   C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GRVER4.SEQ   C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GRVER3.SEQ   C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GRVER2.SEQ   C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
GRVER1.SEQ   C T T G G T A C A T C G G C A T G A T T G T C G C C C C T G T G A A T G A A T C  320
YG81-6G1.SEQ C T T G G T A T A T T G G T A T G A T T G T A G C A C C T G T T A A T G A A A G  320
RDVER1.SEQ   C C T G G T A T A T T G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER2.SEQ   C C T G G T A T A T T G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER3.SEQ   C C T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER4.SEQ   C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER5.SEQ   C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RD7.SEQ      C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER51.SEQ  C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RDVER52.SEQ  C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320
RD1561H9.SEQ C A T G G T A T A T C G G T A T G A T C G T G G G C T C C A G T C A A C G A G A G  320

GRVER51.SEQ  T T A C A T C C C A G A T G A G C T G T G T A A G G T T A T G G G T A T T A G C  360
GR6.SEQ      T T A C A T C C C A G A T G A G C T G T G T A A G G T T A T G G G T A T T A G C  360
GRVER5.SEQ   T T A C A T C C C A G A T G A G C T G T G T A A G G T T A T G G G T A T T A G C  360
GRVER4.SEQ   T T A C A T C C C A G A T G A G C T G T G T A A G G T T A T G G G T A T T A G C  360
GRVER3.SEQ   T T A C A T C C C A G A T G A G T T G T G T A A G G T G A T G G G T A T T A G C  360
GRVER2.SEQ   T T A T A T C C C A G A C G A G T T G T G C A A G G T C A T G G G T A T T A G C  360
GRVER1.SEQ   T T A T A T C C C A G A C G A G T T G T G C A A G G T C A T G G G T A T T A G C  360
YG81-6G1.SEQ T T A C A T C C C A G A T G A A C T C T G T A A G G T G A T G G G T A T A T C G  360
RDVER1.SEQ   C T A C A T T C C T G A T G A A C T G T G T A A A G T G A T G G G C A T C T C T  360
RDVER2.SEQ   C T A C A T T C C T G A T G A A C T G T G T A A A G T G A T G G G C A T C T C T  360
RDVER3.SEQ   C T A C A T T C C T G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RDVER4.SEQ   C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RDVER5.SEQ   C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RD7.SEQ      C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RDVER51.SEQ  C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RDVER52.SEQ  C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
RD1561H9.SEQ C T A C A T T C C C G A C G A A C T G T G T A A A G T C A T G G G T A T C T C T  360
```

Figure 2 (cont.)

```
GRVER51.SEQ  AAACCTCAAATCGTCTTTACTACCAAAAACATCTTGAATA 400
GR6.SEQ      AAACCTCAAATCGTCTTTACTACCAAAAACATCTTGAATA 400
GRVER5.SEQ   AAACCTCAAATCGTCTTTACTACCAAAAACATCTTGAATA 400
GRVER4.SEQ   AAACCTCAAATCGTCTTTACTACCAAAAATATCCTGAATA 400
GRVER3.SEQ   AAACCTCAAATCGTCTTTACTACCAAAAACATCCTGAATA 400
GRVER2.SEQ   AAACCTCAAATCGTGTTTACTACCAAGAACATTCTGAATA 400
GRVER1.SEQ   AAACCTCAAATCGTGTTTACTACCAAGAACATTCTGAATA 400
YG81-6G1.SEQAAACCACAAATAGTTTTTACGACAAAGAACATTTTAAATA 400
RDVER1.SEQ   AAGCCACAGATTGTCTTCACCACTAAAAATATCTTGAACA 400
RDVER2.SEQ   AAGCCACAGATTGTCTTCACCACTAAAAATATCTTGAACA 400
RDVER3.SEQ   AAGCCACAGATTGTGTTCACCACTAAGAATATTTTGAACA 400
RDVER4.SEQ   AAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
RDVER5.SEQ   AAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
RD7.SEQ      AAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
RDVER51.SEQ  AAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
RDVER52.SEQ  AAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
RD1561H9.SEQAAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400

GRVER51.SEQ  AGGTCTTGGAAGTCCAGTCTCGTACTAACTTCATCAAACG 440
GR6.SEQ      AGGTCTTGGAAGTCCAGTCTCGTACTAACTTCATCAAACG 440
GRVER5.SEQ   AGGTCTTGGAAGTCCAGTCTCGTACTAACTTCATCAAACG 440
GRVER4.SEQ   AGGTCTTGGAAGTCCAGTCTCGTACTAACTTCATCAAACG 440
GRVER3.SEQ   AGGTCTTGGAAGTCCAGTCTCGTACTAATTTCATCAAACG 440
GRVER2.SEQ   AGGTCTTGGAAGTGCAGTCTCGTACTAACTTCATCAAGCG 440
GRVER1.SEQ   AAGTCTTGGAAGTGCAGTCTCGTACTAACTTCATCAAGCG 440
YG81-6G1.SEQAGGTATTGGAGGTACAGAGCAGAACTAATTTCATAAAAAG 440
RDVER1.SEQ   AGGTGCTGGAGGTCCAAAGCCGCACCAATTTTATTAAACG 440
RDVER2.SEQ   AAGTGCTGGAGGTCCAAAGCCGCACCAATTTTATTAAACG 440
RDVER3.SEQ   AAGTGCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RDVER4.SEQ   AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RDVER5.SEQ   AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RD7.SEQ      AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RDVER51.SEQ  AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RDVER52.SEQ  AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
RD1561H9.SEQAAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440

GRVER51.SEQ  CATCATTATTCTGGATACCGTCGAAAACATCCACGGCTGT 480
GR6.SEQ      CATCATTATTCTGGATACCGTCGAAAACATCCACGGCTGT 480
GRVER5.SEQ   CATCATTATTCTGGATACCGTCGAAAACATCCACGGCTGT 480
GRVER4.SEQ   CATCATTATTCTGGATACCGTCGAAAACATCCATGGCTGT 480
GRVER3.SEQ   CATTATTATTCTGGATACCGTCGAAAACATCCACGGCTGT 480
GRVER2.SEQ   CATTATCATTCTGGATACCGTCGAGAATATCCACGGCTGT 480
GRVER1.SEQ   CATTATCATTCTGGATACCGTCGAGAATATCCACGGCTGT 480
YG81-6G1.SEQGATCATCATACTTGATACTGTAGAAAACATACACGGTTGT 480
RDVER1.SEQ   TATCATTATCTTGGACACTGTGGAAAACATTCATGGTTGC 480
RDVER2.SEQ   TATCATTATCTTGGACACTGTGGAAAACATTCATGGTTGC 480
RDVER3.SEQ   TATCATCATCTTGGACACTGTGGAGAATATTCATGGTTGC 480
RDVER4.SEQ   TATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
RDVER5.SEQ   TATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
RD7.SEQ      TATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
RDVER51.SEQ  TATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
RDVER52.SEQ  TATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
RD1561H9.SEQTATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
```

Figure 2 (cont.)



Figure 2 (cont.)



Figure 2 (cont.)



Figure 2 (cont.)



Figure 2 (cont.)

```
GRVER51.SEQ  G C C G A G G T C G C T G C T A A G C G T C T G A A C C T C C C T G G T A T C C 1000
GR6.SEQ      G C C G A G G T C G C T G C T A A G C G T C T G A A C C T C C C T G G T A T C C 1000
GRVER5.SEQ   G C C G A G G T C G C T G C T A A G C G T C T G A A C C T C C C T G G T A T C C 1000
GRVER4.SEQ   G C C G A G G T C G C T G C T A A G C G T C T G A A C C T C C C T G G T A T C C 1000
GRVER3.SEQ   G C C G A G G T C G C T G C T A A G C G T C T G A A C C T C C C T G G T A T C C 1000
GRVER2.SEQ   G C C G A A G T C G C T G C C A A G C G T C T G A A T T T G C C A G G T A T C C 1000
GRVER1.SEQ   G C C G A A G T C G C T G C C A A G C G T C T G A A T T T G C C A G G T A T C C 1000
YG81-6G1.SEQ G C T G A G G T T G C A G C A A A A C G A T T A A A C T T G C C A G G A A T T C 1000
RDVER1.SEQ   G C T G A G G T G G C C G C T A A A C G C T T G A A C C T G C C T G G C A T T C 1000
RDVER2.SEQ   G C T G A G G T G G C C G C T A A A C G C T T G A A C C T G C C T G G C A T T C 1000
RDVER3.SEQ   G C T G A A G T G G C C G C C A A A C G C T T G A A T C T G C C A G G C A T T C 1000
RDVER4.SEQ   G C T G A A G T G G C C G C C A A A C G C T T G A A T C T G C C C G G C A T T C 1000
RDVER5.SEQ   G C T G A A G T G G C C G C C A A A C G C T T G A A T C T T C C A G G G A T T C 1000
RD7.SEQ      G C T G A A G T G G C C G C C A A A C G C T T G A A T C T T C C A G G G A T T C 1000
RDVER51.SEQ  G C T G A A G T G G C C G C C A A A C G C T T G A A T C T T C C A G G G A T T C 1000
RDVER52.SEQ  G C T G A A G T G G C C G C C A A A C G C T T G A A T C T T C C A G G G A T T C 1000
RD1561H9.SEQ G C T G A A G T G G C C G C C A A A C G C T T G A A T C T T C C A G G G A T T C 1000

GRVER51.SEQ  G C T G C G G T T T T G G T T T G A C T G A G A G C A C T T C T G C T A A C A T 1040
GR6.SEQ      G C T G C G G T T T T G G T T T G A C T G A G A G C A C T T C T G C T A A C A T 1040
GRVER5.SEQ   G C T G C G G T T T T G G T T T G A C T G A G A G C A C T T C T G C T A A C A T 1040
GRVER4.SEQ   G C T G C G G T T T T G G T T T G A C T G A G A G C A C T T C T G C T A A C A T 1040
GRVER3.SEQ   G C T G C G G T T T T G G T T T G A C T G A G A G C A C T T C T G C C A A C A T 1040
GRVER2.SEQ   G C T G C G G C T T T G G T C T G A C T G A G A G C A C C T C T G C T A A C A T 1040
GRVER1.SEQ   G C T G C G G C T T T G G T C T G A C T G A G A G C A C C T C T G C T A A C A T 1040
YG81-6G1.SEQ G C T G T G G A T T T G G T T T G A C A G A A T C T A C T T C A G C T A A T A T 1040
RDVER1.SEQ   G T T G T G G T T T C G G C T T G A C C G A A T C T A C T A G C G C C A T T A T 1040
RDVER2.SEQ   G T T G T G G T T T C G G C T T G A C C G A A T C T A C T A G C G C C A T T A T 1040
RDVER3.SEQ   G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RDVER4.SEQ   G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RDVER5.SEQ   G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RD7.SEQ      G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RDVER51.SEQ  G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RDVER52.SEQ  G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G C G C T A T T A T 1040
RD1561H9.SEQ G T T G T G G C T T C G G C C T C A C C G A A T C T A C C A G T G C G A T T A T 1040

GRVER51.SEQ  C C A T A G C T T G C G A G A C G A G T T T A A G T C T G G T A G C C T G G G T 1080
GR6.SEQ      C C A T A G C T T G C G A G A C G A G T T T A A G T C T G G T A G C C T G G G T 1080
GRVER5.SEQ   C C A T A G C T T G C G A G A C G A G T T T A A G T C T G G T A G C C T G G G T 1080
GRVER4.SEQ   C C A T A G C T T G C G A G A C G A G T T T A A G T C T G G T A G C C T G G G T 1080
GRVER3.SEQ   C C A T A G C T T G C G T G A C G A G T T T A A A T C T G G T A G C C T G G G T 1080
GRVER2.SEQ   T C A T A G C T T G C G T G A T G A G T T C A A A T C T G G C A G C C T G G G T 1080
GRVER1.SEQ   T C A T A G C T T G C G T G A T G A A T T C A A A T C T G G C A G C C T G G G T 1080
YG81-6G1.SEQ A C A C A G T C T T A G G G A T G A A T T T A A A T C A G G A T C A C T T G G A 1080
RDVER1.SEQ   C C A A T C T C T G C G C G A C G A G T T T A A G A G C G G T T C T T T G G G C 1080
RDVER2.SEQ   C C A A T C T C T G C G C G A C G A A T T T A A G A G C G G T T C T T T G G G C 1080
RDVER3.SEQ   T C A A T C T C T C C G C G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RDVER4.SEQ   T C A G T C T C T C C G C G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RDVER5.SEQ   T C A G T C T C T C C G C G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RD7.SEQ      T C A G T C T C T C C G C G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RDVER51.SEQ  T C A G T C T C T C C G C G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RDVER52.SEQ  T C A G T C T C T C G G G G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
RD1561H9.SEQ C C A G A C T C T C G G G G A T G A G T T T A A G A G C G G C T C T T T G G G C 1080
```

Figure 2 (Cont.)



Figure 2 (cont.)



Figure 2 (cont.)



Figure 2 (cont.)



Figure 2 (cont.)

```
GRVER51.SEQ  C G C A A C G T T A C C G G T A A G A T C A C T C G T A A A G A G T T G C T G A 1600
GR6.SEQ      C G C A A C G T T A C C G G T A A G A T C A C T C G T A A A G A G T T G C T G A 1600
GRVER5.SEQ   C G C A A C G T T A C C G G T A A G A T C A C T C G T A A A G A G T T G C T G A 1600
GRVER4.SEQ   C G C A A C G T G A C C G G T A A G A T C A C T C G T A A A G A A T T G C T G A 1600
GRVER3.SEQ   C G C A A C G T C A C C G G C A A G A T C A C T C G T A A A G A G T T G C T G A 1600
GRVER2.SEQ   C G C A A T G T C A C C G G C A A A A T T A C T C G T A A G G A G T T G C T G A 1600
GRVER1.SEQ   C G C A A T G T C A C C G G C A A A A T T A C T C G T A A G G A G T T G C T G A 1600
YG81-6G1.SEQ A G G A A T G T T A C A G G T A A A A T T A C A A G A A A G G A A C T T C T G A 1600
RDVER1.SEQ   C G T A A C G T G A C T G G T A A G A T C A C C C G C A A A G A A C T G T T G A 1600
RDVER2.SEQ   C G T A A C G T G A C T G G T A A G A T C A C C C G C A A A G A A C T G T T G A 1600
RDVER3.SEQ   C G T A A T G T G A C T G G T A A A A T T A C C C G C A A G G A A C T G T T G A 1600
RDVER4.SEQ   C G C A A T G T G A C T G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600
RDVER5.SEQ   C G T A A C G T A A C A G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600
RD7.SEQ      C G T A A C G T A A C A G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600
RDVER51.SEQ  C G T A A C G T A A C A G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600
RDVER52.SEQ  C G T A A C G T A A C A G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600
RD1561H9.SEQ C G T A A C G T A A C A G G C A A A A T T A C C C G C A A G G A G C T G T T G A 1600

GRVER51.SEQ  A G C A A C T C C T C G A A A A A G C T G G C G G C 1626
GR6.SEQ      A G C A A C T C C T C G A A A A A G C T G G C G G C 1626
GRVER5.SEQ   A G C A A C T C C T C G A A A A A G C T G G C G G C 1626
GRVER4.SEQ   A G C A A C T C C T C G A A A A A G C T G G C G G C 1626
GRVER3.SEQ   A A C A A T T G C T C G A A A A A G C T G G C G G C 1626
GRVER2.SEQ   A A C A G T T G C T G G A A A A G G C T G G T G G C 1626
GRVER1.SEQ   A A C A G T T G C T G G A A A A G G C T G G T G G C 1626
YG81-6G1.SEQ A G C A G T T G C T G G A G A A G G C G G G A G G T 1626
RDVER1.SEQ   A G C A A C T G T T G G A G A A A G C C G G C G G T 1626
RDVER2.SEQ   A G C A A C T G T T G G A G A A A G C C G G C G G T 1626
RDVER3.SEQ   A G C A A T T G T T G G A G A A G G C C G G C G G T 1626
RDVER4.SEQ   A A C A A T T G T T G G A G A A G G C C G G C G G T 1626
RDVER5.SEQ   A A C A A T T G T T G G A G A A G G C C G G C G G T 1626
RD7.SEQ      A A C A A T T G T T G G A G A A G G C C G G C G G T 1626
RDVER51.SEQ  A A C A A T T G T T G G A G A A G G C C G G C G G T 1626
RDVER52.SEQ  A A C A A T T G T T G G A G A A G G C C G G C G G T 1626
RD1561H9.SEQ A A C A A T T G T T G G T G A A G G C C G G C G G T 1626
```

Figure 3

```
GRVER51.SEQ  M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GR6.SEQ      M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GRVER5.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GRVER4.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GRVER3.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GRVER2.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
GRVER1.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
YG81-6G1.SEQ M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER1.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER2.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER3.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER4.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER5.SEQ   M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RD7.SEQ      M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S [Y] L P Q A 118
RDVER51.SEQ  M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RDVER52.SEQ  M M K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118
RD1561H9.SEQ M [I] K R E K N V I Y G P E P L H P L E D L T A G E M L F R A L R K H S H L P Q A 118

GRVER51.SEQ  L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GR6.SEQ      L V D V V G D E [N] L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GRVER5.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GRVER4.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GRVER3.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GRVER2.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
GRVER1.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
YG81-6G1.SEQ L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER1.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER2.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER3.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER4.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER5.SEQ   L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RD7.SEQ      L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER51.SEQ  L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RDVER52.SEQ  L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238
RD1561H9.SEQ L V D V V G D E S L S Y K E F F E A T V L L A Q S L H N C G Y K M N D V V S I C 238

GRVER51.SEQ  A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GR6.SEQ      A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GRVER5.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GRVER4.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GRVER3.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GRVER2.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
GRVER1.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
YG81-6G1.SEQ A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER1.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER2.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER3.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER4.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER5.SEQ   A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RD7.SEQ      A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER51.SEQ  A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RDVER52.SEQ  A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
RD1561H9.SEQ A E N N T R F F I P V I A A W Y I G M I V A P V N E S Y I P D E L C K V M G I S 358
```

Figure 3 (cont.)

```
GRVER51.SEQ  K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GR6.SEQ      K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GRVER5.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GRVER4.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GRVER3.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GRVER2.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
GRVER1.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
YG81-6G1.SEQ K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER1.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER2.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER3.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER4.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER5.SEQ   K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RD7.SEQ      K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER51.SEQ  K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RDVER52.SEQ  K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478
RD1561H9.SEQ K P Q I V F T T K N I L N K V L E V Q S R T N F I K R I I I L D T V E N I H G C 478

GRVER51.SEQ  E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GR6.SEQ      E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GRVER5.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GRVER4.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GRVER3.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GRVER2.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
GRVER1.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
YG81-6G1.SEQ E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER1.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER2.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER3.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER4.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER5.SEQ   E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RD7.SEQ      E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER51.SEQ  E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RDVER52.SEQ  E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598
RD1561H9.SEQ E S L P N F I S R Y S D G N I A N F K P L H F D P V E Q V A A I L C S S G T T G 598

GRVER51.SEQ  L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
GR6.SEQ      L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I S G V T V L V Y L P F 718
GRVER5.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
GRVER4.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
GRVER3.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
GRVER2.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
GRVER1.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R V G T Q L I P G V T V L V Y L P F 718
YG81-6G1.SEQ L P K G V M Q T H Q N I C V R L I H A L D P R A G T Q L I P G V T V L V Y L P F 718
RDVER1.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER2.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER3.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER4.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER5.SEQ   L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RD7.SEQ      L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER51.SEQ  L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RDVER52.SEQ  L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
RD1561H9.SEQ L P K G V M Q T H Q N I C V R L I H A L D P R Y G T Q L I P G V T V L V Y L P F 718
```

Figure 3 (cont.)

```
GRVER51.SEQ  F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GR6.SEQ      F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GRVER5.SEQ   F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GRVER4.SEQ   F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GRVER3.SEQ   F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GRVER2.SEQ   F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
GRVER1.SEQ   F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
YG81-6G1.SEQ F H A F G F S I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER1.SEQ   F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER2.SEQ   F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER3.SEQ   F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER4.SEQ   F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER5.SEQ   F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RD7.SEQ      F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER51.SEQ  F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RDVER52.SEQ  F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838
RD1561H9.SEQ F H A F G F H I T L G Y F M V G L R V I M F R R F D Q E A F L K A I Q D Y E V R 838

GRVER51.SEQ  S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GR6.SEQ      S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GRVER5.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GRVER4.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GRVER3.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GRVER2.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
GRVER1.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
YG81-6G1.SEQ S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER1.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER2.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER3.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER4.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER5.SEQ   S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RD7.SEQ      S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER51.SEQ  S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RDVER52.SEQ  S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958
RD1561H9.SEQ S V I N V P S V I L F L S K S P L V D K Y D L S S L R E L C C G A A P L A K E V 958

GRVER51.SEQ  A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GR6.SEQ      A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GRVER5.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GRVER4.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GRVER3.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GRVER2.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
GRVER1.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
YG81-6G1.SEQ A E V A A K R L N L P G I R C G F G L T E S T S A N I H S L R D E F K S G S L G 1078
RDVER1.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER2.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER3.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER4.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER5.SEQ   A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RD7.SEQ      A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER51.SEQ  A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L R D E F K S G S L G 1078
RDVER52.SEQ  A E V A A K R L N L P G I R C G F G L T E S T S A I I Q S L G D E F K S G S L G 1078
RD1561H9.SEQ A E V A A K R L N L P G I R C G F G L T E S T S A I I Q T L G D E F K S G S L G 1078
```

Figure 3 (cont.)

```
GRVER51.SEQ R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GR6.SEQ     R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GRVER5.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GRVER4.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GRVER3.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GRVER2.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
GRVER1.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
YG81-6G1.SEQR V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER1.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER2.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER3.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER4.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER5.SEQ  R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RD7.SEQ     R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER51.SEQ R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RDVER52.SEQ R V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198
RD1561H9.SEQR V T P L M A A K I A D R E T G K A L G P N Q V G E L C I K G P M V S K G Y V N 1198

GRVER51.SEQ N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GR6.SEQ     N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GRVER5.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GRVER4.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GRVER3.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GRVER2.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
GRVER1.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
YG81-6G1.SEQN V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER1.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER2.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER3.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER4.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER5.SEQ  N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RD7.SEQ     N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER51.SEQ N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RDVER52.SEQ N V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318
RD1561H9.SEQN V E A T K E A I D D D G W L H S G D F G Y Y D E D E H F Y V V D R Y K E L I K 1318

GRVER51.SEQ Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GR6.SEQ     Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GRVER5.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GRVER4.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GRVER3.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GRVER2.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
GRVER1.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
YG81-6G1.SEQY K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER1.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER2.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER3.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER4.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER5.SEQ  Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RD7.SEQ     Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER51.SEQ Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RDVER52.SEQ Y K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
RD1561H9.SEQY K G S Q V A P A E L E E I L L K N P C I R D V A V V G I P D L E A G E L P S A 1438
```

Figure 3 (cont.)

```
GRVER51.SEQ  F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GR6.SEQ      F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GRVER5.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GRVER4.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GRVER3.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GRVER2.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
GRVER1.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
YG81-6G1.SEQ F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER1.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER2.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER3.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER4.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER5.SEQ   F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RD7.SEQ      F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER51.SEQ  F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RDVER52.SEQ  F V V K Q P G K E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558
RD1561H9.SEQ F V V K Q P G [T] E I T A K E V Y D Y L A E R V S H T K Y L R G G V R F V D S I P 1558

GRVER51.SEQ  R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GR6.SEQ      R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GRVER5.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GRVER4.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GRVER3.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GRVER2.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
GRVER1.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
YG81-6G1.SEQ R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER1.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER2.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER3.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER4.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER5.SEQ   R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RD7.SEQ      R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER51.SEQ  R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RDVER52.SEQ  R N V T G K I T R K E L L K Q L L E K A G G                                   1624
RD1561H9.SEQ R N V T G K I T R K E L L K Q L L [V] K A G G                                 1624
```

Figure 4 Codon Usage Analysis

per 542 total codons

	YG#81-6G	ver1 GR	ver1 RD	ver5 GR	ver5 RD	HUM
CGA	7	0	0	2	0	3
CGC	1	13	13	11	12	6
CGG	0	0	0	0	0	6
CGT	5	13	13	13	14	3
AGA	6	0	0	0	0	5
Arg AGG	7	0	0	0	0	6
CTA	5	0	0	0	0	3
CTC	4	0	1	12	11	11
CTG	4	28	27	19	18	25
CTT	12	0	0	1	1	6
TTA	17	0	0	0	0	3
Leu TTG	13	27	27	23	25	6
TCA	6	0	0	1	2	5
TCC	2	0	0	4	2	10
TCG	7	0	0	0	0	2
TCT	7	16	15	11	12	7
AGC	2	15	15	14	12	10
Ser AGT	7	0	0	1	2	5
ACA	10	0	0	0	1	8
ACC	2	11	11	8	11	12
ACG	2	0	0	0	0	4
Thr ACT	8	11	11	14	10	7
CCA	9	14	14	9	12	8
CCC	8	0	0	2	1	11
CCG	2	0	0	0	0	4
Pro CCT	9	14	14	17	15	8
GCA	14	0	0	5	4	8
GCC	4	19	18	14	12	16
GCG	5	0	0	0	0	4
Ala GCT	15	18	19	18	21	11
GGA	18	0	0	1	3	9
GGC	3	20	19	21	21	14
GGG	2	0	0	1	1	9
Gly GGT	16	19	20	16	14	6
GTA	13	0	0	1	1	3
GTC	4	25	24	21	26	9
GTG	12	25	25	25	17	17
Val GTT	20	0	0	3	5	6
AAA	23	17	18	19	13	12
Lys AAG	12	18	17	16	22	19
AAC	6	11	11	13	12	12
Asn AAT	16	11	10	9	9	9
CAA	8	7	8	11	7	6
Gln CAG	6	7	7	3	8	18
CAC	6	7	6	7	4	8
His CAT	7	6	7	6	9	5
GAA	26	19	19	19	18	15
Glu GAG	12	19	19	19	20	22
GAC	6	13	13	14	12	16
Asp GAT	20	13	13	12	14	12
TAC	8	10	10	12	13	10
Tyr TAT	11	9	10	7	7	7
TGC	3	6	5	3	4	8
Cys TGT	8	5	6	8	7	5
TTC	11	13	12	15	12	12
Phe TTT	14	12	13	10	13	9
ATA	12	0	0	0	0	3
ATC	7	19	19	23	20	13
Ile ATT	19	19	20	15	19	8
Met ATG	11	11	11	11	11	12
Trp TGG	2	2	2	2	2	7

relative codon usage for each aa (*100)

	YG#81-6G	ver5 GR	ver5 RD	HUM
CGA	27	8	0	10
CGC	4	42	46	21
CGG	0	0	0	19
CGT	19	50	54	9
AGA	23	0	0	19
Arg AGG	27	0	0	21
CTA	9	0	0	6
CTC	7	22	20	21
CTG	7	35	33	44
CTT	22	2	2	11
TTA	31	0	0	6
Leu TTG	24	42	45	11
TCA	19	3	7	13
TCC	6	13	7	25
TCG	23	0	0	6
TCT	23	35	40	18
AGC	6	45	40	26
Ser AGT	23	3	7	13
ACA	45	0	5	25
ACC	9	36	50	40
ACG	9	0	0	12
Thr ACT	36	64	45	22
CCA	32	32	43	26
CCC	29	7	4	35
CCG	7	0	0	12
Pro CCT	32	61	54	27
GCA	37	13	11	19
GCC	11	37	32	40
GCG	13	0	0	10
Ala GCT	39	47	55	27
GGA	46	3	8	24
GGC	8	54	54	36
GGG	5	3	3	25
Gly GGT	41	41	36	16
GTA	27	2	2	9
GTC	8	42	53	25
GTG	24	50	35	48
Val GTT	41	6	10	16
AAA	66	54	37	39
Lys AAG	34	46	63	61
AAC	27	59	57	58
Asn AAT	73	41	43	43
CAA	57	79	47	25
Gln CAG	43	21	53	76
CAC	46	54	31	59
His CAT	54	46	69	39
GAA	68	50	47	39
Glu GAG	32	50	53	61
GAC	23	54	46	56
Asp GAT	77	46	54	42
TAC	42	63	65	60
Tyr TAT	58	37	35	40
TGC	27	27	36	60
Cys TGT	73	73	64	41
TTC	44	60	48	58
Phe TTT	56	40	52	41
ATA	32	0	0	13
ATC	18	61	51	55
Ile ATT	50	39	49	34
Met ATG	100	100	100	100
Trp TGG	100	100	100	100

Figure 5A

Codon Usage YG#81-6G01 (yellow-green)

TTT	Phe	14	TCT	Ser	7	TAT	Tyr	11	TGT	Cys	8
TTC	Phe	11	TCC	Ser	2	TAC	Tyr	8	TGC	Cys	3
TTA	Leu	17	TCA	Ser	6	TAA	***	0	TGA	***	0
TTG	Leu	13	TCG	Ser	7	TAG	***	0	TGG	Trp	2
CTT	Leu	12	CCT	Pro	9	CAT	His	7	CGT	Arg	5
CTC	Leu	4	CCC	Pro	8	CAC	His	6	CGC	Arg	1
CTA	Leu	5	CCA	Pro	9	CAA	Gln	8	CGA	Arg	7
CTG	Leu	4	CCG	Pro	2	CAG	Gln	6	CGG	Arg	0
ATT	Ile	19	ACT	Thr	8	AAT	Asn	16	AGT	Ser	7
ATC	Ile	7	ACC	Thr	2	AAC	Asn	6	AGC	Ser	2
ATA	Ile	12	ACA	Thr	10	AAA	Lys	23	AGA	Arg	6
ATG	Met	11	ACG	Thr	2	AAG	Lys	12	AGG	Arg	7
GTT	Val	20	GCT	Ala	15	GAT	Asp	20	GGT	Gly	16
GTC	Val	4	GCC	Ala	4	GAC	Asp	6	GGC	Gly	3
GTA	Val	13	GCA	Ala	14	GAA	Glu	26	GGA	Gly	18
GTG	Val	12	GCG	Ala	5	GAG	Glu	12	GGG	Gly	2

Figure 5B

Codon Usage: GRver1

TTT	Phe	12	TCT	Ser	16	TAT	Tyr	9	TGT	Cys	5
TTC	Phe	13	TCC	Ser	0	TAC	Tyr	10	TGC	Cys	6
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	27	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	14	CAT	His	6	CGT	Arg	13
CTC	Leu	0	CCC	Pro	0	CAC	His	7	CGC	Arg	13
CTA	Leu	0	CCA	Pro	14	CAA	Gln	7	CGA	Arg	0
CTG	Leu	28	CCG	Pro	0	CAG	Gln	7	CGG	Arg	0
ATT	Ile	19	ACT	Thr	11	AAT	Asn	11	AGT	Ser	0
ATC	Ile	19	ACC	Thr	11	AAC	Asn	11	AGC	Ser	15
ATA	Ile	0	ACA	Thr	0	AAA	Lys	17	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	18	AGG	Arg	0
GTT	Val	0	GCT	Ala	18	GAT	Asp	13	GGT	Gly	19
GTC	Val	25	GCC	Ala	19	GAC	Asp	13	GGC	Gly	20
GTA	Val	0	GCA	Ala	0	GAA	Glu	19	GGA	Gly	0
GTG	Val	25	GCG	Ala	0	GAG	Glu	19	GGG	Gly	0

Figure 5C

Codon Usage: RDver1

TTT	Phe	13	TCT	Ser	15	TAT	Tyr	10	TGT	Cys	6
TTC	Phe	12	TCC	Ser	0	TAC	Tyr	10	TGC	Cys	5
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	27	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	14	CAT	His	7	CGT	Arg	13
CTC	Leu	1	CCC	Pro	0	CAC	His	6	CGC	Arg	13
CTA	Leu	0	CCA	Pro	14	CAA	Gln	8	CGA	Arg	0
CTG	Leu	27	CCG	Pro	0	CAG	Gln	7	CGG	Arg	0
ATT	Ile	20	ACT	Thr	11	AAT	Asn	10	AGT	Ser	0
ATC	Ile	19	ACC	Thr	11	AAC	Asn	11	AGC	Ser	15
ATA	Ile	0	ACA	Thr	0	AAA	Lys	18	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	17	AGG	Arg	0
GTT	Val	0	GCT	Ala	19	GAT	Asp	13	GGT	Gly	20
GTC	Val	24	GCC	Ala	18	GAC	Asp	13	GGC	Gly	19
GTA	Val	0	GCA	Ala	0	GAA	Glu	19	GGA	Gly	0
GTG	Val	25	GCG	Ala	0	GAG	Glu	19	GGG	Gly	0

Figure 5D

Codon Usage: Grver2

TTT	Phe	12	TCT	Ser	15	TAT	Tyr	9	TGT	Cys	5
TTC	Phe	13	TCC	Ser	0	TAC	Tyr	10	TGC	Cys	6
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	27	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	14	CAT	His	6	CGT	Arg	13
CTC	Leu	0	CCC	Pro	0	CAC	His	7	CGC	Arg	13
CTA	Leu	0	CCA	Pro	14	CAA	Gln	10	CGA	Arg	0
CTG	Leu	28	CCG	Pro	0	CAG	Gln	4	CGG	Arg	0
ATT	Ile	20	ACT	Thr	11	AAT	Asn	11	AGT	Ser	0
ATC	Ile	18	ACC	Thr	11	AAC	Asn	11	AGC	Ser	16
ATA	Ile	0	ACA	Thr	0	AAA	Lys	16	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	19	AGG	Arg	0
GTT	Val	0	GCT	Ala	18	GAT	Asp	13	GGT	Gly	18
GTC	Val	28	GCC	Ala	19	GAC	Asp	13	GGC	Gly	21
GTA	Val	0	GCA	Ala	0	GAA	Glu	17	GGA	Gly	0
GTG	Val	22	GCG	Ala	0	GAG	Glu	21	GGG	Gly	0

Figure 5E

Codon Usage:Rdver2

TTT	Phe	13	TCT	Ser	16	TAT	Tyr	10	TGT	Cys	6
TTC	Phe	12	TCC	Ser	0	TAC	Tyr	10	TGC	Cys	5
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	27	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	15	CAT	His	7	CGT	Arg	13
CTC	Leu	1	CCC	Pro	0	CAC	His	6	CGC	Arg	13
CTA	Leu	0	CCA	Pro	13	CAA	Gln	8	CGA	Arg	0
CTG	Leu	27	CCG	Pro	0	CAG	Gln	7	CGG	Arg	0
ATT	Ile	19	ACT	Thr	11	AAT	Asn	10	AGT	Ser	0
ATC	Ile	20	ACC	Thr	11	AAC	Asn	11	AGC	Ser	14
ATA	Ile	0	ACA	Thr	0	AAA	Lys	19	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	16	AGG	Arg	0
GTT	Val	0	GCT	Ala	19	GAT	Asp	13	GGT	Gly	21
GTC	Val	21	GCC	Ala	17	GAC	Asp	13	GGC	Gly	18
GTA	Val	0	GCA	Ala	1	GAA	Glu	21	GGA	Gly	0
GTG	Val	28	GCG	Ala	0	GAG	Glu	17	GGG	Gly	0

Figure 5F

Codon Usage: GRver3

TTT	Phe	13	TCT	Ser	16	TAT	Tyr	9	TGT	Cys	7
TTC	Phe	12	TCC	Ser	0	TAC	Tyr	10	TGC	Cys	4
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	26	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	18	CAT	His	6	CGT	Arg	14
CTC	Leu	5	CCC	Pro	0	CAC	His	7	CGC	Arg	12
CTA	Leu	0	CCA	Pro	10	CAA	Gln	9	CGA	Arg	0
CTG	Leu	24	CCG	Pro	0	CAG	Gln	5	CGG	Arg	0
ATT	Ile	14	ACT	Thr	14	AAT	Asn	11	AGT	Ser	0
ATC	Ile	24	ACC	Thr	8	AAC	Asn	11	AGC	Ser	15
ATA	Ile	0	ACA	Thr	0	AAA	Lys	21	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	14	AGG	Arg	0
GTT	Val	1	GCT	Ala	18	GAT	Asp	12	GGT	Gly	18
GTC	Val	22	GCC	Ala	18	GAC	Asp	14	GGC	Gly	21
GTA	Val	0	GCA	Ala	1	GAA	Glu	20	GGA	Gly	0
GTG	Val	27	GCG	Ala	0	GAG	Glu	18	GGG	Gly	0

Figure 5G

Codon Usage: RDver3

TTT	Phe	13	TCT	Ser	14	TAT	Tyr	7	TGT	Cys	6
TTC	Phe	12	TCC	Ser	1	TAC	Tyr	13	TGC	Cys	5
TTA	Leu	0	TCA	Ser	0	TAA	***	0	TGA	***	0
TTG	Leu	27	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	16	CAT	His	10	CGT	Arg	16
CTC	Leu	6	CCC	Pro	0	CAC	His	3	CGC	Arg	10
CTA	Leu	0	CCA	Pro	12	CAA	Gln	8	CGA	Arg	0
CTG	Leu	22	CCG	Pro	0	CAG	Gln	7	CGG	Arg	0
ATT	Ile	20	ACT	Thr	10	AAT	Asn	10	AGT	Ser	0
ATC	Ile	19	ACC	Thr	12	AAC	Asn	11	AGC	Ser	15
ATA	Ile	0	ACA	Thr	0	AAA	Lys	13	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	22	AGG	Arg	0
GTT	Val	0	GCT	Ala	20	GAT	Asp	14	GGT	Gly	16
GTC	Val	27	GCC	Ala	16	GAC	Asp	12	GGC	Gly	23
GTA	Val	0	GCA	Ala	1	GAA	Glu	18	GGA	Gly	0
GTG	Val	22	GCG	Ala	0	GAG	Glu	20	GGG	Gly	0

Figure 5H

Codon Usage: GRver4

TTT	Phe	11	TCT	Ser	13	TAT	Tyr	7	TGT	Cys	8
TTC	Phe	14	TCC	Ser	2	TAC	Tyr	12	TGC	Cys	3
TTA	Leu	0	TCA	Ser	1	TAA	***	0	TGA	***	0
TTG	Leu	21	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	1	CCT	Pro	18	CAT	His	7	CGT	Arg	14
CTC	Leu	11	CCC	Pro	0	CAC	His	6	CGC	Arg	11
CTA	Leu	0	CCA	Pro	10	CAA	Gln	11	CGA	Arg	1
CTG	Leu	22	CCG	Pro	0	CAG	Gln	3	CGG	Arg	0
ATT	Ile	13	ACT	Thr	14	AAT	Asn	11	AGT	Ser	1
ATC	Ile	25	ACC	Thr	8	AAC	Asn	11	AGC	Ser	14
ATA	Ile	0	ACA	Thr	0	AAA	Lys	20	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	15	AGG	Arg	0
GTT	Val	3	GCT	Ala	19	GAT	Asp	12	GGT	Gly	17
GTC	Val	22	GCC	Ala	15	GAC	Asp	14	GGC	Gly	19
GTA	Val	0	GCA	Ala	3	GAA	Glu	20	GGA	Gly	3
GTG	Val	25	GCG	Ala	0	GAG	Glu	18	GGG	Gly	0

Figure 5I

Codon Usage: RDver4

TTT	Phe	13	TCT	Ser	11	TAT	Tyr	7	TGT	Cys	7
TTC	Phe	12	TCC	Ser	2	TAC	Tyr	13	TGC	Cys	4
TTA	Leu	0	TCA	Ser	2	TAA	***	0	TGA	***	0
TTG	Leu	28	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	0	CCT	Pro	16	CAT	His	11	CGT	Arg	15
CTC	Leu	7	CCC	Pro	2	CAC	His	2	CGC	Arg	11
CTA	Leu	0	CCA	Pro	10	CAA	Gln	7	CGA	Arg	0
CTG	Leu	20	CCG	Pro	0	CAG	Gln	8	CGG	Arg	0
ATT	Ile	21	ACT	Thr	11	AAT	Asn	10	AGT	Ser	1
ATC	Ile	18	ACC	Thr	11	AAC	Asn	11	AGC	Ser	14
ATA	Ile	0	ACA	Thr	0	AAA	Lys	13	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	22	AGG	Arg	0
GTT	Val	3	GCT	Ala	22	GAT	Asp	15	GGT	Gly	14
GTC	Val	27	GCC	Ala	11	GAC	Asp	11	GGC	Gly	21
GTA	Val	0	GCA	Ala	4	GAA	Glu	18	GGA	Gly	4
GTG	Val	19	GCG	Ala	0	GAG	Glu	20	GGG	Gly	0

Figure 5J

Codon Usage: GRver5

TTT	Phe	10	TCT	Ser	11	TAT	Tyr	7	TGT	Cys	8
TTC	Phe	15	TCC	Ser	4	TAC	Tyr	12	TGC	Cys	3
TTA	Leu	0	TCA	Ser	1	TAA	***	0	TGA	***	0
TTG	Leu	23	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	1	CCT	Pro	17	CAT	His	6	CGT	Arg	13
CTC	Leu	12	CCC	Pro	2	CAC	His	7	CGC	Arg	11
CTA	Leu	0	CCA	Pro	9	CAA	Gln	11	CGA	Arg	2
CTG	Leu	19	CCG	Pro	0	CAG	Gln	3	CGG	Arg	0
ATT	Ile	15	ACT	Thr	14	AAT	Asn	9	AGT	Ser	1
ATC	Ile	23	ACC	Thr	8	AAC	Asn	13	AGC	Ser	14
ATA	Ile	0	ACA	Thr	0	AAA	Lys	19	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	16	AGG	Arg	0
GTT	Val	3	GCT	Ala	18	GAT	Asp	12	GGT	Gly	16
GTC	Val	21	GCC	Ala	14	GAC	Asp	14	GGC	Gly	21
GTA	Val	1	GCA	Ala	5	GAA	Glu	19	GGA	Gly	1
GTG	Val	25	GCG	Ala	0	GAG	Glu	19	GGG	Gly	1

Figure 5K

Codon Usage: RDver5

TTT	Phe	13	TCT	Ser	12	TAT	Tyr	7	TGT	Cys	7
TTC	Phe	12	TCC	Ser	2	TAC	Tyr	13	TGC	Cys	4
TTA	Leu	0	TCA	Ser	2	TAA	***	0	TGA	***	0
TTG	Leu	25	TCG	Ser	0	TAG	***	0	TGG	Trp	2
CTT	Leu	1	CCT	Pro	15	CAT	His	9	CGT	Arg	14
CTC	Leu	11	CCC	Pro	1	CAC	His	4	CGC	Arg	12
CTA	Leu	0	CCA	Pro	12	CAA	Gln	7	CGA	Arg	0
CTG	Leu	18	CCG	Pro	0	CAG	Gln	8	CGG	Arg	0
ATT	Ile	19	ACT	Thr	10	AAT	Asn	9	AGT	Ser	2
ATC	Ile	20	ACC	Thr	11	AAC	Asn	12	AGC	Ser	12
ATA	Ile	0	ACA	Thr	1	AAA	Lys	13	AGA	Arg	0
ATG	Met	11	ACG	Thr	0	AAG	Lys	22	AGG	Arg	0
GTT	Val	5	GCT	Ala	21	GAT	Asp	14	GGT	Gly	14
GTC	Val	26	GCC	Ala	12	GAC	Asp	12	GGC	Gly	21
GTA	Val	1	GCA	Ala	4	GAA	Glu	18	GGA	Gly	3
GTG	Val	17	GCG	Ala	0	GAG	Glu	20	GGG	Gly	1

Figure 6

Synthetic oligos for engineered GR/RD genes
(All oligos listed 5'to 3')

Coding strand: 5'____ _____(_____)n_____ ____3'
Non-coding strand: 3'_____ _____(_____)n_____ _5'

Oligos with pRAM flanking sequence identical for GR/RD
1) coding strand upstream flanking

RAM-C1:	ACGCCAGCCCAAGCTTAGGCCTGAGTGGC	(SEQ ID NO:35)
RAM-C2:	CTTAATTCTCCCCATCCCCCTGTTGACAATTAATCATCGGCTCG	(SEQ ID NO:36)
RAM-C3:	TATAATGTGAGGAATTGCGAGCGGATAACAATTTCACACA	(SEQ ID NO:37)

2) coding strand downstream flanking

RAM-C4:	ATGGGATGTTACCTAGACCAATATGAAATATTTGGTAAAT	(SEQ ID NO:38)
RAM-C5:	AAATGCTTAATGAATTTCAAAAAAAAAAAAAAAGGAATTC	(SEQ ID NO:39)
RAM-C6:	GATATCAAGCTTATCGATACCGTCGACCTCGAGGATTATA	(SEQ ID NO:40)
RAM-C7:	TAGAAAAAGGCCTCGGCGGCCGCTAGTTCAGTCAGTT	(SEQ ID NO:41)

3) non-coding strand downstream flanking

RAM-N1:	AACTGACTGAACTAGCG	(SEQ ID NO:42)
RAM-N2:	GCCGCCGAGGCCTTTTTCTATATAATCCTCGAGGTCGACG	(SEQ ID NO:43)
RAM-N3:	GTATCGATAAGCTTGATATCGAATTCCTTTTTTTTTTTTT	(SEQ ID NO:44)
RAM-N3b:	AGCTTGATATCGAATTCCTTTTTTTTTTTTTTTGAAATTC	(SEQ ID NO:45)
RAM-N4:	TTGAAATTCATTAAGCATTTATTTACCAAATATTTCATAT	(SEQ ID NO:46)
RAM-N5:	TGGTCTAGGTAACATCCCATCACTAGCTTTTTTTTCTATA	(SEQ ID NO:47)

4) non-coding strand upstream flanking

RAM-N6:	TCGCAATTCCTCACATTATACGAGCCGATGATTAATTGTC	(SEQ ID NO:48)
RAM-N7:	AACAGGGGGATGGGGAGAATTAAGGCCACTCAGGCCTAAGCTTGGGCTGGCGT	(SEQ ID NO:49)

GRver5 with flanking seq. of pRAM to end of *Sfi* I primers
1) Coding strand (Start and stop codons are underlined)

GR-C1:	GGAAACAGGATCCCATGATGAAACGCGAAAAGAACGTGAT	(SEQ ID NO:50)
GR-C2:	CTACGGCCCAGAACCACTGCATCCACTGGAAGACCTCACC	(SEQ ID NO:51)
GR-C3:	GCTGGTGAGATGCTCTTCCGAGCACTGCGTAAACATAGTC	(SEQ ID NO:52)
GR-C4:	ACCTCCCTCAAGCACTCGTGGACGTCGTGGGAGACGAGAG	(SEQ ID NO:53)
GR-C5:	CCTCTCCTACAAAGAATTTTTCGAAGCTACTGTGCTGTTG	(SEQ ID NO:54)
GR-C6:	GCCCAAAGCCTCCATAATTGTGGGTACAAAATGAACGATG	(SEQ ID NO:55)
GR-C7:	TGGTGAGCATTTGTGCTGAGAATAACACTCGCTTCTTTAT	(SEQ ID NO:56)
GR-C8:	TCCTGTAATCGCTGCTTGGTACATCGGCATGATTGTCGCC	(SEQ ID NO:57)
GR-C9:	CCTGTGAATGAATCTTACATCCCAGATGAGCTGTGTAAGG	(SEQ ID NO:58)
GR-C10:	TTATGGGTATTAGCAAACCTCAAATCGTCTTTACTACCAA	(SEQ ID NO:59)
GR-C11:	AAACATCTTGAATAAGGTCTTGGAAGTCCAGTCTCGTACT	(SEQ ID NO:60)
GR-C12:	AACTTCATCAAACGCATCATTATTCTGGATACCGTCGAAA	(SEQ ID NO:61)
GR-C13:	ACATCCACGGCTGTGAGAGCCTCCCTAACTTCATCTCTCG	(SEQ ID NO:62)
GR-C14:	TTACAGCGATGGTAATATCGCTAATTTCAAGCCCTTGCAT	(SEQ ID NO:63)
GR-C15:	TTTGATCCAGTCGAGCAAGTGGCCGCTATTTTGTGCTCCT	(SEQ ID NO:64)
GR-C16:	CCGGCACCACTGGTTTGCCTAAAGGTGTCATGCAGACTCA	(SEQ ID NO:65)
GR-C17:	CCAGAATATCTGTGTGCGTTTGATCCACGCTCTCGACCCT	(SEQ ID NO:66)
GR-C18:	CGTGTGGGTACTCAATTGATCCCTGGCGTGACTGTGCTGG	(SEQ ID NO:67)
GR-C19:	TGTATCTGCCTTTCTTTCACGCCTTTGGTTTCTCTATTAC	(SEQ ID NO:68)
GR-C20:	CCTGGGCTATTTCATGGTCGGCTTGCGTGTCATCATGTTT	(SEQ ID NO:69)

Figure 6 (Cont.)

GR-C21:CGTCGCTTCGACCAAGAAGCCTTCTTGAAGGCTATTCAAG (SEQ ID NO:70)
GR-C22:ACTACGAGGTGCGTTCCGTGATCAACGTCCCTTCAGTCAT (SEQ ID NO:71)
GR-C23:TTTGTTCCTGAGCAAATCTCCTTTGGTTGACAAGTATGATCTG (SEQ ID NO:72)
GR-C24:AGCAGCTTGCGTGAGCTGTGCTGTGGCGCTGCTCCTT (SEQ ID NO:73)
GR-C25:TGGCCAAAGAAGTGGCCGAGGTCGCTGCTAAGCGTCTGAA (SEQ ID NO:74)
GR-C26:CCTCCCTGGTATCCGCTGCGGTTTTGGTTTGACTGAGAGC (SEQ ID NO:75)
GR-C27:ACTTCTGCTAACATCCATAGCTTGCGAGACGAGTTTAAGT (SEQ ID NO:76)
GR-C28:CTGGTAGCCTGGGTCGCGTGACTCCTCTTATGGCTGCAAA (SEQ ID NO:77)
GR-C29:GATCGCCGACCGTGAGACCGGCAAAGCACTGGGCCCAAAT (SEQ ID NO:78)
GR-C30:CAAGTCGGTGAATTGTGTATTAAGGGCCCTATGGTCTCTA (SEQ ID NO:79)
GR-C31:AAGGCTACGTGAACAATGTGGAGGCCACTAAAGAAGCCAT (SEQ ID NO:80)
GR-C32:TGATGATGATGGCTGGCTCCATAGCGGCGACTTCGGTTAC (SEQ ID NO:81)
GR-C33:TATGATGAGGACGAACACTTCTATGTGGTCGATCGCTACA (SEQ ID NO:82)
GR-C34:AAGAATTGATTAAGTACAAAGGCTCTCAAGTCGCACCAGC (SEQ ID NO:83)
GR-C35:CGAACTGGAAGAAATTTTGCTGAAGAACCCTTGTATCCGC (SEQ ID NO:84)
GR-C36:GACGTGGCCGTCGTGGGTATCCCAGACTTGGAAGCTGGCG (SEQ ID NO:85)
GR-C37:AGTTGCCTAGCGCCTTTGTGGTGAAACAACCCGGCAAGGA (SEQ ID NO:86)
GR-C38:GATCACTGCTAAGGAGGTCTACGACTATTTGGCCGAGCGC (SEQ ID NO:87)
GR-C39:GTGTCTCACACCAAATATCTGCGTGGCGGCGTCCGCTTCG (SEQ ID NO:88)
GR-C40:TCGATTCTATTCCACGCAACGTTACCGGTAAGATCACTCG (SEQ ID NO:89)
GR-C41:TAAAGAGTTGCTGAAGCAACTCCTCGAAAAAGCTGGCGGC (SEQ ID NO:90)
GR-C42:TAGTAAAGTCTTCATGATTATATAGAAAAAAAAGCTAGTG (SEQ ID NO:91)

2) non-coding strand
GR-N1: TAATCATGAAGACTTTACTAGCCGCCAGCTTTTTCGAGGA (SEQ ID NO:92)
GR-N2: GTTGCTTCAGCAACTCTTTACGAGTGATCTTACCGGTAAC (SEQ ID NO:93)
GR-N3: GTTGCGTGGAATAGAATCGACGAAGCGGACGCCGCCACG (SEQ ID NO:94)
GR-N4: CAGATATTTGGTGTGAGACACGCGCTCGGCCAAATAGTCGT (SEQ ID NO:95)
GR-N5: AGACCTCCTTAGCAGTGATCTCCTTGCCGGGTTGTTTCAC (SEQ ID NO:96)
GR-N6: CACAAAGGCGCTAGGCAACTCGCCAGCTTCCAAGTCTGGG (SEQ ID NO:97)
GR-N7: ATACCCACGACGGCCACGTCGCGGATACAAGGGTTCTTCA (SEQ ID NO:98)
GR-N8: GCAAAATTTCTTCCAGTTCGGCTGGTGCGACTTGAGAGCC (SEQ ID NO:99)
GR-N9: TTTGTACTTAATCAATTCTTTGTAGCGATCGACCACATAG (SEQ ID NO:100)
GR-N10:AAGTGTTCGTCCTCATCATAGTAACCGAAGTCGCCGCTAT (SEQ ID NO:101)
GR-N11:GGAGCCAGCCATCATCATCAATGGCTTCTTTAGTGGCCTC (SEQ ID NO:102)
GR-N12:CACATTGTTCACGTAGCCTTTAGAGACCATAGGGCCCTTA (SEQ ID NO:103)
GR-N13:ATACACAATTCACCGACTTGATTTGGGCCCAGTGCTTTGC (SEQ ID NO:104)
GR-N14:CGGTCTCACGGTCGGCGATCTTTGCAGCCATAAGAGGAGT (SEQ ID NO:105)
GR-N15:CACGCGACCCAGGCTACCAGACTTAAACTCGTCTCGCAAG (SEQ ID NO:106)
GR-N16:CTATGGATGTTAGCAGAAGTGCTCTCAGTCAAACCAAAAC (SEQ ID NO:107)
GR-N17:CGCAGCGGATACCAGGGAGGTTCAGACGCTTAGCAGCGAC (SEQ ID NO:108)
GR-N18:CTCGGCCACTTCTTTGGCCAAAGGAGCAGCGCCACAGCAC (SEQ ID NO:109)
GR-N19:AGCTCACGCAAGCTGCTCAGATCATACTTGTCAACCAAAG (SEQ ID NO:110)
GR-N20:GAGATTTGCTCAGGAACAAAATGACTGAAGGGACGTTGAT (SEQ ID NO:111)
GR-N21:CACGGAACGCACCTCGTAGTCTTGAATAGCCTTCAA (SEQ ID NO:112)
GR-N22:GAAGGCTTCTTGGTCGAAGCGACGAAACATGATGACACGCAAGC (SEQ ID NO:113)
GR-N23:CGACCATGAAATAGCCCAGGGTAATAGAGAAACCAAAGGC (SEQ ID NO:114)
GR-N24:GTGAAAGAAAGGCAGATACACCAGCACAGTCACGCCAGGG (SEQ ID NO:115)
GR-N25:ATCAATTGAGTACCCACACGAGGGTCGAGAGCGTGGATCA (SEQ ID NO:116)
GR-N26:AACGCACACAGATATTCTGGTGAGTCTGCATGACACCTTT (SEQ ID NO:117)
GR-N27:AGGCAAACCAGTGGTGCCGGAGGAGCACAAAATAGCGGCC (SEQ ID NO:118)

Figure 6 (Cont.)

GR-N28:ACTTGCTCGACTGGATCAAAATGCAAGGGCTTGAAATTAG (SEQ ID NO:119)
GR-N29:CGATATTACCATCGCTGTAACGAGAGATGAAGTTAGGGAG (SEQ ID NO:120)
GR-N30:GCTCTCACAGCCGTGGATGTTTTCGACGGTATCCAGAATA (SEQ ID NO:121)
GR-N31:ATGATGCGTTTGATGAAGTTAGTACGAGACTGGACTTCCA (SEQ ID NO:122)
GR-N32:AGACCTTATTCAAGATGTTTTTGGTAGTAAAGACGATTTG (SEQ ID NO:123)
GR-N33:AGGTTTGCTAATACCCATAACCTTACACAGCTCATCTGGG (SEQ ID NO:124)
GR-N34:ATGTAAGATTCATTCACAGGGGCGACAATCATGCCGATGT (SEQ ID NO:125)
GR-N35:ACCAAGCAGCGATTACAGGAATAAAGAAGCGAGTGTTATT (SEQ ID NO:126)
GR-N36:CTCAGCACAAATGCTCACCACATCGTTCATTTTGTACCCA (SEQ ID NO:127)
GR-N37:CAATTATGGAGGCTTTGGGCCAACAGCACAGTAGCTTCGA (SEQ ID NO:128)
GR-N38:AAAATTCTTTGTAGGAGAGGCTCTCGTCTCCCACGACGTC (SEQ ID NO:129)
GR-N39:CACGAGTGCTTGAGGGAGGTGACTATGTTTACGCAGTGCT (SEQ ID NO:130)
GR-N40:CGGAAGAGCATCTCACCAGCGGTGAGGTCTTCCAGTGGAT (SEQ ID NO:131)
GR-N41:GCAGTGGTTCTGGGCCGTAGATCACGTTCTTTTCGCGTTT (SEQ ID NO:132)
GR-N42:CATCATGGGATCCTGTTTCCTGTGTGAAATTGTTATCCGC (SEQ ID NO:133)

RDver5 with flanking sequence of pRAM to end of *Sfi* I primers

1) coding strand

RD-C1: GGAAACAGGATCCCATGATGAAGCGTGAGAAAAATGTCAT (SEQ ID NO:134)
RD-C2: CTATGGCCCTGAGCCTCTCCATCCTTTGGAGGATTTGACT (SEQ ID NO:135)
RD-C3: GCCGGCGAAATGCTGTTTCGTGCTCTCCGCAAGCACTCTC (SEQ ID NO:136)
RD-C4: ATTTGCCTCAAGCCTTGGTCGATGTGGTCGGCGATGAATC (SEQ ID NO:137)
RD-C5: TTTGAGCTACAAGGAGTTTTTTGAGGCAACCGTCTTGCTG (SEQ ID NO:138)
RD-C6: GCTCAGTCCCTCCACAATTGTGGCTACAAGATGAACGACG (SEQ ID NO:139)
RD-C7: TCGTTAGTATCTGTGCTGAAAACAATACCCGTTTCTTCAT (SEQ ID NO:140)
RD-C8: TCCAGTCATCGCCGCATGGTATATCGGTATGATCGTGGCT (SEQ ID NO:141)
RD-C9: CCAGTCAACGAGAGCTACATTCCCGACGAACTGTGTAAAG (SEQ ID NO:142)
RD-C10:TCATGGGTATCTCTAAGCCACAGATTGTCTTCACCACTAA (SEQ ID NO:143)
RD-C11:GAATATTCTGAACAAAGTCCTGGAAGTCCAAAGCCGCACC (SEQ ID NO:144)
RD-C12:AACTTTATTAAGCGTATCATCATCTTGGACACTGTGGAGA (SEQ ID NO:145)
RD-C13:ATATTCACGGTTGCGAATCTTTGCCTAATTTCATCTCTCG (SEQ ID NO:146)
RD-C14:CTATTCAGACGGCAACATCGCAAACTTTAAACCACTCCAC (SEQ ID NO:147)
RD-C15:TTCGACCCTGTGGAACAAGTTGCAGCCATTCTGTGTAGCA (SEQ ID NO:148)
RD-C16:GCGGTACTACTGGACTCCCAAAGGGAGTCATGCAGACCCA (SEQ ID NO:149)
RD-C17:TCAAAACATTTGCGTGCGTCTGATCCATGCTCTCGATCCA (SEQ ID NO:150)
RD-C18:CGCTACGGCACTCAGCTGATTCCTGGTGTCACCGTCTTGG (SEQ ID NO:151)
RD-C19:TCTACTTGCCTTTCTTCCATGCTTTCGGCTTTCATATTAC (SEQ ID NO:152)
RD-C20:TTTGGGTTACTTTATGGTCGGTCTCCGCGTGATTATGTTC (SEQ ID NO:153)
RD-C21:CGCCGTTTTGATCAGGAGGCTTTCTTGAAAGCCATCCAAG (SEQ ID NO:154)
RD-C22:ATTATGAAGTCCGCAGTGTCATCAACGTGCCTAGCGTGAT (SEQ ID NO:155)
RD-C23:CCTGTTTTTGTCTAAGAGCCCACTCGTGGACAAGTACGAC (SEQ ID NO:156)
RD-C24:TTGTCTTCACTGCGTGAATTGTGTTGCGGTGCCGCTCCAC (SEQ ID NO:157)
RD-C25:TGGCTAAGGAGGTCGCTGAAGTGGCCGCCAAACGCTTGAA (SEQ ID NO:158)
RD-C26:TCTTCCAGGGATTCGTTGTGGCTTCGGCCTCACCGAATCT (SEQ ID NO:159)
RD-C27:ACCAGCGCTATTATTCAGTCTCTCCGCGATGAGTTTAAGA (SEQ ID NO:160)
RD-C28:GCGGCTCTTTGGGCCGTGTCACTCCACTCATGGCTGCTAA (SEQ ID NO:161)
RD-C29:GATCGCTGATCGCGAAACTGGTAAGGCTTTGGGCCCTAAC (SEQ ID NO:162)
RD-C30:CAAGTGGGCGAGCTGTGTATCAAAGGCCCTATGGTGAGCA (SEQ ID NO:163)
RD-C31:AGGGTTATGTCAATAACGTCGAAGCTACCAAGGAGGCCAT (SEQ ID NO:164)
RD-C32:CGACGACGACGGCTGGTTGCATTCTGGTGATTTTGGATAT (SEQ ID NO:165)
RD-C33:TACGACGAAGATGAGCATTTTTACGTCGTGGATCGTTACA (SEQ ID NO:166)
RD-C34:AGGAGCTGATCAAATACAAGGGTAGCCAGGTTGCTCCAGC (SEQ ID NO:167)
RD-C35:TGAGTTGGAGGAGATTCTGTTGAAAAATCCATGCATTCGC (SEQ ID NO:168)

Figure 6 (Cont.)

RD-C36:GATGTCGCTGTGGTCGGCATTCCTGATCTGGAGGCCGGCG (SEQ ID NO:169)
RD-C37:AACTGCCTTCTGCTTTCGTTGTCAAGCAGCCTGGTAAAGA (SEQ ID NO:170)
RD-C38:AATTACCGCCAAAGAAGTGTATGATTACCTGGCTGAACGT (SEQ ID NO:171)
RD-C39:GTGAGCCATACTAAGTACTTGCGTGGCGGCGTGCGTTTTG (SEQ ID NO:172)
RD-C40:TTGACTCCATCCCTCGTAACGTAACAGGCAAAATTACCCG (SEQ ID NO:173)
RD-C41:CAAGGAGCTGTTGAAACAATTGTTGGAGAAGGCCGGCGGT (SEQ ID NO:174)
RD-C42:TAGTAAAGTCTTCATGATTATATAGAAAAAAAAGCTAGTG (SEQ ID NO:175)

2) non-coding strand
RD-N1: TAATCATGAAGACTTTACTAACCGCCGGCCTTCTCCAACA (SEQ ID NO:176)
RD-N2: ATTGTTTCAACAGCTCCTTGCGGGTAATTTTGCCTGTTAC (SEQ ID NO:177)
RD-N3: GTTACGAGGGATGGAGTCAACAAAACGCACGCCGCCACGC (SEQ ID NO:178)
RD-N4: AAGTACTTAGTATGGCTCACACGTTCAGCCAGGTAATCAT (SEQ ID NO:179)
RD-N5: ACACTTCTTTGGCGGTAATTTCTTTACCAGGCTGCTTGAC (SEQ ID NO:180)
RD-N6: AACGAAAGCAGAAGGCAGTTCGCCGGCCTCCAGATCAGGA (SEQ ID NO:181)
RD-N7: ATGCCGACCACAGCGACATCGCGAATGCATGGATTTTTCA (SEQ ID NO:182)
RD-N8: ACAGAATCTCCTCCAACTCAGCTGGAGCAACCTGGCTACC (SEQ ID NO:183)
RD-N9: CTTGTATTTGATCAGCTCCTTGTAACGATCCACGACGTAA (SEQ ID NO:184)
RD-N10:AAATGCTCATCTTCGTCGTAATATCCAAAATCACCAGAAT (SEQ ID NO:185)
RD-N11:GCAACCAGCCGTCGTCGTCGATGGCCTCCTTGGTAGCTTC (SEQ ID NO:186)
RD-N12:GACGTTATTGACATAACCCTTGCTCACCATAGGGCCTTTG (SEQ ID NO:187)
RD-N13:ATACACAGCTCGCCCACTTGGTTAGGGCCCAAAGCCTTAC (SEQ ID NO:188)
RD-N14:CAGTTTCGCGATCAGCGATCTTAGCAGCCATGAGTGGAGT (SEQ ID NO:189)
RD-N15:GACACGGCCCAAAGAGCCGCTCTTAAACTCATCGCGGAGA (SEQ ID NO:190)
RD-N16:GACTGAATAATAGCGCTGGTAGATTCGGTGAGGCCGA (SEQ ID NO:191)
RD-N17:AGCCACAACGAATCCCTGGAAGATTCAAGCGTTTGGCGGCCAC (SEQ ID NO:192)
RD-N18:TTCAGCGACCTCCTTAGCCAGTGGAGCGGCACCGCAACAC (SEQ ID NO:193)
RD-N19:AATTCACGCAGTGAAGACAAGTCGTACTTGTCCACGAGTG (SEQ ID NO:194)
RD-N20:GGCTCTTAGACAAAAACAGGATCACGCTAGGCACGTTGAT (SEQ ID NO:195)
RD-N21:GACACTGCGGACTTCATAATCTTGGATGGCTTTCAAGAAA (SEQ ID NO:196)
RD-N22:GCCTCCTGATCAAAACGGCGGAACATAATCACGCGGAGAC (SEQ ID NO:197)
RD-N23:CGACCATAAAGTAACCCAAAGTAATATGAAAGCCGAAAGC (SEQ ID NO:198)
RD-N24:ATGGAAGAAAGGCAAGTAGACCAAGACGGTGACACCAGGA (SEQ ID NO:199)
RD-N25:ATCAGCTGAGTGCCGTAGCGTGGATCGAGAGCATGGATCA (SEQ ID NO:200)
RD-N26:GACGCACGCAAATGTTTTGATGGGTCTGCATGACTCCCTT (SEQ ID NO:201)
RD-N27:TGGGAGTCCAGTAGTACCGCTGCTACACAGAATGGCTGCA (SEQ ID NO:202)
RD-N28:ACTTGTTCCACAGGGTCGAAGTGGAGTGGTTTAAAGTTTG (SEQ ID NO:203)
RD-N29:CGATGTTGCCGTCTGAATAGCGAGAGATGAAATTAGGCAA (SEQ ID NO:204)
RD-N30:AGATTCGCAACCGTGAATATTCTCCACAGTGTCCAAGATG (SEQ ID NO:205)
RD-N31:ATGATACGCTTAATAAAGTTGGTGCGGCTTTGGACTTCCA (SEQ ID NO:206)
RD-N32:GGACTTTGTTCAGAATATTCTTAGTGGTGAAGACAATCTG (SEQ ID NO:207)
RD-N33:TGGCTTAGAGATACCCATGACTTTACACAGTTCGTCGGGA (SEQ ID NO:208)
RD-N34:ATGTAGCTCTCGTTGACTGGAGCCACGATCATACCGATAT (SEQ ID NO:209)
RD-N35:ACCATGCGGCGATGACTGGAATGAAGAAACGGGTATTGTT (SEQ ID NO:210)
RD-N36:TTCAGCACAGATACTAACGACGTCGTTCATCTTGTAGCCA (SEQ ID NO:211)
RD-N37:CAATTGTGGAGGGACTGAGCCAGCAAGACGGTTGCCTCAA (SEQ ID NO:212)
RD-N38:AAAACTCCTTGTAGCTCAAAGATTCATCGCCGACCACATC (SEQ ID NO:213)
RD-N39:GACCAAGGCTTGAGGCAAATGAGAGTGCTTGCGGAGAGCA (SEQ ID NO:214)
RD-N40:CGAAACAGCATTTCGCCGGCAGTCAAATCCTCCAAAGGAT (SEQ ID NO:215)
RD-N41:GGAGAGGCTCAGGGCCATAGATGACATTTTTCTCACGCTT (SEQ ID NO:216)
RD-N42:CATCATGGGATCCTGTTTCCTGTGTGAAATTGTTATCCGC (SEQ ID NO:217)

Figure 7

```
RELLUC.SEQ   A T G A C T T C G A A A G T T T A T G A T C C A G A A C A A A G G A A A C G G A  40
RLUCVER1.SEQA T G G C T T C C A A G G T G T A C G A C C C G A G C A G C G C A A G C G C A  40
RLUCVER2.SEQA T G G C T T C C A A G G T G T A C G A C C C G A G C A A C G C A A A C G C A  40
RLUCFINL.SEQA T G G C T T C C A A G G T G T A C G A C C C G A G C A A C G C A A A C G C A  40

RELLUC.SEQ   T G A T A A C T G G T C C G C A G T G G T G G G C C A G A T G T A A A C A A A T  80
RLUCVER1.SEQT G A T C A C C G G C C C T C A G T G G T G G G C C C G C T G C A A G C A G A T  80
RLUCVER2.SEQT G A T C A C T G G G C C T C A G T G G T G G G C T C G C T G C A A G C A A A T  80
RLUCFINL.SEQT G A T C A C T G G G C C T C A G T G G T G G G C T C G C T G C A A G C A A A T  80

RELLUC.SEQ   G A A T G T T C T T G A T T C A T T T A T T A A T T A T T A T G A T T C A G A A  120
RLUCVER1.SEQG A A C G T G C T G G A C T C C T T C A T C A A C T A C T A C G A C A G C G A G  120
RLUCVER2.SEQG A A C G T G C T G G A C T C C T T C A T C A A C T A C T A T G A T T C C G A G  120
RLUCFINL.SEQG A A C G T G C T G G A C T C C T T C A T C A A C T A C T A T G A T T C C G A G  120

RELLUC.SEQ   A A A C A T G C A G A A A A T G C T G T T A T T T T T T A C A T G G T A A C G  160
RLUCVER1.SEQA A G C A C G C C G A G A A C G C C G T G A T C T T C C T G C A C G G C A A C G  160
RLUCVER2.SEQA A G C A C G C C G A G A A C G C C G T G A T T T T T C T G C A T G G T A A C G  160
RLUCFINL.SEQA A G C A C G C C G A G A A C G C C G T G A T T T T T C T G C A T G G T A A C G  160

RELLUC.SEQ   C G G C C T C T T C T T A T T T A T G G C G A C A T G T T G T G C C A C A T A T  200
RLUCVER1.SEQC C G C C T C C A G C T A C C T G T G G A G G C A C G T G G T G C C T C A C A T  200
RLUCVER2.SEQC T G C C T C C A G C T A C C T G T G G A G G C A C G T C G T G C C T C A C A T  200
RLUCFINL.SEQC T G C C T C C A G C T A C C T G T G G A G G C A C G T C G T G C C T C A C A T  200

RELLUC.SEQ   T G A G C C A G T A G C G C G G T G T A T T A T A C C A G A T C T T A T T G G T  240
RLUCVER1.SEQC G A G C C C G T G G C C C G C T G C A T C A T C C C T G A C C T G A T C G G C  240
RLUCVER2.SEQC G A G C C C G T G G C T C G C T G C A T C A T C C C T G A T C T G A T C G G A  240
RLUCFINL.SEQC G A G C C C G T G G C T A G A T G C A T C A T C C C T G A T C T G A T C G G A  240

RELLUC.SEQ   A T G G G C A A A T C A G G C A A A T C T G G T A A T G G T T C T T A T A G G T  280
RLUCVER1.SEQA T G G G C A A G T C C G G C A A G A G C G G C A A C G G G C T C C T A C C G C C  280
RLUCVER2.SEQA T G G G T A A G T C C G G C A A G A G C G G G A A T G G C T C A T A T C G C C  280
RLUCFINL.SEQA T G G G T A A G T C C G G C A A G A G C G G G A A T G G C T C A T A T C G C C  280

RELLUC.SEQ   T A C T T G A T C A T T A C A A A T A T C T T A C T G C A T G G T T T G A A C T  320
RLUCVER1.SEQT G C T G G A C C A C T A C A A G T A C C T G A C C G C C T G G T T C G A G C T  320
RLUCVER2.SEQT C C T G G A T C A C T A C A A G T A C C T C A C C G C T T G G T T C G A G C T  320
RLUCFINL.SEQT C C T G G A T C A C T A C A A G T A C C T C A C C G C T T G G T T C G A G C T  320

RELLUC.SEQ   T C T T A A T T T A C C A A A G A A G A T C A T T T T T G T C G G C C A T G A T  360
RLUCVER1.SEQG C T G A A C C T G C C C A A G A A G A T C A T C T T C G T G G G C C A C G A C  360
RLUCVER2.SEQG C T G A A C C T T C C A A A G A A A A T C A T C T T T G T G G G C C A C G A C  360
RLUCFINL.SEQG C T G A A C C T T C C A A A G A A A A T C A T C T T T G T G G G C C A C G A C  360

RELLUC.SEQ   T G G G G T G C T T G T T T G G C A T T T C A T T A T A G C T A T G A G C A T C  400
RLUCVER1.SEQT G G G G A G C C T G C C T G G C C T T C C A C T A C T C C T A C G A G C A C C  400
RLUCVER2.SEQT G G G G G G C T T G T C T G G C C T T T C A C T A C T C C T A C G A G C A C C  400
RLUCFINL.SEQT G G G G G G C T T G T C T G G C C T T T C A C T A C T C C T A C G A G C A C C  400

RELLUC.SEQ   A A G A T A A G A T C A A A G C A A T A G T T C A C G C T G A A A G T G T A G T  440
RLUCVER1.SEQA G G A C A A G A T C A A G G C C A T C G T G C A C G C C G A G A G C G T G G T  440
RLUCVER2.SEQA A G A C A A G A T C A A G G C C A T C G T C C A T G C T G A G A G T G T C G T  440
RLUCFINL.SEQA A G A C A A G A T C A A G G C C A T C G T C C A T G C T G A G A G T G T C G T  440
```

37/65

Figure 7 (Cont.)



Figure 7 (Cont.)



Figure 8

```
RELLUC.SEQ   M T S K V Y D P E Q R K R M I T G P Q W W A R C K Q M N V L D S F I N Y Y D S E 118
RLUCVER1.SEQ M A S K V Y D P E Q R K R M I T G P Q W W A R C K Q M N V L D S F I N Y Y D S E 118
RLUCVER2.SEQ M A S K V Y D P E Q R K R M I T G P Q W W A R C K Q M N V L D S F I N Y Y D S E 118
RLUCFINL.SEQ M A S K V Y D P E Q R K R M I T G P Q W W A R C K Q M N V L D S F I N Y Y D S E 118

RELLUC.SEQ   K H A E N A V I F L H G N A A S S Y L W R H V V P H I E P V A R C I I P D L I G 238
RLUCVER1.SEQ K H A E N A V I F L H G N A A S S Y L W R H V V P H I E P V A R C I I P D L I G 238
RLUCVER2.SEQ K H A E N A V I F L H G N A A S S Y L W R H V V P H I E P V A R C I I P D L I G 238
RLUCFINL.SEQ K H A E N A V I F L H G N A A S S Y L W R H V V P H I E P V A R C I I P D L I G 238

RELLUC.SEQ   M G K S G K S G N G S Y R L L D H Y K Y L T A W F E L L N L P K K I I F V G H D 358
RLUCVER1.SEQ M G K S G K S G N G S Y R L L D H Y K Y L T A W F E L L N L P K K I I F V G H D 358
RLUCVER2.SEQ M G K S G K S G N G S Y R L L D H Y K Y L T A W F E L L N L P K K I I F V G H D 358
RLUCFINL.SEQ M G K S G K S G N G S Y R L L D H Y K Y L T A W F E L L N L P K K I I F V G H D 358

RELLUC.SEQ   W G A C L A F H Y S Y E H Q D K I K A I V H A E S V V D V I E S W D E W P D I E 478
RLUCVER1.SEQ W G A C L A F H Y S Y E H Q D K I K A I V H A E S V V D V I E S W D E W P D I E 478
RLUCVER2.SEQ W G A C L A F H Y S Y E H Q D K I K A I V H A E S V V D V I E S W D E W P D I E 478
RLUCFINL.SEQ W G A C L A F H Y S Y E H Q D K I K A I V H A E S V V D V I E S W D E W P D I E 478

RELLUC.SEQ   E D I A L I K S E E G E K M V L E N N F F V E T M L P S K I M R K L E P E E F A 598
RLUCVER1.SEQ E D I A L I K S E E G E K M V L E N N F F V E T M L P S K I M R K L E P E E F A 598
RLUCVER2.SEQ E D I A L I K S E E G E K M V L E N N F F V E T M L P S K I M R K L E P E E F A 598
RLUCFINL.SEQ E D I A L I K S E E G E K M V L E N N F F V E T M L P S K I M R K L E P E E F A 598

RELLUC.SEQ   A Y L E P F K E K G E V R R P T L S W P R E I P L V K G G K P D V V Q I V R N Y 718
RLUCVER1.SEQ A Y L E P F K E K G E V R R P T L S W P R E I P L V K G G K P D V V Q I V R N Y 718
RLUCVER2.SEQ A Y L E P F K E K G E V R R P T L S W P R E I P L V K G G K P D V V Q I V R N Y 718
RLUCFINL.SEQ A Y L E P F K E K G E V R R P T L S W P R E I P L V K G G K P D V V Q I V R N Y 718

RELLUC.SEQ   N A Y L R A S D D L P K M F I E S D P G F F S N A I V E G A K K F P N T E F V K 838
RLUCVER1.SEQ N A Y L R A S D D L P K M F I E S D P G F F S N A I V E G A K K F P N T E F V K 838
RLUCVER2.SEQ N A Y L R A S D D L P K M F I E S D P G F F S N A I V E G A K K F P N T E F V K 838
RLUCFINL.SEQ N A Y L R A S D D L P K M F I E S D P G F F S N A I V E G A K K F P N T E F V K 838

RELLUC.SEQ   V K G L H F S Q E D A P D E M G K Y I K S F V E R V L K N E Q 931
RLUCVER1.SEQ V K G L H F S Q E D A P D E M G K Y I K S F V E R V L K N E Q 931
RLUCVER2.SEQ V K G L H F S Q E D A P D E M G K Y I K S F V E R V L K N E Q 931
RLUCFINL.SEQ V K G L H F S Q E D A P D E M G K Y I K S F V E R V L K N E Q 931
```

Figure 9A

Codon usage in RELLUC
(*Renilla reniformis*; Genbank ACCESSION:M63501; Medline:91239583)

TTT	Phe	11	TCT	Ser	5	TAT	Tyr	12	TGT	Cys	3
TTC	Phe	5	TCC	Ser	1	TAC	Tyr	1	TGC	Cys	0
TTA	Leu	8	TCA	Ser	6	TAA	***	0	TGA	***	0
TTG	Leu	4	TCG	Ser	4	TAG	***	0	TGG	Trp	8
CTT	Leu	8	CCT	Pro	5	CAT	His	9	CGT	Arg	4
CTC	Leu	1	CCC	Pro	0	CAC	His	1	CGC	Arg	0
CTA	Leu	1	CCA	Pro	11	CAA	Gln	6	CGA	Arg	2
CTG	Leu	0	CCG	Pro	2	CAG	Gln	1	CGG	Arg	2
ATT	Ile	12	ACT	Thr	4	AAT	Asn	11	AGT	Ser	2
ATC	Ile	6	ACC	Thr	1	AAC	Asn	2	AGC	Ser	1
ATA	Ile	3	ACA	Thr	1	AAA	Lys	21	AGA	Arg	2
ATG	Met	9	ACG	Thr	0	AAG	Lys	6	AGG	Arg	3
GTT	Val	12	GCT	Ala	5	GAT	Asp	16	GGT	Gly	10
GTC	Val	2	GCC	Ala	3	GAC	Asp	1	GGC	Gly	4
GTA	Val	6	GCA	Ala	8	GAA	Glu	25	GGA	Gly	3
GTG	Val	3	GCG	Ala	3	GAG	Glu	5	GGG	Gly	0

Figure 9B

Codon Usage in Rluc-final

TTT	Phe	4	TCT	Ser	0	TAT	Tyr	2	TGT	Cys	1
TTC	Phe	12	TCC	Ser	10	TAC	Tyr	11	TGC	Cys	2
TTA	Leu	0	TCA	Ser	1	TAA	***	0	TGA	***	0
TTG	Leu	0	TCG	Ser	0	TAG	***	0	TGG	Trp	8
CTT	Leu	3	CCT	Pro	11	CAT	His	2	CGT	Arg	0
CTC	Leu	6	CCC	Pro	3	CAC	His	8	CGC	Arg	7
CTA	Leu	0	CCA	Pro	4	CAA	Gln	3	CGA	Arg	0
CTG	Leu	13	CCG	Pro	0	CAG	Gln	4	CGG	Arg	3
ATT	Ile	3	ACT	Thr	1	AAT	Asn	2	AGT	Ser	1
ATC	Ile	18	ACC	Thr	4	AAC	Asn	11	AGC	Ser	7
ATA	Ile	0	ACA	Thr	0	AAA	Lys	4	AGA	Arg	2
ATG	Met	9	ACG	Thr	0	AAG	Lys	23	AGG	Arg	1
GTT	Val	2	GCT	Ala	11	GAT	Asp	6	GGT	Gly	3
GTC	Val	8	GCC	Ala	9	GAC	Asp	11	GGC	Gly	7
GTA	Val	0	GCA	Ala	0	GAA	Glu	2	GGA	Gly	3
GTG	Val	13	GCG	Ala	0	GAG	Glu	28	GGG	Gly	4

Figure 10

Oligonucleotides for the assembly of synthetic *Renilla* luciferase gene

Sense Strand

Oligo name	Oligo sequence from 5' to 3'	
RLS1 (1-40)	AACCATGGCTTCCAAGGTGTACGACCCCGAGCAACGCAAA	(SEQ ID NO:246)
RLS2 (41-80)	CGCATGATCACTGGGCCTCAGTGGTGGGCTCGCTGCAAGC	(SEQ ID NO:247)
RLS3 (81-120)	AAATGAACGTGCTGGACTCCTTCATCAACTACTATGATTC	(SEQ ID NO:248)
RLS4 (121-170)	CGAGAAGCACGCCGAGAACGCCGTGATTTTTCTGCATGGTAACGCTGCCT	(SEQ ID NO:249)
RLS5 (171-210)	CCAGCTACCTGTGGAGGCACGTCGTGCCTCACATCGAGCC	(SEQ ID NO:250)
RLS6 (211-250)	CGTGGCTAGATGCATCATCCCTGATCTGATCGGAATGGGT	(SEQ ID NO:251)
RLS7 (251-290)	AAGTCCGGCAAGAGCGGGAATGGCTCATATCGCCTCCTGG	(SEQ ID NO:252)
RLS8 (291-330)	ATCACTACAAGTACCTCACCGCTTGGTTCGAGCTGCTGAA	(SEQ ID NO:253)
RLS9 (331-370)	CCTTCCAAAGAAAATCATCTTTGTGGGCCACGACTGGGGG	(SEQ ID NO:254)
RLS10 (371-410)	GCTTGTCTGGCCTTTCACTACTCCTACGAGCACCAAGACA	(SEQ ID NO:255)
RLS11 (411-450)	AGATCAAGGCCATCGTCCATGCTGAGAGTGTCGTGGACGT	(SEQ ID NO:256)
RLS12 (451-495)	GATCGAGTCCTGGGACGAGTGGCCTGACATCGAGGAGGATATCGC	(SEQ ID NO:257)
RLS13 (496-535)	CCTGATCAAGAGCGAAGAGGGCGAGAAAATGGTGCTTGAG	(SEQ ID NO:258)
RLS14 (536-575)	AATAACTTCTTCGTCGAGACCATGCTCCCAAGCAAGATCA	(SEQ ID NO:259)
RLS15 (576-620)	TGCGGAAACTGGAGCCTGAGGAGTTCGCTGCCTACCTGGAGCCAT	(SEQ ID NO:260)
RLS16 (621-660)	TCAAGGAGAAGGGCGAGGTTAGACGGCCTACCCTCTCCTG	(SEQ ID NO:261)
RLS17 (661-700)	GCCTCGCGAGATCCCTCTCGTTAAGGGAGGCAAGCCCGAC	(SEQ ID NO:262)
RLS18 (701-740)	GTCGTCCAGATTGTCCGCAACTACAACGCCTACCTTCGGG	(SEQ ID NO:263)
RLS19 (741-780)	CCAGCGACGATCTGCCTAAGATGTTCATCGAGTCCGACCC	(SEQ ID NO:264)
RLS20 (781-820)	TGGGTTCTTTTCCAACGCTATTGTCGAGGGAGCTAAGAAG	(SEQ ID NO:265)
RLS21 (821-860)	TTCCCTAACACCGAGTTCGTGAAGGTGAAGGGCCTCCACT	(SEQ ID NO:266)
RLS22 (861-900)	TCAGCCAGGAGGACGCTCCAGATGAAATGGGTAAGTACAT	(SEQ ID NO:267)
RLS23 (901-949)	CAAGAGCTTCGTGGAGCGCGTGCTGAAGAACGAGCAGTAATTCTAGAGC	(SEQ ID NO:268)

Anti-sense Strand

Oligo name	Oligo Sequence from 5' to 3'	
RLAS1 (1-29)	GCTCTAGAATTACTGCTCGTTCTTCAGCA	(SEQ ID NO:269)
RLAS2 (30-69)	CGCGCTCCACGAAGCTCTTGATGTACTTACCCATTTCATC	(SEQ ID NO:270)
RLAS3 (70-109)	TGGAGCGTCCTCCTGGCTGAAGTGGAGGCCCTTCACCTTC	(SEQ ID NO:271)
RLAS4 (110-149)	ACGAACTCGGTGTTAGGGAACTTCTTAGCTCCCTCGACAA	(SEQ ID NO:272)
RLAS5 (150-189)	TAGCGTTGGAAAAGAACCCAGGGTCGGACTCGATGAACAT	(SEQ ID NO:273)
RLAS6 (190-229)	CTTAGGCAGATCGTCGCTGGCCCGAAGGTAGGCGTTGTAG	(SEQ ID NO:274)
RLAS7 (230-269)	TTGCGGACAATCTGGACGACGTCGGGCTTGCCTCCCTTAA	(SEQ ID NO:275)
RLAS8 (270-309)	CGAGAGGGATCTCGCGAGGCCAGGAGAGGGTAGGCCGTCT	(SEQ ID NO:276)
RLAS9 (310-349)	AACCTCGCCCTTCTCCTTGAATGGCTCCAGGTAGGCAGCG	(SEQ ID NO:277)
RLAS10 (350-394)	AACTCCTCAGGCTCCAGTTTCCGCATGATCTTGCTTGGGAGCATG	(SEQ ID NO:278)
RLAS11 (395-434)	GTCTCGACGAAGAAGTTATTCTCAAGCACCATTTTCTCGC	(SEQ ID NO:279)
RLAS12 (435-474)	CCTCTTCGCTCTTGATCAGGGCGATATCCTCCTCGATGTC	(SEQ ID NO:280)
RLAS13 (475-517)	AGGCCACTCGTCCCAGGACTCGATCACGTCCACGACACTCTCA	(SEQ ID NO:281)
RLAS14 (518-559)	GCATGGACGATGGCCTTGATCTTGTCTTGGTGCTCGTAGGAG	(SEQ ID NO:282)
RLAS15 (560-599)	TAGTGAAAGGCCAGACAAGCCCCCCAGTCGTGGCCCACAA	(SEQ ID NO:283)
RLAS16 (600-639)	AGATGATTTTCTTTGGAAGGTTCAGCAGCTCGAACCAAGC	(SEQ ID NO:284)
RLAS17 (640-679)	GGTGAGGTACTTGTAGTGATCCAGGAGGCGATATGAGCCA	(SEQ ID NO:285
RLAS18 (680-719)	TTCCCGCTCTTGCCGGACTTACCCATTCCGATCAGATCAG	(SEQ ID NO:286)
RLAS19 (720-764)	GGATGATGCATCTAGCCACGGGCTCGATGTGAGGCACGACGTGCC	(SEQ ID NO:287)
RLAS20 (765-804)	TCCACAGGTAGCTGGAGGCAGCGTTACCATGCAGAAAAAT	(SEQ ID NO:288)
RLAS21 (805-849)	CACGGCGTTCTCGGCGTGCTTCTCGGAATCATAGTAGTTGATGAA	(SEQ ID NO:289)
RLAS22 (850-889)	GGAGTCCAGCACGTTCATTTGCTTGCAGCGAGCCCACCAC	(SEQ ID NO:290)
RLAS23 (890-929)	TGAGGCCCAGTGATCATGCGTTTGCGTTGCTCGGGGTCGT	(SEQ ID NO:291)
RLAS24 (930-949)	ACACCTTGGAAGCCATGGTT	(SEQ ID NO:292)

Figure 11


GRVER51.SEQ ATGATGAACGCGAAAAGAACGTGATCTACGGCCCAGAAC 40
LUCPPLYG.SEQATGATGAAGAGAGAGAAAAATGTTATATATGGACCCGAAC 40
RD1561H9.SEQATGATAAAGCGTGAGAAAAATGTCATCTATG-GCCCTGAGC 40
GRVER51.SEQ CACTGCATCCACTGGAAGACCTCACCGCTGGTGAGATGCT 80
LUCPPLYG.SEQCCCTACACCCCTTGGAAGACTTAACAGCAGGAGAAATGCT 80
RD1561H9.SEQCTCTCCATCCTTTGGAGGATTTGACTGCGGCGAAATGCT 80
GRVER51.SEQ CTTCCGAGCACTGCGTAAACATAGTCACCTCCCTCAAGCA 120
LUCPPLYG.SEQCTTCAGGGCCCTTCGAAAACATTCTCATTTACCGCAGGCT 120
RD1561H9.SEQGTTTCGTGCTCTCCGCAAGCACTCTCATTTGCCTCAAGCC 120
GRVER51.SEQ CTCGTGGACGTCGTGGGAGACGAGAGCCTCTCCTACAAAG 160
LUCPPLYG.SEQTTAGTAGATGTGTTTGGTGACGAATCGCTTTCCTATAAAG 160
RD1561H9.SEQTTGGTCGATGTGGTCGGCGATGAATCTTTGAGCTACAAGG 160
GRVER51.SEQ AATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA 200
LUCPPLYG.SEQAGTTTTTTGAAGCTACATGCCTCCTAGCGCAAAGTCTCCA 200
RD1561H9.SEQAGTTTTTTGAGGCACACGTCTTGCTGGCTCAGTCCCTCCA 200
GRVER51.SEQ TAATTGTGGGTACAAAATGAACGATGTGGTGAGCATTTGT 240
LUCPPLYG.SEQCAATTGTGGATACAAGATGAATGATGTAGTGTCGATCTGC 240
RD1561H9.SEQCAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGT 240
GRVER51.SEQ GCTGAGAATAACACACTCGCTTCTTTATTCCTGTAATCGCTG 280
LUCPPLYG.SEQGCCGAGAATAATAAAAGATTTTTTATTCCCATTATTGCAG 280
RD1561H9.SEQGCTGAAAACAATACCCGTTTCTTCATTCCAGTCATCGCCG 280
GRVER51.SEQ CTTGGTACATCGGGCATGATTGTCGCCCCTGTGAATGAATC 320
LUCPPLYG.SEQCTTGGTATATTGGTATGATTGTAGCACCTGTTAATGAAAG 320
RD1561H9.SEQCATGGTATATCGGTATGATCGTGGCTCCAGTCAACGAGAG 320
GRVER51.SEQ TTACATCCCAGATGAGCTGTGTAAGGTTATGGGTATTAGC 360
LUCPPLYG.SEQTTACATCCCAGATGAACTCTGTAAGGTCATGGGTATATCG 360
RD1561H9.SEQCTACATTCCCGACGAACTGTGTAAAGTCATGGGTATCTCT 360
GRVER51.SEQ AAACCTCAAATCGTCTTTACTACCAAAAACATCTTGAATA 400
LUCPPLYG.SEQAAACCACAAATAGTTTTTTGTACAAAGAACATTTTAAATA 400
RD1561H9.SEQAAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA 400
GRVER51.SEQ AGGTCTTGGAAGTCCAGTCTCTAACTTCATCAAAACG 440
LUCPPLYG.SEQAGGTATTGGAGGTACAGAGCAGAACTAATTTCATAAAAAG 440
RD1561H9.SEQAAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCG 440
GRVER51.SEQ CATCATTATTCTGGATACCGTCGAAAACATCCACGGCTGT 480
LUCPPLYG.SEQGATCATCATACTTGATACTGTAGAAAACATACACGGTTGT 480
RD1561H9.SEQTATCATCATCTTGGACACTGTGGAGAATATTCACGGTTGC 480
GRVER51.SEQ GAGAGCCTCCCCTAACTTCATCTCTCGTTACAGCGATGGTA 520
LUCPPLYG.SEQGAAAGTCTTCCCAATTTTATTTCTCGTTATTCGGATGGAA 520
RD1561H9.SEQGAATCTTTGCCCTAATTTCATCTCTCGCTATTCAGACGGCA 520
GRVER51.SEQ ATATCGCTAATTTCAAGCCCTTGCATTTTGATCCAGTCGA 560
LUCPPLYG.SEQATATTGCCAACTTCAAACCTTTACATTACGATCCTGTTGA 560
RD1561H9.SEQACATCGCAAACTTTAAACCACTCCACTTCGACCCTGTGGA 560

Figure 11 (Cont.)



Figure 11 (Cont.)

```
GRVER51.SEQ AGACCGGCAAAGCACTGGGCCCAAATCAAGTCGGTGAATT 1160
LUCPPLYG.SEQAAACTGGTAAAGCATTGGGACCAAATCAAGTTGGTGAATT 1160
RD1561H9.SEQAAACTGGTAAGGCTTGGGGCCCGAACCAAGTGGGCGAGCT 1160

GRVER51.SEQ GTGTATTAAGGGCCCTATGGTCTCTAAAGGCTACGTGAAC 1200
LUCPPLYG.SEQATGCGTTAAAGGTCCCATGGTATCGAAAGGTTACGTGAAC 1200
RD1561H9.SEQGTGTATCAAAGGCCCTATGGTGAGCAAGGGTTATGTCAAT 1200

GRVER51.SEQ AATGTGGAGGCCACTAAAGAAGCCATTGATGATGATGGCT 1240
LUCPPLYG.SEQAATGTAGAAGCTACCAAAGAAGCTATTGATGATGATGGTT 1240
RD1561H9.SEQAACGTTGAAGCTACCAAGGAGGCCATCGACGACGACGCT 1240

GRVER51.SEQ GGCTCCATAGCGGCGACTTCGGTTACTATGATGAGGACGA 1280
LUCPPLYG.SEQGGCTTCACTCTGGAGACTTTGGATACTATGATGAGGATGA 1280
RD1561H9.SEQGGTTGCATTCTGGTGATTTTGGATATTACGACGAAGATGA 1280

GRVER51.SEQ ACACTTCTATGTGGTCGATCGCTACAAAGAATTGATTAAG 1320
LUCPPLYG.SEQGCATTTCTATGTGGTGGACCGTTACAAGGAATTGATTAAA 1320
RD1561H9.SEQGCATTTTTACGTCGTGGATCGTTACAAGGAGCTGATCAAA 1320

GRVER51.SEQ TACAAAGGCTCTCAAGTCGCACCAGCCGAACTGGAAGAAA 1360
LUCPPLYG.SEQTATAAGGGCTCTCAGGTAGCACCTGCAGAACTAGAAGAGA 1360
RD1561H9.SEQTACAAGGGTAGCCAGGTTGCTCCAGCTGAGTTGGAGGAGA 1360

GRVER51.SEQ TTTTGCTGAAGAACCCTTGTATCCGCGACGTGGCCGTCGT 1400
LUCPPLYG.SEQTTTATTGAAAAATCCATGTATCAGAGATGTTGCTGTGGT 1400
RD1561H9.SEQTTCTGTTGAAAAATCCATGCATTCGCGATGTCGCTGTGGT 1400

GRVER51.SEQ GGTATCCCAGACTTGGAAGCTGGCGAGTTGCCCTAGCGCC 1440
LUCPPLYG.SEQTGGTATTCCTGATCTAGAAGCTGGAGAACTGCCCATCTGCG 1440
RD1561H9.SEQCGGCATTCCTGATCTGGAGGCCGGCGAACTGCCCTTCTGCT 1440

GRVER51.SEQ TTTGTGGTGAAACAACCCGGCAAGGAGATCACTGCTAAGG 1480
LUCPPLYG.SEQTTTGTGGTTAAACAGCCCGGAAAGGAGATTACAGCTAAAG 1480
RD1561H9.SEQTTCGTTGTCAAGCAGCCTGGTACAGAATTACCGCCAAAG 1480

GRVER51.SEQ AGGTCTACGACTATTTGCCCGAGCGCGTGTCTCACACCAA 1520
LUCPPLYG.SEQAAGTGTACGATTATCTTGCCGAGAGGGTCTCCCATACAAA 1520
RD1561H9.SEQAAGTGTATGATTACCTGGCTGAACGTGTGAGCCATACTAA 1520

GRVER51.SEQ ATATCTGCGTGGCGGCGTCCGCTTCGTCGATTCTATTCCA 1560
LUCPPLYG.SEQGTATTTGCGTGGAGGGGTTCGATTCGTTGATAGCATACCA 1560
RD1561H9.SEQGTACTTGCGTGGCGGCGTGCGTTTTGTTGACTCCATCCCT 1560

GRVER51.SEQ CGCAACGTTACCGGTAAGATCACTCGTAAAGAGTTGCTGA 1600
LUCPPLYG.SEQAGGAATGTTACAGGTAAAATTACAAGAAAGGAACTTCTGA 1600
RD1561H9.SEQCGTAACGTACAGGCAAAATTACCCGCAAGGAGCTGTTGA 1600

GRVER51.SEQ AGCAACTCCTCGAAAAGCTGGCGGC 1626
LUCPPLYG.SEQAGCAGTTGCTGGAGAAGAGTTCTAAACTT 1629
RD1561H9.SEQAACAATTGTTGGTGAAGGCCGGCGGT 1626
```

Figure 12

```
GRVER51.SEQ MMKREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQA 118
LUCPPLYG.SEQMMKREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQA 118
RD1561H9.SEQM[I]KREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQA 118

GRVER51.SEQ LVDV[V]GDESLSYKEFFEAT[V]LLAQSLHNCGYKMNDVVSIC 238
LUCPPLYG.SEQLVDVFGDESLSYKEFFEATCLLAQSLHNCGYKMNDVVSIC 238
RD1561H9.SEQLVDV[V]GDESLSYKEFFEAT[V]LLAQSLHNCGYKMNDVVSIC 238

GRVER51.SEQ AENN[T]RFFIP[V]IAAWYIGMIVAPVNESYIPDELCKVMGIS 358
LUCPPLYG.SEQAENNKRFFIPIIAAWYIGMIVAPVNESYIPDELCKVMGIS 358
RD1561H9.SEQAENN[T]RFFIP[V]IAAWYIGMIVAPVNESYIPDELCKVMGIS 358

GRVER51.SEQ KPQIVF[T]TKNILNKVLEVQSRTNFIKRIIILDTVENIHGC 478
LUCPPLYG.SEQKPQIVFCTKNILNKVLEVQSRTNFIKRIIILDTVENIHGC 478
RD1561H9.SEQKPQIVF[T]TKNILNKVLEVQSRTNFIKRIIILDTVENIHGC 478

GRVER51.SEQ ESLPNFISRYSDGNIANFKPLH[F]DPVEQVAAILCSSGTTG 598
LUCPPLYG.SEQESLPNFISRYSDGNIANFKPLHYDPVEQVAAILCSSGTTG 598
RD1561H9.SEQESLPNFISRYSDGNIANFKPLH[F]DPVEQVAAILCSSGTTG 598

GRVER51.SEQ LPKGVMQTHQNICVRLIHALDPR[V]GTQLIPGVTVLVYLPF 718
LUCPPLYG.SEQLPKGVMQTHQNICVRLIHALDPRAGTQLIPGVTVLVYLPF 718
RD1561H9.SEQLPKGVMQTHQNICVRLIHALDPR[Y]GTQLIPGVTVLVYLPF 718

GRVER51.SEQ FHAFGFSI[T]LGYFMVGLRVIM[F]RRFDQEAFLKAIQDYEVR 838
LUCPPLYG.SEQFHAFGFSINLGYFMVGLRVIMLRRFDQEAFLKAIQDYEVR 838
RD1561H9.SEQFHAFGF[H]I[T]LGYFMVGLRVIM[F]RRFDQEAFLKAIQDYEVR 838

GRVER51.SEQ SVINVP[SV]ILFLSKSPLVDKYDLSSLRELCCGAAPLAKEV 958
LUCPPLYG.SEQSVINVPAIILFLSKSPLVDKYDLSSLRELCCGAAPLAKEV 958
RD1561H9.SEQSVINVP[SV]ILFLSKSPLVDKYDLSSLRELCCGAAPLAKEV 958

GRVER51.SEQ AEVA[A]KRLNLPGIRCGFGLTESTSANIHSL[R]DEFKSGSLG 1078
LUCPPLYG.SEQAEVAVKRLNLPGIRCGFGLTESTSANIHSLGDEFKSGSLG 1078
RD1561H9.SEQAEVA[A]KRLNLPGIRCGFGLTESTSA[I]I[QT]LGDEFKSGSLG 1078

GRVER51.SEQ RVTPLMAAKIADRETGKALGPNQVGELC[I]KGPMVSKGYVN 1198
LUCPPLYG.SEQRVTPLMAAKIADRETGKALGPNQVGELCVKGPMVSKGYVN 1198
RD1561H9.SEQRVTPLMAAKIADRETGKALGPNQVGELC[I]KGPMVSKGYVN 1198

GRVER51.SEQ NVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIK 1318
LUCPPLYG.SEQNVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIK 1318
RD1561H9.SEQNVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIK 1318

GRVER51.SEQ YKGSQVAPAELEEILLKNPCIRDVAVVGIPDLEAGELPSA 1438
LUCPPLYG.SEQYKGSQVAPAELEEILLKNPCIRDVAVVGIPDLEAGELPSA 1438
RD1561H9.SEQYKGSQVAPAELEEILLKNPCIRDVAVVGIPDLEAGELPSA 1438

GRVER51.SEQ FVVKQPGKEITAKEVYDYLAERVSHTKYLRGGVRFVDSIP 1558
LUCPPLYG.SEQFVVKQPGKEITAKEVYDYLAERVSHTKYLRGGVRFVDSIP 1558
RD1561H9.SEQFVVKQPG[T]EITAKEVYDYLAERVSHTKYLRGGVRFVDSIP 1558

GRVER51.SEQ RNVTGKITRKELLKQLLEK[AGG]                    1624
LUCPPLYG.SEQRNVTGKITRKELLKQLLEKSSKL                    1627
RD1561H9.SEQRNVTGKITRKELLKQLL[V]K[AGG]                  1624
```


Renilla luciferase gene
in pGL3 series
SV40 promoter
RL gene
SV40 enhancer
Control
Basic
SV40 enhancer
Enhancer
SV40 promoter
Promoter

Fig 3A

Figure 13B- RL Co-Reporter Vector Series



Figure 13 (Continued)




Halflife of RL-synthetic and RL-native in CHO Cells
RL-native
RL-final
Linear (RL-native)
Linear (RL-final)
RL-final
y = -0.0872x + 1.9693
R² = 0.9621
T1/2=3.5 hr
RL-native
y = -0.0974x + 1.9659
R² = 0.9739
T1/2=3.1 hr
lg(Percentage of luciferase activity)
Time after addition of Cycloheximide (hour)
2.2
2
1.8
1.6
1.4
1.2
1
0
2
4
6
8
10


TNT (RL-final versus RL-native)
RL-native
RL-final
RLU
2500000
2000000
1500000
1000000
500000
0
0
10
20
30
40
50
60
70
Reaction time (min)


TNT (RL-final versus RL-native, linear range)
RL-native
RL-final
y = 119195x - 1E+06
R2 = 0.9938
y = 30467x - 596247
R2 = 0.9938
RLU
Reaction time (minutes)
2000000
1500000
1000000
500000
0
-500000
0
5
10
15
20
25
30
35
40
45


In vitro translation of RNAs of native RL and RL-final
(30°C)
RL-native
RL-final
RLU
120000
100000
80000
60000
40000
20000
0
0
10
20
30
40
50
60
70
Time (minute)


In vitro translation of RNAs of native RL and RL-final
(30 °C, linear range)
RL-native
RL-final
y = 4426x - 17713
R2 = 0.9969
y = 2001.2x - 9782.2
R2 = 0.9902
RLU
Time (minute)
0
10000
20000
30000
40000
50000
60000
70000
80000
0
5
10
15
20
25


In vitro translation using wheat germ extract
RL-native
RL-final
RLU
Time (min)
0
2000
4000
6000
8000
10000
12000
14000
16000
18000
0
10
20
30
40
50
60
70


In vitro translation using wheat germ extract
(linear range)
RL-native
RL-final
y = 458.67x - 11393
R2 = 0.9986
y = 89.467x - 2112.9
R2 = 0.9974
RLU
Time (min)
18000
16000
14000
12000
10000
8000
6000
4000
2000
0
30
35
40
45
50
55
60
65


Renilla expression
RLU
350000
300000
250000
200000
150000
100000
50000
0
RL-native
RL-final
'50/5
100/10
500/50
1000/100
2000/200
ng Renilla vector co-transfected (nat./final)


Effect of firefly expression with increasing amounts of TK vector co-transfected
ff only
RL-native
RL-final
RLU
90000
80000
70000
60000
50000
40000
30000
20000
10000
0
'0
50/5
100/10
500/50
1000/100
2000/200
ng Renilla vector co-transfected (nat./ final)

Figure 17A



Beetle Luciferin

Oxyluciferin

Figure 17B



Coelenterazine

Coelenteramide

GRver5.1 DNA sequence of pGL3 vectors

```
ATGGTGAAACGCGAAAAGAACGTGATCTACGGCCCAGAACCACTGCATCC    50
ACTGGAAGACCTCACCGCTGGTGAGATGCTCTTCCGAGCACTGCGTAAAC   100
ATAGTCACCTCCCTCAAGCACTCGTGGACGTCGTGGGAGACGAGAgCCTC   150
TCCTACAAAGAATTTTTCGAAGCTACTGTGCTGTTGGCCCAAAGCCTCCA   200
TAATTGTGGGTACAAAATGAACGATGTGGTGAGCATTTGTGCTGAGAATA   250
ACACTCGCTTCTTTATTCCTGTAATCGCTGCTTGGTACATCGGCATGATT   300
GTCGCCCCTGTGAATGAATCTTACATCCCAGATGAGCTGTGTAAGGTTAT   350
GGGTATTAGCAAACCTCAAATCGTCTTTACTACCAAAAACATCTTGAATA   400
AGGTCTTGGAAGTCCAGTCTCGTACTAACTTCATCAAACGCATCATTATT   450
CTGGATACCGTCGAAAACATCCACGGCTGTGAGAGCCTCCCTAACTTCAT   500
CTCTCGTTACAGCGATGGTAATATCGCTAATTTCAAGCCCTTGCATTTTG   550
ATCCAGTCGAGCAAGTGGCCGCTATTTTGTGCTCCTCCGGCACCACTGGT   600
TTGCCTAAAGGTGTCATGCAGACTCACCAGAATATCTGTGTGCGTTTGAT   650
CCACGCTCTCGACCCTCGTGTGGGTACTCAATTGATCcCTGGCGTGACTG   700
TGCTGGTGTATCTGCCTTTCTTTCACGCCTTTGGTTTCTCTATTACCCTG   750
GGCTATTTCATGGTCGGCTTGCGTGTCATCATGTTTCGTCGCTTCGACCA   800
AGAAGCCTTCTTGAAGGCTATTCAAGACTACGAGGTGCGTTCCGTGATCA   850
ACGTCCCTTCAGTCATTTTGTTCCTGAGCAAATCTCCTTTGGTTGACAAG   900
TATGATCTGAGCAGCTTGCGTGAGCTGTGCTGTGGCGCTGCTCCTTTGGC   950
CAAAGAAGTGGCCGAGGTCGCTGCTAAGCGTCTGAACCTCCCTGGTATCC  1000
GCTGCGGTTTTGGTTTGACTGAGAGCACTTCTGCTAACATCCATAGCTTG  1050
CGAGACGAGTTTAAGTCTGGTAGCCTGGGTCGCGTGACTCCTCTTATGGC  1100
TGCAAAGATCGCCGACCGTGAGACCGGCAAAGCACTGGGCCCAAATCAAG  1150
TCGGTGAATTGTGTATTAAGGGCCCTATGGTCTCTAAAGGCTACGTGAAC  1200
AATGTGGAGGCCACTAAAGAAGCCATTGATGATGATGGCTGGCTCCATAG  1250
CGGCGACTTCGGTTACTATGATGAGGACGAACACTTCTATGTGGTCGATC  1300
GCTACAAAGAATTGATTAAGTACAAAGGCTCTCAAGTCGCACCAGCCGAA  1350
CTGGAAGAAATTTTGCTGAAGAACCCTTGTATCCGCGACGTGGCCGTCGT  1400
GGGTATCCCAGACTTGGAAGCTGGCGAGTTGCCTAGCGCCTTTGTGGTGA  1450
AACAACCCGGCAAGGAGATCACTGCTAAGGAGGTCTACGACTATTTGGCC  1500
GAGCGCGTGTCTCACACCAAATATCTGCGTGGCGGCGTCCGCTTCGTCGA  1550
TTCTATTCCACGCAACGTTACCGGTAAGATCACTCGTAAAGAGTTGCTGA  1600
AGCAACTCCTCGAAAAAGCTGGCGGC                           1626
```

SEQ ID NO: 297

RDver5.1 DNA sequence of pGL3 vectors

```
ATGGTGAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGCCTCTCCATCC    50
TTTGGAGGATTTGACTGCCGGCGAAATGCTGTTTCGTGCTCTCCGCAAGC   100
ACTCTcATTTGCCTCAAGCCTTGGTCGATGTGGTCGGCGATGAATCTTTG   150
AGCTACAAGGAGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA   200
CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGTGCTGAAAACA   250
ATACCCGTTTCTTCATTCCAGTCATCGCCGCATGGTATATCGGTATGATC   300
GTGGCTCCAGTCAACGAGAGCTACATTCCCGACGAACTGTGTAAAGTCAT   350
GGGTATCTCTAAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA   400
AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCGTATCATCATC   450
TTGGACACTGTGGAGAATATTCACGGTTGCGAATCTTTGCCTAATTTCAT   500
CTCTCGCTATTCAGACGGCAACATCGCAAACTTTAAACCACTCCACTTCG   550
ACCCTGTGGAACAAGTTGCAGCCATTCTGTGTAGCAGCGGTACTACTGGA   600
CTCCCAAAGGGAGTCATGCAGACCCATCAAAACATTTGCGTGCGTCTGAT   650
CCATGCTCTCGATCCACGCTACGGCACTCAGCTGATTCCTGGTGTCACCG   700
TCTTGGTCTACTTGCCTTTCTTCCATGCTTTCGGCTTTCATATTACTTTG   750
GGTTACTTTATGGTCGGTCTCCGCGTGATTATGTTCCGCCGTTTTGATCA   800
GGAGGCTTTCTTGAAAGCCATCCAAGATTATGAAGTCCGCAGTGTCATCA   850
ACGTGCCTAGCGTGATCCTGTTTTTGTCTAAGAGCCCACTCGTGGACAAG   900
TACGACTTGTCTTCACTGCGTGAATTGTGTTGCGGTGCCGCTCCACTGGC   950
TAAGGAGGTCGCTGAAGTGGCCGCCAAACGCTTGAATCTTCCAGGGATTC  1000
GTTGTGGCTTCGGCCTCACCGAATCTACCAGCGCTATTATTCAGTCTCTC  1050
CGCGATGAGTTTAAGAGCGGCTCTTTGGGCCGTGTCACTCCACTCATGGC  1100
TGCTAAGATCGCTGATCGCGAAACTGGTAAGGCTTTGGGCCCGAACCAAG  1150
TGGGCGAGCTGTGTATCAAAGGCCCTATGGTGAGCAAGGGTTATGTCAAT  1200
AACGTTGAAGCTACCAAGGAGGCCATCGACGACGACGGCTGGTTGCATTC  1250
TGGTGATTTTGGATATTACGACGAAGATGAGCATTTTTACGTCGTGGATC  1300
GTTACAAGGAGCTGATCAAATACAAGGGTAGCCAGGTTGCTCCAGCTGAG  1350
TTGGAGGAGATTCTGTTGAAAAATCCATGCATTCGCGATGTCGCTGTGGT  1400
CGGCATTCCTGATCTGGAGGCCGGCGAACTGCCTTCTGCTTTCGTTGTCA  1450
AGCAGCCTGGTAAAGAAATTACCGCCAAAGAAGTGTATGATTACCTGGCT  1500
GAACGTGTGAGCCATACTAAGTACTTGCGTGGCGGCGTGCGTTTTGTTGA  1550
CTCCATCCCTCGTAACGTAACAGGCAAAATTACCCGCAAGGAGCTGTTGA  1600
AACAATTGTTGGAGAAGGCCGGCGGT                           1626
```

SEQ ID NO: 299

RD1561H9 DNA sequence of pGL3 vectors

```
ATGGTAAAGCGTGAGAAAAATGTCATCTATGGCCCTGAGCCTCTCCATCC    50
TTTGGAGGATTTGACTGCCGGCGAAATGCTGTTTCGTGCTCTCCGCAAGC   100
ACTCTCATTTGCCTCAAGCCTTGGTCGATGTGGTCGGCGATGAATCTTTG   150
AGCTACAAGGAGTTTTTTGAGGCAACCGTCTTGCTGGCTCAGTCCCTCCA   200
CAATTGTGGCTACAAGATGAACGACGTCGTTAGTATCTGTGCTGAAAACA   250
ATACCCGTTTCTTCATTCCAGTCATCGCCGCATGGTATATCGGTATGATC   300
GTGGCTCCAGTCAACGAGAGCTACATTCCCGACGAACTGTGTAAAGTCAT   350
GGGTATCTCTAAGCCACAGATTGTCTTCACCACTAAGAATATTCTGAACA   400
AAGTCCTGGAAGTCCAAAGCCGCACCAACTTTATTAAGCGTATCATCATC   450
TTGGACACTGTGGAGAATATTCACGGTTGCGAATCTTTGCCTAATTTCAT   500
CTCTCGCTATTCAGACGGCAACATCGCAAACTTTAAACCACTCCACTTCG   550
ACCCTGTGGAACAAGTTGCAGCCATTCTGTGTAGCAGCGGTACTACTGGA   600
CTCCCAAAGGGAGTCATGCAGACCCATCAAAACATTTGCGTGCGTCTGAT   650
CCATGCTCTCGATCCACGCTACGGCACTCAGCTGATTCCTGGTGTCACCG   700
TCTTGGTCTACTTGCCTTTCTTCCATGCTTTCGGCTTTCATATTACTTTG   750
GGTTACTTTATGGTCGGTCTCCGCGTGATTATGTTCCGCCGTTTTGATCA   800
GGAGGCTTTCTTGAAAGCCATCCAAGATTATGAAGTCCGCAGTGTCATCA   850
ACGTGCCTAGCGTGATCCTGTTTTTGTCTAAGAGCCCACTCGTGGACAAG   900
TACGACTTGTCTTCACTGCGTGAATTGTGTTGCGGTGCCGCTCCACTGGC   950
TAAGGAGGTCGCTGAAGTGGCCGCCAAACGCTTGAATCTTCCAGGGATTC  1000
GTTGTGGCTTCGGCCTCACCGAATCTACCAGTGCGATTATCCAGACTCTC  1050
GGGGATGAGTTTAAGAGCGGCTCTTTGGGCCGTGTCACTCCACTCATGGC  1100
TGCTAAGATCGCTGATCGCGAAACTGGTAAGGCTTTGGGCCCGAACCAAG  1150
TGGGCGAGCTGTGTATCAAAGGCCCTATGGTGAGCAAGGGTTATGTCAAT  1200
AACGTTGAAGCTACCAAGGAGGCCATCGACGACGACGGCTGGTTGCATTC  1250
TGGTGATTTTGGATATTACGACGAAGATGAGCATTTTTACGTCGTGGATC  1300
GTTACAAGGAGCTGATCAAATACAAGGGTAGCCAGGTTGCTCCAGCTGAG  1350
TTGGAGGAGATTCTGTTGAAAAATCCATGCATTCGCGATGTCGCTGTGGT  1400
CGGCATTCCTGATCTGGAGGCCGGCGAACTGCCTTCTGCTTTCGTTGTCA  1450
AGCAGCCTGGTACAGAAATTACCGCCAAAGAAGTGTATGATTACCTGGCT  1500
GAACGTGTGAGCCATACTAAGTACTTGCGTGGCGGCGTGCGTTTTGTTGA  1550
CTCCATCCCTCGTAACGTAACAGGCAAAATTACCCGCAAGGAGCTGTTGA  1600
AACAATTGTTGGTGAAGGCCGGCGGT                          1626
```

SEQ ID NO. 301

GRver5.1 protein sequence of pGL3 vectors

```
MVKREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQALVDVVGDESL  50
SYKEFFEATVLLAQSLHNCGYKMNDVVSICAENNTRFFIPVIAAWYIGMI 100
VAPVNESYIPDELCKVMGISKPQIVFTTKNILNKVLEVQSRTNFIKRIII 150
LDTVENIHGCESLPNFISRYSDGNIANFKPLHFDPVEQVAAILCSSGTTG 200
LPKGVMQTHQNICVRLIHALDPRVGTQLIPGVTVLVYLPFFHAFGFSITL 250
GYFMVGLRVIMFRRFDQEAFLKAIQDYEVRSVINVPSVILFLSKSPLVDK 300
YDLSSLRELCCGAAPLAKEVAEVAAKRLNLPGIRCGFGLTESTSANIHSL 350
RDEFKSGSLGRVTPLMAAKIADRETGKALGPNQVGELCIKGPMVSKGYVN 400
NVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIKYKGSQVAPAE 450
LEEILLKNPCIRDVAVVGIPDLEAGELPSAFVVKQPGKEITAKEVYDYLA 500
ERVSHTKYLRGGVRFVDSIPRNVTGKITRKELLKQLLEKAGG          542
```

SEQ ID NO: 298

RDver5.1 protein sequence of pGL3 vectors

```
MVKREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQALVDVVGDESL  50
SYKEFFEATVLLAQSLHNCGYKMNDVVSICAENNTRFFIPVIAAWYIGMI 100
VAPVNESYIPDELCKVMGISKPQIVFTTKNILNKVLEVQSRTNFIKRIII 150
LDTVENIHGCESLPNFISRYSDGNIANFKPLHFDPVEQVAAILCSSGTTG 200
LPKGVMQTHQNICVRLIHALDPRYGTQLIPGVTVLVYLPFFHAFGFHITL 250
GYFMVGLRVIMFRRFDQEAFLKAIQDYEVRSVINVPSVILFLSKSPLVDK 300
YDLSSLRELCCGAAPLAKEVAEVAAKRLNLPGIRCGFGLTESTSAIIQSL 350
RDEFKSGSLGRVTPLMAAKIADRETGKALGPNQVGELCIKGPMVSKGYVN 400
NVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIKYKGSQVAPAE 450
LEEILLKNPCIRDVAVVGIPDLEAGELPSAFVVKQPGKEITAKEVYDYLA 500
ERVSHTKYLRGGVRFVDSIPRNVTGKITRKELLKQLLEKAGG          542
```

SEQ ID NO: 300

RD1561H9 protein sequence of pGL3 vectors

```
MVKREKNVIYGPEPLHPLEDLTAGEMLFRALRKHSHLPQALVDVVGDESL  50
SYKEFFEATVLLAQSLHNCGYKMNDVVSICAENNTRFFIPVIAAWYIGMI 100
VAPVNESYIPDELCKVMGISKPQIVFTTKNILNKVLEVQSRTNFIKRIII 150
LDTVENIHGCESLPNFISRYSDGNIANFKPLHFDPVEQVAAILCSSGTTG 200
LPKGVMQTHQNICVRLIHALDPRYGTQLIPGVTVLVYLPFFHAFGFHITL 250
GYFMVGLRVIMFRRFDQEAFLKAIQDYEVRSVINVPSVILFLSKSPLVDK 300
YDLSSLRELCCGAAPLAKEVAEVAAKRLNLPGIRCGFGLTESTSAIIQTL 350
GDEFKSGSLGRVTPLMAAKIADRETGKALGPNQVGELCIKGPMVSKGYVN 400
NVEATKEAIDDDGWLHSGDFGYYDEDEHFYVVDRYKELIKYKGSQVAPAE 450
LEEILLKNPCIRDVAVVGIPDLEAGELPSAFVVKQPGTEITAKEVYDYLA 500
ERVSHTKYLRGGVRFVDSIPRNVTGKITRKELLKQLLVKAGG          542
```

SEQ ID NO: 302

SEQUENCE LISTING

<110> Promega Corporation
Wood, Keith V.
Gruber, Monika G.
Zhuang, Yao
Paguio, Aileen

<120> Synthetic nucleic acid molecule compositions and methods of preparation

<130> 341.005WO1

<150> US 09/645,706
<151> 2000-08-24

<160> 302

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 1629
<212> DNA
<213> Pyrophorus plagiophthalamus

<400> 1
atgatgaaga gagagaaaaa tgttatatat ggacccgaac ccctacaccc cttggaagac 60
ttaacagcag gagaaatgct cttcagggcc cttcgaaaac attctcattt accgcaggct 120
ttagtagatg tgtttggtga cgaatcgctt tcctataaag agtttttga agctacatgc 180
ctcctagcgc aaagtctcca caattgtgga tacaagatga atgatgtagt gtcgatctgc 240
gccgagaata ataaaagatt ttttattccc attattgcag cttggtatat tggtatgatt 300
gtagcacctg ttaatgaaag ttacatccca gatgaactct gtaaggtcat gggtatatcg 360
aaaccacaaa tagtttttg tacaaagaac attttaaata aggtattgga ggtacagagc 420
agaactaatt tcataaaaag gatcatcata cttgatactg tagaaaacat acacggttgt 480
gaaagtcttc ccaattttat ttctcgttat tcggatggaa atattgccaa cttcaaacct 540
ttacattacg atcctgttga gcaagtggca gctatcttat gttcgtcagg cactactgga 600
ttaccgaaag gtgtaatgca aactcaccaa aatatttgtg tccgacttat acatgcttta 660
gaccccaggg caggaacgca acttattcct ggtgtgacag tcttagtata tctgcctttt 720
ttccatgctt ttgggttctc tataaacttg ggatacttca tggtgggtct tcgtgttatc 780
atgttaagac gatttgatca agaagcattt ctaaaagcta ttcaggatta tgaagttcga 840

agtgtaatta acgttccagc aataatattg ttcttatcga aaagtccttt ggttgacaaa 900
tacgatttat caagtttaag ggaattgtgt tgcggtgcgg caccattagc aaaagaagtt 960
gctgaggttg cagtaaaacg attaaacttg ccaggaattc gctgtggatt tggtttgaca 1020
gaatctactt cagctaatat acacagtctt ggggatgaat ttaaatcagg atcacttgga 1080
agagttactc ctttaatggc agctaaaata gcagataggg aaactggtaa agcattggga 1140
ccaaatcaag ttggtgaatt atgcgttaaa ggtcccatgg tatcgaaagg ttacgtgaac 1200
aatgtagaag ctaccaaaga agctattgat gatgatggtt ggcttcactc tggagacttt 1260
ggatactatg atgaggatga gcatttctat gtggtggacc gttacaagga attgattaaa 1320
tataagggct ctcaggtagc acctgcagaa ctagaagaga ttttattgaa aaatccatgt 1380
atcagagatg ttgctgtggt tggtattcct gatctagaag ctggagaact gccatctgcg 1440
tttgtggtta aacagcccgg aaaggagatt acagctaaag aagtgtacga ttatcttgcc 1500
gagagggtct cccatacaaa gtatttgcgt ggaggggttc gattcgttga tagcatacca 1560
aggaatgtta caggtaaaat tacaagaaag gaacttctga agcagttgct ggagaagagt 1620
tctaaactt 1629

<210> 2
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of clone YG#81-6G01

<400> 2
atgatgaagc gagagaaaaa tgttatatat ggacccgaac ccctacaccc cttggaagac 60
ttaacagctg gagaaatgct cttccgtgcc cttcgaaaac attctcattt accgcaggct 120
ttagtagatg tggttggcga cgaatcgctt tcctataaag agtttttga agcgacagtc 180
ctcctagcgc aaagtctcca caattgtgga tacaagatga atgatgtagt gtcgatctgc 240
gccgagaata atacaagatt ttttattccc gttattgcag cttggtatat tggtatgatt 300
gtagcacctg ttaatgaaag ttacatccca gatgaactct gtaaggtgat gggtatatcg 360
aaaccacaaa tagtttttac gacaaagaac attttaaata aggtattgga ggtacagagc 420
agaactaatt tcataaaaag gatcatcata cttgatactg tagaaaacat acacggttgt 480
gaaagtcttc ccaattttat ttctcgttat tcggatggaa atattgccaa cttcaaacct 540
ttacatttcg atcctgttga gcaagtggca gctatcttat gttcgtcagg cactactgga 600
ttaccgaaag gtgtaatgca aactcaccaa aatatttgtg tccgacttat acatgcttta 660
gaccccaggg caggaacgca acttattcct ggtgtgacag tcttagtata tctgcctttt 720
ttccatgctt ttgggttctc tataaccttg ggatacttca tggtgggtct tcgtgttatc 780
atgttcagac gatttgatca agaagcattt ctaaaagcta ttcaggatta tgaagttcga 840
agtgtaatta acgttccatc agtaatattg ttcttatcga aaagtccttt ggttgacaaa 900
tacgatttat caagtttaag ggaattgtgt tgcggtgcgg caccattagc aaaagaagtt 960

gctgaggttg cagcaaaacg attaaacttg ccaggaattc gctgtggatt tggtttgaca 1020
gaatctactt cagctaatat acacagtctt agggatgaat ttaaatcagg atcacttgga 1080
agagttactc ctttaatggc agctaaaata gcagataggg aaactggtaa agcattggga 1140
ccaaatcaag ttggtgaatt atgcattaaa ggtcccatgg tatcgaaagg ttacgtgaac 1200
aatgtagaag ctaccaaaga agctattgat gatgatggtt ggcttcactc tggagacttt 1260
ggatactatg atgaggatga gcatttctat gtggtggacc gttacaagga attgattaaa 1320
tataagggct ctcaggtagc acctgcagaa ctagaagaga ttttattgaa aaatccatgt 1380
atcagagatg ttgctgtggt tggtattcct gatctagaag ctggagaact gccatctgcg 1440
tttgtggtta aacagcccgg aaaggagatt acagctaaag aagtgtacga ttatcttgcc 1500
gagagggtct cccatacaaa gtatttgcgt ggaggggttc gattcgttga tagcatacca 1560
aggaatgtta caggtaaaat tacaagaaag gaacttctga agcagttgct ggagaaggcg 1620
ggaggt 1626

<210> 3
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 3
atgatgaaac gcgaaaagaa cgtcatctac ggcccagagc ctctgcaccc attggaagac 60
ctgaccgccg gtgagatgtt gttccgtgct ctgcgtaaac attctcactt gcctcaagcc 120
ctggtggatg tcgtgggcga cgaaagcttg tcttataagg agtttttcga agctactgtc 180
ctgttggccc agtctctgca taattgcggt tacaaaatga acgatgtggt cagcatttgt 240
gctgagaata acacccgctt tttcatccca gtgattgccg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttatatccca gacgagttgt gcaaggtcat gggtattagc 360
aaacctcaaa tcgtgtttac taccaagaac attctgaata aagtcttgga agtgcagtct 420
cgtactaact tcatcaagcg cattatcatt ctggataccg tcgagaatat ccacggctgt 480
gaaagcttgc caaactttat ttctcgttat agcgacggta atatcgctaa cttcaagcct 540
ctgcattttg atccagtgga gcaagtcgcc gctattttgt gctctagcgg cactaccggt 600
ctgcctaaag gcgtgatgca gactcaccaa aatatctgtg tccgcttgat tcatgccctg 660
gacccacgtg tgggtaccca gttgatccct ggcgtgactg tcctggtgta cttgccattc 720
tttcacgcct tcggtttttc tattaccctg ggctatttca tggtcggttt gcgcgtgatc 780
atgtttcgtc gcttcgatca agaagctttt ctgaaggcca ttcaggacta cgaggtccgt 840
agcgtgatca acgtcccttc tgtgattttg ttcctgagca aatctccatt ggtcgataag 900
tatgacctga gctctttgcg cgaactgtgc tgtggcgctg ccccttggc taaagaggtg 960
gccgaagtcg ctgccaagcg tctgaatttg ccaggtatcc gctgcggctt tggtctgact 1020
gagagcacct ctgctaacat tcatagcttg cgtgatgaat tcaaatctgg cagcctgggt 1080

cgcgtgactc ctttgatggc cgctaagatc gccgaccgtg agaccggcaa agctctgggt 1140
ccaaatcaag tcggcgaatt gtgtattaag ggtcctatgg tgtctaaagg ctacgtcaac 1200
aatgtggagg ccactaagga agctatcgat gacgatggtt ggctgcacag cggcgacttt 1260
ggttattacg atgaggacga acatttctat gtcgtggatc gctacaaaga gttgattaag 1320
tataaaggct ctcaggtcgc cccagctgag ctggaagaga tcttgctgaa gaacccttgc 1380
attcgtgacg tggccgtcgt gggtatccca gatttggaag ctggcgagct gcctagcgcc 1440
tttgtcgtga aacaaccagg taaggaaatt accgctaaag aggtctacga ctatttggcc 1500
gaacgcgtgt ctcacactaa gtacctgcgt ggcggtgtcc gcttcgtgga tagcatccct 1560
cgcaatgtca ccggcaaaat tactcgtaag gagttgctga aacagttgct ggaaaaggct 1620
ggtggc 1626

<210> 4
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 4
atgatgaaac gcgaaaagaa cgtcatctac ggcccagagc ctctgcaccc attggaagac 60
ctgaccgctg gtgagatgtt gttccgtgct ctgcgtaaac attctcactt gcctcaagcc 120
ctggtcgatg tcgtgggcga cgagagcttg tcttataagg aatttttcga agctactgtc 180
ctgttggccc aatctctgca taattgcggt tacaaaatga acgatgtggt cagcatttgt 240
gctgagaata acacccgctt tttcatccca gtgattgccg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttatatccca gacgagttgt gcaaggtcat gggtattagc 360
aaacctcaaa tcgtgtttac taccaagaac attctgaata aggtcttgga agtgcagtct 420
cgtactaact tcatcaagcg cattatcatt ctggataccg tcgagaatat ccacggctgt 480
gagagcttgc caaactttat ttctcgttat agcgacggta atatcgctaa cttcaagcct 540
ctgcattttg atccagtgga gcaagtcgcc gctattttgt gctctagcgg caccaccggt 600
ctgcctaaag gcgtgatgca gactcaccaa aatatctgtg tccgcttgat tcatgccctg 660
gacccacgtg tgggtactca gttgatccct ggcgtgactg tcctggtgta cttgccattc 720
tttcacgcct tcggtttttc tattaccctg ggctatttca tggtcggttt gcgcgtgatc 780
atgtttcgtc gcttcgatca agaagccttt ctgaaggcca ttcaagacta cgaggtccgt 840
agcgtgatca acgtcccttc tgtgattttg ttcctgagca aatctccatt ggtcgataag 900
tatgacctga gcagcttgcg cgaactgtgc tgtggcgctg ccccttggc taaagaggtg 960
gccgaagtcg ctgccaagcg tctgaatttg ccaggtatcc gctgcggctt tggtctgact 1020
gagagcacct ctgctaacat tcatagcttg cgtgatgagt tcaaatctgg cagcctgggt 1080
cgcgtgactc ctttgatggc cgctaagatc gccgaccgtg agaccggcaa agctctgggt 1140
ccaaatcaag tcggcgaatt gtgtattaag ggtcctatgg tgtctaaagg ctacgtcaac 1200

aatgtggagg ccactaagga agctattgat gacgatggtt ggctgcacag cggcgacttt 1260
ggttattacg atgaggacga acatttctat gtcgtcgatc gctacaaaga gttgattaag 1320
tataaaggct ctcaagtcgc cccagctgag ctggaagaaa tcttgctgaa gaacccttgc 1380
attcgtgacg tggccgtcgt gggtatccca gatttggaag ctggcgagct gcctagcgcc 1440
tttgtcgtga aacaaccagg caaggaaatt accgctaaag aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacactaa gtacctgcgt ggcggtgtcc gcttcgtcga tagcatccct 1560
cgcaatgtca ccggcaaaat tactcgtaag gagttgctga aacagttgct ggaaaaggct 1620
ggtggc 1626

<210> 5
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 5
atgatgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct gttccgtgcc ctgcgtaaac atagccacct gcctcaagct 120
ctcgtggacg tcgtgggtga cgagagcctg tcttacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctgca taattgtggt tacaaaatga acgatgtggt gagcatctgt 240
gctgagaata acactcgctt ttttatccct gtgatcgctg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttacatccca gatgagttgt gtaaggtgat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaac atcctgaata aggtcttgga agtccagtct 420
cgtactaatt tcatcaaacg cattattatt ctggataccg tcgaaaacat ccacggctgt 480
gagagcttgc ctaactttat ctctcgttac agcgatggta atatcgctaa tttcaagcca 540
ctgcattttg atccagtcga gcaggtcgcc gccattttgt gctcttctgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgcttgat ccacgccctc 660
gaccctcgtg tgggtactca attgatccct ggcgtgactg tgctggtgta tttgcctttc 720
tttcacgcct ttggtttttc tatcaccctg ggctatttca tggtcggctt gcgtgtgatc 780
atgtttcgtc gcttcgacca agaagccttc ctgaaggcta ttcaagacta cgaggtgcgt 840
tctgtgatca atgtcccatc tgtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgaactgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgccaacat ccatagcttg cgtgacgagt ttaaatctgg tagcctgggt 1080
cgcgtgaccc ctttgatggc tgcaaagatc gccgaccgtg agaccggcaa agccctgggc 1140
ccaaatcagg tcggtgaatt gtgcattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agctattgat gatgatggtt ggttgcatag cggcgacttc 1260
ggttattatg atgaggacga acacttctat gtggtcgatc gctataaaga attgattaag 1320

tacaaaggct ctcaagtcgc cccagctgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
attcgcgacg tggccgtcgt gggtatccca gacttggaag ctggcgagtt gcctagcgcc 1440
tttgtggtga aacaacctgg caaggagatt actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacactaa atatctgcgt ggcggcgtcc gcttcgtcga ttctatccct 1560
cgcaacgtca ccggcaagat cactcgtaaa gagttgctga aacaattgct cgaaaaagct 1620
ggcggc 1626

<210> 6
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 6
atgatgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct cttccgtgca ctgcgtaaac atagtcacct ccctcaagct 120
ctcgtggacg tcgtgggaga cgagagcctc tcttacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctcca taattgtgga tacaaaatga acgatgtggt gagcatttgt 240
gctgagaata acactcgctt ctttatccct gttatcgctg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttacatccca gatgagctgt gtaaggttat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaat atcctgaata aggtcttgga agtccagtct 420
cgtactaact tcatcaaacg catcattatt ctggataccg tcgaaaacat ccatggctgt 480
gagagcctgc ctaacttcat ctctcgttac agcgatggta atatcgctaa tttcaaacca 540
ctgcattttg atccagtcga gcaagtggcc gctattttgt gctcttccgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgtttgat ccacgctctc 660
gaccctcgtg tgggtactca attgatccct ggcgtgactg tgctggtgta tctgcctttc 720
tttcacgcct ttggtttttc tattaccctg ggctatttca tggtcggctt gcgtgtcatc 780
atgtttcgtc gcttcgacca agaagccttc ttgaaggcta ttcaagacta cgaggtgcgt 840
tctgtcatca atgtcccttc agtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgagctgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgctaacat ccatagcttg cgagacgagt ttaagtctgg tagcctgggt 1080
cgcgtgactc ctcttatggc tgcaaagatc gccgaccgtg agaccggcaa agcactgggc 1140
ccaaatcaag tcggtgaatt gtgtattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agccattgat gatgatggct ggctccatag cggcgacttc 1260
ggttactatg atgaggacga acacttctat gtggtcgatc gctacaaaga attgattaag 1320
tacaaaggct ctcaagtcgc cccagccgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
atccgcgacg tggccgtcgt gggtatccca gacttggaag ctggtgagtt gcctagcgcc 1440

tttgtggtga aacaacctgg aaaggagatc actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacaccaa atatctgcgt ggcggcgtcc gcttcgtcga ttccatccca 1560
cgcaacgtga ccggtaagat cactcgtaaa gaattgctga agcaactcct cgaaaaagct 1620
ggcggc 1626

<210> 7
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 7
atgatgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct cttccgagca ctgcgtaaac atagtcacct ccctcaagca 120
ctcgtggacg tcgtgggaga cgagagcctc tcctacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctcca taattgtggg tacaaaatga acgatgtggt gagcatttgt 240
gctgagaata acactcgctt ctttattcct gtaatcgctg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttacatccca gatgagctgt gtaaggttat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaac atcttgaata aggtcttgga agtccagtct 420
cgtactaact tcatcaaacg catcattatt ctggataccg tcgaaaacat ccacggctgt 480
gagagcctcc ctaacttcat ctctcgttac agcgatggta atatcgctaa tttcaagccc 540
ttgcattttg atccagtcga gcaagtggcc gctattttgt gctcctccgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgtttgat ccacgctctc 660
gaccctcgtg tgggtactca attgatccct ggcgtgactg tgctggtgta tctgcctttc 720
tttcacgcct ttggtttctc tattaccctg ggctatttca tggtcggctt gcgtgtcatc 780
atgtttcgtc gcttcgacca agaagccttc ttgaaggcta ttcaagacta cgaggtgcgt 840
tccgtgatca acgtcccttc agtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgagctgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgctaacat ccatagcttg cgagacgagt ttaagtctgg tagcctgggt 1080
cgcgtgactc ctcttatggc tgcaaagatc gccgaccgtg agaccggcaa agcactgggc 1140
ccaaatcaag tcggtgaatt gtgtattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agccattgat gatgatggct ggctccatag cggcgacttc 1260
ggttactatg atgaggacga acacttctat gtggtcgatc gctacaaaga attgattaag 1320
tacaaaggct ctcaagtcgc accagccgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
atccgcgacg tggccgtcgt gggtatccca gacttggaag ctggcgagtt gcctagcgcc 1440
tttgtggtga aacaacccgg caaggagatc actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacaccaa atatctgcgt ggcggcgtcc gcttcgtcga ttctattcca 1560

cgcaacgtta ccggtaagat cactcgtaaa gagttgctga agcaactcct cgaaaaagct 1620
ggcggc 1626

<210> 8
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 8
atgatgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct cttccgagca ctgcgtaaac atagtcacct ccctcaagca 120
ctcgtggacg tcgtgggaga cgagaacctc tcctacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctcca taattgtggg tacaaaatga acgatgtggt gagcatttgt 240
gctgagaata acactcgctt ctttattcct gtaatcgctg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttacatccca gatgagctgt gtaaggttat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaac atcttgaata aggtcttgga agtccagtct 420
cgtactaact tcatcaaacg catcattatt ctggataccg tcgaaaacat ccacggctgt 480
gagagcctcc ctaacttcat ctctcgttac agcgatggta atatcgctaa tttcaagccc 540
ttgcattttg atccagtcga gcaagtggcc gctattttgt gctcctccgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgtttgat ccacgctctc 660
gaccctcgtg tgggtactca attgatctct ggcgtgactg tgctggtgta tctgcctttc 720
tttcacgcct ttggtttctc tattaccctg ggctatttca tggtcggctt gcgtgtcatc 780
atgtttcgtc gcttcgacca agaagccttc ttgaaggcta ttcaagacta cgaggtgcgt 840
tccgtgatca acgtcccttc agtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgagctgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgctaacat ccatagcttg cgagacgagt ttaagtctgg tagcctgggt 1080
cgcgtgactc ctcttatggc tgcaaagatc gccgaccgtg agaccggcaa agcactgggc 1140
ccaaatcaag tcggtgaatt gtgtattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agccattgat gatgatggct ggctccatag cggcgacttc 1260
ggttactatg atgaggacga acacttctat gtggtcgatc gctacaaaga attgattaag 1320
tacaaaggct ctcaagtcgc accagccgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
atccgcgacg tggccgtcgt gggtatccca gacttggaag ctggcgagtt gcctagcgcc 1440
tttgtggtga aacaacccgg caaggagatc actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacaccaa atatctgcgt ggcggcgtcc gcttcgtcga ttctattcca 1560
cgcaacgtta ccggtaagat cactcgtaaa gagttgctga agcaactcct cgaaaaagct 1620
ggcggc 1626

<210> 9
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 9
atgatgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct cttccgagca ctgcgtaaac atagtcacct ccctcaagca 120
ctcgtggacg tcgtgggaga cgagagcctc tcctacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctcca taattgtggg tacaaaatga acgatgtggt gagcatttgt 240
gctgagaata acactcgctt ctttattcct gtaatcgctg cttggtacat cggcatgatt 300
gtcgccccctg tgaatgaatc ttacatccca gatgagctgt gtaaggttat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaac atcttgaata aggtcttgga agtccagtct 420
cgtactaact tcatcaaacg catcattatt ctggataccg tcgaaaacat ccacggctgt 480
gagagcctcc ctaacttcat ctctcgttac agcgatggta atatcgctaa tttcaagccc 540
ttgcattttg atccagtcga gcaagtggcc gctattttgt gctcctccgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgtttgat ccacgctctc 660
gaccctcgtg tgggtactca attgatccct ggcgtgactg tgctggtgta tctgcctttc 720
tttcacgcct ttggtttctc tattaccctg ggctatttca tggtcggctt gcgtgtcatc 780
atgtttcgtc gcttcgacca agaagccttc ttgaaggcta ttcaagacta cgaggtgcgt 840
tccgtgatca acgtcccttc agtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgagctgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgctaacat ccatagcttg cgagacgagt ttaagtctgg tagcctgggt 1080
cgcgtgactc ctcttatggc tgcaaagatc gccgaccgtg agaccggcaa agcactgggc 1140
ccaaatcaag tcggtgaatt gtgtattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agccattgat gatgatggct ggctccatag cggcgacttc 1260
ggttactatg atgaggacga acacttctat gtggtcgatc gctacaaaga attgattaag 1320
tacaaaggct ctcaagtcgc accagccgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
atccgcgacg tggccgtcgt gggtatccca gacttggaag ctggcgagtt gcctagcgcc 1440
tttgtggtga aacaacccgg caaggagatc actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacaccaa atatctgcgt ggcggcgtcc gcttcgtcga ttctattcca 1560
cgcaacgtta ccggtaagat cactcgtaaa gagttgctga agcaactcct cgaaaaagct 1620
ggcggc 1626

<210> 10
<211> 1626

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 10

atgatgaagc gtgagaaaaa tgtgatttat ggtcctgaac cattgcatcc tctggaggat 60

ttgactgctg gcgaaatgct gtttcgcgcc ttgcgcaagc acagccatct gccacaggct 120

ttggtcgacg tggtcggtga tgagtctctg agctacaaag aattctttga ggccaccgtg 180

ttgctggctc aaagcttgca caactgtggc tataagatga atgacgtcgt gtctatctgc 240

gccgaaaaca atactcgttt ctttattcct gtcatcgctg cctggtatat tggtatgatc 300

gtggctccag tcaacgagag ctacattcct gatgaactgt gtaaagtgat gggcatctct 360

aagccacaga ttgtcttcac cactaaaaat atcttgaaca aggtgctgga ggtccaaagc 420

cgcaccaatt ttattaaacg tatcattatc ttggacactg tggaaaacat tcatggttgc 480

gagtctctgc ctaatttcat cagccgctac tctgatggca acattgccaa ttttaaacca 540

ttgcacttcg accctgtcga acaggtggct gccatcctgt gtagctctgg taccactggc 600

ttgccaaagg gtgtcatgca aacccatcag aacatttgcg tgcgtctgat ccacgctctc 660

gatcctcgct acggcactca actgattcca ggtgtcaccg tgttggtcta tctgcctttt 720

ttccatgctt ttggcttcca catcactttg ggttacttta tggtgggcct gcgtgtcatt 780

atgttccgcc gttttgacca ggaggccttc ttgaaagcta tccaagatta tgaagtgcgc 840

tctgtcatta atgtgccaag cgtcatcctg tttttgtcta agagccctct ggtggacaaa 900

tacgatttgt ctagcctgcg tgagttgtgt tgcggtgccg ctccactggc caaggaagtc 960

gctgaggtgg ccgctaaacg cttgaacctg cctggcattc gttgtggttt cggcttgacc 1020

gaatctacta gcgccattat ccaatctctg cgcgacgagt ttaagagcgg ttctttgggc 1080

cgtgtcaccc cactgatggc tgccaaaatt gctgatcgcg aaactggtaa ggccttgggc 1140

cctaaccagg tgggtgagct gtgcatcaaa ggcccaatgg tcagcaaggg ttatgtgaat 1200

aacgtcgaag ctaccaaaga ggccattgac gatgacggct ggttgcattc tggtgatttc 1260

ggctactatg acgaagatga gcacttttac gtggtcgacc gttataagga actgatcaaa 1320

tacaagggta gccaagtggc tcctgccgaa ttggaggaaa ttctgttgaa aaatccatgt 1380

atccgcgatg tcgctgtggt cggcattcct gacctggagg ccggtgaatt gccatctgct 1440

ttcgtggtca agcagcctgg caaagagatc actgccaagg aagtgtatga ttacctggct 1500

gagcgtgtca gccataccaa atatttgcgc ggtggcgtgc gttttgtcga ctctattcca 1560

cgtaacgtga ctggtaagat cacccgcaaa gaactgttga agcaactgtt ggagaaagcc 1620

ggcggt 1626

<210> 11

<211> 1626

<212> DNA

<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 11
atgatgaagc gtgagaaaaa tgtgatttat ggtcctgaac cattgcatcc tctggaggat 60
ttgactgccg gcgaaatgct gtttcgcgcc ttgcgcaagc acagccatct gccacaagct 120
ttggtggacg tggtcggtga tgaatctctg agctacaaag agttctttga ggcaaccgtg 180
ttgctggctc agagcttgca caactgtggc tataagatga atgacgtcgt gtctatctgc 240
gccgaaaaca atactcgttt ctttattcct gtcatcgctg cctggtatat tggtatgatc 300
gtggctccag tcaacgagag ctacattcct gatgaactgt gtaaagtgat gggcatctct 360
aagccacaga ttgtcttcac cactaaaaat atcttgaaca aagtgctgga ggtccaaagc 420
cgcaccaatt ttattaaacg tatcattatc ttggacactg tggaaaacat tcatggttgc 480
gaatctctgc ctaatttcat cagccgctac tctgatggca acattgccaa ttttaaacca 540
ttgcacttcg accctgtcga acaggtggct gccatcctgt gtagctctgg tactactggc 600
ttgccaaagg gtgtcatgca aacccatcag aacatttgcg tgcgtctgat ccacgctctc 660
gatcctcgct acggcaccca actgattcct ggtgtcaccg tgttggtcta tctgcctttt 720
ttccatgctt ttggcttcca catcactttg ggttacttta tggtgggcct gcgtgtcatt 780
atgttccgcc gttttgacca ggaggctttc ttgaaagcta tccaagatta tgaagtgcgc 840
tctgtcatta atgtgccaag cgtcatcctg tttttgtcta agagccctct ggtggacaaa 900
tacgatttgt cttctctgcg tgagttgtgt tgcggtgccg ctccactggc caaggaagtc 960
gctgaggtgg ccgctaaacg cttgaacctg cctggcattc gttgtggttt cggcttgacc 1020
gaatctacta gcgccattat ccaatctctg cgcgacgaat ttaagagcgg ttctttgggc 1080
cgtgtcaccc cactgatggc tgccaaaatt gctgatcgcg aaactggtaa ggccttgggc 1140
cctaaccagg tgggtgagct gtgcatcaaa ggcccaatgg tcagcaaggg ttatgtgaat 1200
aacgtcgaag ctaccaaaga ggccatcgac gatgacggct ggttgcattc tggtgatttc 1260
ggctactatg acgaagatga gcacttttac gtggtggacc gttataagga actgatcaaa 1320
tacaagggta gccaagtggc tcctgccgaa ttggaggaga ttctgttgaa aaatccatgt 1380
atccgcgatg tcgctgtggt cggcattcct gacctggagg ccggtgaatt gccatctgct 1440
ttcgtggtca agcagcctgg taaagagatc actgccaagg aagtgtatga ttacctggct 1500
gaacgtgtca gccataccaa atatttgcgc ggtggcgtgc gttttgtgga ctctattcca 1560
cgtaacgtga ctggtaagat cacccgcaaa gaactgttga agcaactgtt ggagaaagcc 1620
ggcggt 1626

<210> 12
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 12

atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctttgcaccc tttggaggat 60

ttgactgccg gcgaaatgct gtttcgcgct ttgcgtaagc actctcattt gcctcaagcc 120

ttggtcgatg tggtcggcga tgaatctttg agctataagg agtttttga ggcaaccgtc 180

ttgctggctc agtctttgca taattgcggc tacaagatga acgacgtcgt ctctatttgt 240

gccgaaaaca atacccgttt cttcattcca gtcatcgccg cctggtatat cggtatgatc 300

gtggctccag tcaacgagag ctacattcct gacgaactgt gtaaagtcat gggtatctct 360

aagccacaga ttgtgttcac cactaagaat attttgaaca aagtgctgga agtccaaagc 420

cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcatggttgc 480

gaatctctgc ctaatttcat tagccgctat tctgacggca acatcgccaa ctttaaacct 540

ttgcatttcg accctgtgga acaagtggct gctatcctgt gtagcagcgg tactactggc 600

ctcccaaagg gcgtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660

gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cctgcctttc 720

ttccatgctt tcggcttcca cattactttg ggttacttta tggtcggtct gcgtgtcatt 780

atgttccgcc gttttgatca ggaggctttt ttgaaagcca tccaagatta tgaagtccgc 840

agcgtcatta acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900

tacgacttgt cttccctgcg tgagttgtgt tgcggtgccg ccccactggc taaggaggtc 960

gctgaagtgg ccgccaaacg cttgaatctg ccaggcattc gttgtggctt cggcctcacc 1020

gaatctacca gcgctattat tcaatctctc cgcgatgagt ttaagagcgg ctctttgggc 1080

cgtgtcactc cactcatggc tgctaaaatc gctgatcgcg aaactggtaa ggctttgggc 1140

cctaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200

aacgtcgaag ctaccaagga ggccatcgac gacgacggct ggctgcattc tggtgatttt 1260

ggctactacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320

tacaagggta gccaggtggc tccagccgag ttggaggaga ttctgttgaa aaatccatgc 1380

atccgtgatg tcgctgtggt cggcattcct gatctggagg ccggtgaact gccttctgct 1440

ttcgtcgtca agcagcctgg taaagaaatc accgccaaag aagtgtatga ttacctggct 1500

gaacgtgtga gccataccaa gtacttgcgt ggcggcgtgc gttttgtgga cagcattcca 1560

cgtaatgtga ctggtaaaat tacccgcaag gaactgttga agcaattgtt ggagaaggcc 1620

ggcggt 1626

<210> 13

<211> 1626

<212> DNA

<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 13

atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctttgcatcc tttggaggat 60

ttgactgccg gcgaaatgct gtttcgtgct ttgcgtaaac actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccttgca taattgtggc tacaagatga acgacgtcgt ctccatttgt 240
gcagaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaattttat tagccgctat tcagacggaa acatcgccaa ctttaagcct 540
ctccatttcg accctgtgga acaagttgct gcaatcctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggcttcca tattactttg ggttacttta tggtcggtct gcgtgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctg cccggcattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc cgcgatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
cctaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgtcgaag ctaccaagga ggctatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgtgga tagcattcct 1560
cgcaatgtga ctggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 14
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 14
atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180

ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc cgcgatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
cctaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgtcgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 15
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 15
atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actcttattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300

gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc cgcgatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 16
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 16
atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420

cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc cgcgatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 17
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 17
atgatgaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540

ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc ggggatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 18
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 18
atgataaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660

gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gtgcgattat ccagactctc ggggatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg tacagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggtgaaggcc 1620
ggcggt 1626

<210> 19
<211> 933
<212> DNA
<213> Renilla reniformis

<400> 19
atgacttcga aagtttatga tccagaacaa aggaaacgga tgataactgg tccgcagtgg 60
tgggccagat gtaaacaaat gaatgttctt gattcattta ttaattatta tgattcagaa 120
aaacatgcag aaaatgctgt tatttttta catggtaacg cggcctcttc ttatttatgg 180
cgacatgttg tgccacatat tgagccagta gcgcggtgta ttataccaga tcttattggt 240
atgggcaaat caggcaaatc tggtaatggt tcttataggt tacttgatca ttacaaatat 300
cttactgcat ggtttgaact tcttaattta ccaaagaaga tcatttttgt cggccatgat 360
tggggtgctt gtttggcatt tcattatagc tatgagcatc aagataagat caaagcaata 420
gttcacgctg aaagtgtagt agatgtgatt gaatcatggg atgaatggcc tgatattgaa 480
gaagatattg cgttgatcaa atctgaagaa ggagaaaaaa tggttttgga gaataacttc 540
ttcgtggaaa ccatgttgcc atcaaaaatc atgagaaagt tagaaccaga agaatttgca 600
gcatatcttg aaccattcaa agagaaaggt gaagttcgtc gtccaacatt atcatggcct 660
cgtgaaatcc cgttagtaaa aggtggtaaa cctgacgttg tacaaattgt taggaattat 720
aatgcttatc tacgtgcaag tgatgattta ccaaaaatgt ttattgaatc ggatccagga 780
ttcttttcca atgctattgt tgaaggcgcc aagaagtttc ctaatactga atttgtcaaa 840
gtaaaaggtc ttcatttttc gcaagaagat gcacctgatg aaatgggaaa atatatcaaa 900
tcgttcgttg agcgagttct caaaaatgaa caa 933

<210> 20
<211> 933
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 20
atggcttcca aggtgtacga ccccgagcag cgcaagcgca tgatcaccgg ccctcagtgg 60
tgggcccgct gcaagcagat gaacgtgctg gactccttca tcaactacta cgacagcgag 120
aagcacgccg agaacgccgt gatcttcctg cacggcaacg ccgcctccag ctacctgtgg 180
aggcacgtgg tgcctcacat cgagcccgtg gcccgctgca tcatccctga cctgatcggc 240
atgggcaagt ccggcaagag cggcaacggc tcctaccgcc tgctggacca ctacaagtac 300
ctgaccgcct ggttcgagct gctgaacctg cccaagaaga tcatcttcgt gggccacgac 360
tggggagcct gcctggcctt ccactactcc tacgagcacc aggacaagat caaggccatc 420
gtgcacgccg agagcgtggt ggacgtgatc gagtcctggg acgagtggcc tgacatcgag 480
gaggacatcg ccctgatcaa gagcgaggag ggcgagaaga tggtgctgga gaacaacttc 540
ttcgtggaga ccatgctgcc cagcaagatc atgcgcaagc tggagcctga ggagttcgcc 600
gcctacctgg agcccttcaa ggagaagggc gaggtgcgcc gccctaccct gtcctggccc 660
cgcgagatcc ctctggtgaa gggcggcaag cccgacgtgg tgcagatcgt gcgcaactac 720
aacgcctacc tgcgcgccag cgacgacctg cctaagatgt tcatcgagtc cgaccctggc 780
ttcttctcca acgccatcgt cgagggagcc aagaagttcc ccaacaccga gttcgtgaag 840
gtgaagggcc tgcacttctc ccaggaggac gcccctgacg agatgggcaa gtacatcaag 900
agcttcgtgg agcgcgtgct gaagaacgag cag 933

<210> 21
<211> 933
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 21
atggcttcca aggtgtacga ccccgagcaa cgcaaacgca tgatcactgg gcctcagtgg 60
tgggctcgct gcaagcaaat gaacgtgctg gactccttca tcaactacta tgattccgag 120
aagcacgccg agaacgccgt gatttttctg catggtaacg ctgcctccag ctacctgtgg 180
aggcacgtcg tgcctcacat cgagcccgtg gctcgctgca tcatccctga tctgatcgga 240
atgggtaagt ccggcaagag cgggaatggc tcatatcgcc tcctggatca ctacaagtac 300

ctcaccgctt ggttcgagct gctgaacctt ccaaagaaaa tcatctttgt gggccacgac 360
tgggggggctt gtctggcctt tcactactcc tacgagcacc aagacaagat caaggccatc 420
gtccatgctg agagtgtcgt ggacgtgatc gagtcctggg acgagtggcc tgacatcgag 480
gaggatatcg ccctgatcaa gagcgaagag ggcgagaaaa tggtgcttga gaataacttc 540
ttcgtcgaga ccatgctccc aagcaagatc atgcggaaac tggagcctga ggagttcgct 600
gcctacctgg agcccttcaa ggagaagggc gaggttagac ggcctaccct ctcctggcct 660
cgcgagatcc ctctcgttaa gggaggcaag cccgacgtcg tccagattgt ccgcaactac 720
aacgcctacc ttcgggccag cgacgatctg cctaagatgt tcatcgagtc cgaccctggg 780
ttcttttcca acgctattgt cgagggagct aagaagttcc ctaacaccga gttcgtgaag 840
gtgaagggcc tccacttcag ccaggaggac gctccagatg aaatgggtaa gtacatcaag 900
agcttcgtgg agcgcgtgct gaagaacgag cag 933

<210> 22
<211> 933
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 22
atggcttcca aggtgtacga ccccgagcaa cgcaaacgca tgatcactgg gcctcagtgg 60
tgggctcgct gcaagcaaat gaacgtgctg gactccttca tcaactacta tgattccgag 120
aagcacgccg agaacgccgt gatttttctg catggtaacg ctgcctccag ctacctgtgg 180
aggcacgtcg tgcctcacat cgagcccgtg gctagatgca tcatccctga tctgatcgga 240
atgggtaagt ccggcaagag cgggaatggc tcatatcgcc tcctggatca ctacaagtac 300
ctcaccgctt ggttcgagct gctgaacctt ccaaagaaaa tcatctttgt gggccacgac 360
tgggggggctt gtctggcctt tcactactcc tacgagcacc aagacaagat caaggccatc 420
gtccatgctg agagtgtcgt ggacgtgatc gagtcctggg acgagtggcc tgacatcgag 480
gaggatatcg ccctgatcaa gagcgaagag ggcgagaaaa tggtgcttga gaataacttc 540
ttcgtcgaga ccatgctccc aagcaagatc atgcggaaac tggagcctga ggagttcgct 600
gcctacctgg agccattcaa ggagaagggc gaggttagac ggcctaccct ctcctggcct 660
cgcgagatcc ctctcgttaa gggaggcaag cccgacgtcg tccagattgt ccgcaactac 720
aacgcctacc ttcgggccag cgacgatctg cctaagatgt tcatcgagtc cgaccctggg 780
ttcttttcca acgctattgt cgagggagct aagaagttcc ctaacaccga gttcgtgaag 840
gtgaagggcc tccacttcag ccaggaggac gctccagatg aaatgggtaa gtacatcaag 900
agcttcgtgg agcgcgtgct gaagaacgag cag 933

<210> 23
<211> 543

<212> PRT

<213> Pyrophorus plagiophthalamus

<400> 23

Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Phe Gly Asp Glu
35 40 45

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Cys Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80

Ala Glu Asn Asn Lys Arg Phe Phe Ile Pro Ile Ile Ala Ala Trp Tyr
85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Cys Thr
115 120 125

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175

Asn Phe Lys Pro Leu His Tyr Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Ala
210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240

Phe His Ala Phe Gly Phe Ser Ile Asn Leu Gly Tyr Phe Met Val Gly
245 250 255

Leu Arg Val Ile Met Leu Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ala Ile
275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Val Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Gly Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Val Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ser Ser Lys Leu
530 535 540

<210> 24
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of clone YG#81-6G01

<400> 24

Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80

Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175

Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Ala
210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240

Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val

305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 25
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 25
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His

```
                                                    25
 1               5                  10                  15
 Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
            20                  25                  30
 Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
 5      35                  40                  45
 Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
     50                  55                  60
 Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
 65                  70                  75                  80
10Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                85                  90                  95
 Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
            100                 105                 110
 Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
15      115                 120                 125
 Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
     130                 135                 140
 Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
 145                 150                 155                 160
20Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                165                 170                 175
 Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
            180                 185                 190
 Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
25      195                 200                 205
 His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
     210                 215                 220
 Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
 225                 230                 235                 240
30Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
                245                 250                 255
 Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
            260                 265                 270
 Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
35      275                 280                 285
 Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
     290                 295                 300
 Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
 305                 310                 315                 320
40Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
```

325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 26
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 26
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
20 25 30

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
35 40 45

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
50 55 60

Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
65 70 75 80

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
85 90 95

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
100 105 110

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
115 120 125

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
130 135 140

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
145 150 155 160

Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
165 170 175

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
180 185 190

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
195 200 205

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
210 215 220

Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
225 230 235 240

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
245 250 255

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
260 265 270

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
275 280 285

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
290 295 300

Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
305 310 315 320

Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
325 330 335

340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 27
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 27
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu

```
                35                  40                  45
 Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
     50                  55                  60
 Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
565                 70                  75                  80
 Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                85                  90                  95
 Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
            100                 105                 110
10Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
        115                 120                 125
 Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
    130                 135                 140
 Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
15145                150                 155                 160
 Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                165                 170                 175
 Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
            180                 185                 190
20Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
        195                 200                 205
 His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
    210                 215                 220
 Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
25225                230                 235                 240
 Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
                245                 250                 255
 Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
            260                 265                 270
30Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
        275                 280                 285
 Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
    290                 295                 300
 Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
35305                310                 315                 320
 Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
                325                 330                 335
 Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
            340                 345                 350
40Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
```

355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 28
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 28
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln

```
     50                  55                  60
  Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
  65                  70                  75                  80
  Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
5                 85                  90                  95
  Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
             100                 105                 110
  Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
         115                 120                 125
10Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
     130                 135                 140
  Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
  145                 150                 155                 160
  Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
15                165                 170                 175
  Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
             180                 185                 190
  Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
         195                 200                 205
20His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
     210                 215                 220
  Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
  225                 230                 235                 240
  Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
25                245                 250                 255
  Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
             260                 265                 270
  Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
         275                 280                 285
30Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
     290                 295                 300
  Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
  305                 310                 315                 320
  Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
35                325                 330                 335
  Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
             340                 345                 350
  Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
         355                 360                 365
40Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
```

370 375 380

Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400

Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415

Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430

Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445

Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460

Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480

Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495

Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510

Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525

Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 29
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 29
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys

65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240
Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn

385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 30
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 30
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Asn Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr

35

85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu

100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr

115 120 125

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe

130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys

145 150 155 160

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala

165 170 175

Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile

180 185 190

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr

195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val

210 215 220

Gly Thr Gln Leu Ile Ser Gly Val Thr Val Leu Val Tyr Leu Pro Phe

225 230 235 240

Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly

245 250 255

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys

260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val

275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser

290 295 300

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val

305 310 315 320

Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly

325 330 335

Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp

340 345 350

Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala

355 360 365

Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val

370 375 380

Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn

385 390 395 400

Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His

405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 31
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 31
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu

100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240
Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val

420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 32
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 32
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr

115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
5145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
10Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
15225 230 235 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
20Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
25305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
30Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
35385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
40Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro

435 440 445

Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460

Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
5465 470 475 480

Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495

Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510

10Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525

Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

15<210> 33

<211> 542

<212> PRT

<213> Artificial Sequence

20<220>

<223> Sequence of a synthetic luciferase

<400> 33

Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
25 1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45

30Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80

Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
35 85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125

40Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe

130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val

450 455 460

Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 34
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 34
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys

145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala

465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 35
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 35
acgccagccc aagcttaggc ctgagtggc 29

<210> 36
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 36
cttaattctc cccatccccc tgttgacaat taatcatcgg ctcg 44

<210> 37
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 37
tataatgtga ggaattgcga gcggataaca atttcacaca 40

<210> 38
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 38
atgggatgtt acctagacca atatgaaata tttggtaaat 40

<210> 39
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 39
aaatgcttaa tgaatttcaa aaaaaaaaaa aaaggaattc 40

<210> 40
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 40
gatatcaagc ttatcgatac cgtcgacctc gaggattata 40

<210> 41
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 41
5tagaaaaagg cctcggcggc cgctagttca gtcagtt 37

<210> 42
<211> 17
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 42
aactgactga actagcg 17

<210> 43
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 43
gccgccgagg ccttttttcta tataatcctc gaggtcgacg 40

<210> 44
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 44
gtatcgataa gcttgatatc gaattccttt ttttttttt 40

40<210> 45

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 45
agcttgatat cgaattcctt ttttttttt tttgaaattc 40

<210> 46
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 46
ttgaaattca ttaagcattt atttaccaaa tatttcatat 40

<210> 47
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 47
tggtctaggt aacatcccat cactagcttt tttttctata 40

<210> 48
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 48
tcgcaattcc tcacattata cgagccgatg attaattgtc 40

<210> 49
<211> 53
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 49
aacaggggga tggggagaat taaggccact caggcctaag cttgggctgg cgt 53

<210> 50
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 50
ggaaacagga tcccatgatg aaacgcgaaa agaacgtgat 40

<210> 51
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 51
ctacggccca gaaccactgc atccactgga agacctcacc 40

<210> 52
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 52
5gctggtgaga tgctcttccg agcactgcgt aaacatagtc 40

<210> 53
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 53
acctccctca agcactcgtg gacgtcgtgg gagacgagag 40

<210> 54
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 54
cctctcctac aaagaatttt tcgaagctac tgtgctgttg 40

<210> 55
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 55
gcccaaagcc tccataattg tgggtacaaa atgaacgatg 40

40<210> 56

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 56
tggtgagcat ttgtgctgag aataacactc gcttctttat 40

<210> 57
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 57
tcctgtaatc gctgcttggt acatcggcat gattgtcgcc 40

<210> 58
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 58
cctgtgaatg aatcttacat cccagatgag ctgtgtaagg 40

<210> 59
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 59
ttatgggtat tagcaaacct caaatcgtct ttactaccaa 40

<210> 60
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 60
aaacatcttg aataaggtct tggaagtcca gtctcgtact 40

<210> 61
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 61
aacttcatca aacgcatcat tattctggat accgtcgaaa 40

<210> 62
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 62
acatccacgg ctgtgagagc ctccctaact tcatctctcg 40

<210> 63
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 63
5ttacagcgat ggtaatatcg ctaatttcaa gcccttgcat 40

<210> 64
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 64
tttgatccag tcgagcaagt ggccgctatt ttgtgctcct 40

<210> 65
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 65
ccggcaccac tggtttgcct aaaggtgtca tgcagactca 40

<210> 66
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 66
ccagaatatc tgtgtgcgtt tgatccacgc tctcgaccct 40

40<210> 67

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 67
cgtgtgggta ctcaattgat ccctggcgtg actgtgctgg 40

<210> 68
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 68
tgtatctgcc tttctttcac gcctttggtt tctctattac 40

<210> 69
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 69
cctgggctat ttcatggtcg gcttgcgtgt catcatgttt 40

<210> 70
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 70
cgtcgcttcg accaagaagc cttcttgaag gctattcaag 40

<210> 71
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 71
actacgaggt gcgttccgtg atcaacgtcc cttcagtcat 40

<210> 72
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 72
tttgttcctg agcaaatctc ctttggttga caagtatgat ctg 43

<210> 73
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 73
agcagcttgc gtgagctgtg ctgtggcgct gctcctt 37

<210> 74
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 74
tggccaaaga agtggccgag gtcgctgcta agcgtctgaa 40

<210> 75
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 75
cctccctggt atccgctgcg gttttggttt gactgagagc 40

<210> 76
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 76
acttctgcta acatccatag cttgcgagac gagtttaagt 40

<210> 77
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 77
ctggtagcct gggtcgcgtg actcctctta tggctgcaaa 40

<210> 78

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 78
gatcgccgac cgtgagaccg gcaaagcact gggcccaaat 40

<210> 79
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 79
caagtcggtg aattgtgtat taagggccct atggtctcta 40

<210> 80
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 80
aaggctacgt gaacaatgtg gaggccacta aagaagccat 40

<210> 81
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 81
tgatgatgat ggctggctcc atagcggcga cttcggttac 40

<210> 82
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 82
tatgatgagg acgaacactt ctatgtggtc gatcgctaca 40

<210> 83
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 83
aagaattgat taagtacaaa ggctctcaag tcgcaccagc 40

<210> 84
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 84
cgaactggaa gaaattttgc tgaagaaccc ttgtatccgc 40

<210> 85
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 85
gacgtggccg tcgtgggtat cccagacttg gaagctggcg 40

<210> 86
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 86
agttgcctag cgcctttgtg gtgaaacaac ccggcaagga 40

<210> 87
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 87
gatcactgct aaggaggtct acgactattt ggccgagcgc 40

<210> 88
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 88
gtgtctcaca ccaaatatct gcgtggcggc gtccgcttcg 40

<210> 89

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 89
tcgattctat tccacgcaac gttaccggta agatcactcg 40

<210> 90
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 90
taaagagttg ctgaagcaac tcctcgaaaa agctggcggc 40

<210> 91
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 91
tagtaaagtc ttcatgatta tatagaaaaa aaagctagtg 40

<210> 92
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 92
taatcatgaa gactttacta gccgccagct ttttcgagga 40

<210> 93
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 93
gttgcttcag caactcttta cgagtgatct taccggtaac 40

<210> 94
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 94
gttgcgtgga atagaatcga cgaagcggac gccgccacg 39

<210> 95
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 95
cagatatttg gtgtgagaca cgcgctcggc caaatagtcg t 41

<210> 96
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 96
agacctcctt agcagtgatc tccttgccgg gttgtttcac 40

<210> 97
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 97
cacaaaggcg ctaggcaact cgccagcttc caagtctggg 40

<210> 98
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 98
atacccacga cggccacgtc gcggatacaa gggttcttca 40

<210> 99
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 99
gcaaaatttc ttccagttcg gctggtgcga cttgagagcc 40

<210> 100

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 100
tttgtactta atcaattctt tgtagcgatc gaccacatag 40

<210> 101
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 101
aagtgttcgt cctcatcata gtaaccgaag tcgccgctat 40

<210> 102
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 102
ggagccagcc atcatcatca atggcttctt tagtggcctc 40

<210> 103
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 103
cacattgttc acgtagcctt tagagaccat agggcccttа 40

<210> 104
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 104
atacacaatt caccgacttg atttgggccc agtgctttgc 40

<210> 105
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 105
cggtctcacg gtcggcgatc tttgcagcca taagaggagt 40

<210> 106
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 106
cacgcgaccc aggctaccag acttaaactc gtctcgcaag 40

<210> 107
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 107
5ctatggatgt tagcagaagt gctctcagtc aaaccaaaac 40

<210> 108
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 108
cgcagcggat accagggagg ttcagacgct tagcagcgac 40

<210> 109
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 109
ctcggccact tctttggcca aaggagcagc gccacagcac 40

<210> 110
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 110
agctcacgca agctgctcag atcatacttg tcaaccaaag 40

40<210> 111

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 111
gagatttgct caggaacaaa atgactgaag ggacgttgat 40

<210> 112
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 112
cacggaacgc acctcgtagt cttgaatagc cttcaa 36

<210> 113
<211> 44
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 113
gaaggcttct tggtcgaagc gacgaaacat gatgacacgc aagc 44

<210> 114
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 114
cgaccatgaa atagcccagg gtaatagaga aaccaaaggc 40

<210> 115
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 115
gtgaaagaaa ggcagataca ccagcacagt cacgccaggg 40

<210> 116
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 116
atcaattgag tacccacacg agggtcgaga gcgtggatca 40

<210> 117
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 117
aacgcacaca gatattctgg tgagtctgca tgacaccttt 40

<210> 118
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 118
5aggcaaacca gtggtgccgg aggagcacaa aatagcggcc 40

<210> 119
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 119
acttgctcga ctggatcaaa atgcaagggc ttgaaattag 40

<210> 120
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 120
cgatattacc atcgctgtaa cgagagatga agttagggag 40

<210> 121
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 121
gctctcacag ccgtggatgt tttcgacggt atccagaata 40

40<210> 122

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 122
atgatgcgtt tgatgaagtt agtacgagac tggacttcca 40

<210> 123
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 123
agaccttatt caagatgttt ttggtagtaa agacgatttg 40

<210> 124
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 124
aggtttgcta atacccataa ccttacacag ctcatctggg 40

<210> 125
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 125
atgtaagatt cattcacagg ggcgacaatc atgccgatgt 40

<210> 126
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 126
accaagcagc gattacagga ataaagaagc gagtgttatt 40

<210> 127
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 127
ctcagcacaa atgctcacca catcgttcat tttgtaccca 40

<210> 128
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 128
caattatgga ggctttgggc caacagcaca gtagcttcga 40

<210> 129
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 129
aaaattcttt gtaggagagg ctctcgtctc ccacgacgtc 40

<210> 130
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 130
cacgagtgct tgagggaggt gactatgttt acgcagtgct 40

<210> 131
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 131
cggaagagca tctcaccagc ggtgaggtct tccagtggat 40

<210> 132
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 132
gcagtggttc tgggccgtag atcacgttct tttcgcgttt 40

<210> 133

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 133
catcatggga tcctgtttcc tgtgtgaaat tgttatccgc 40

<210> 134
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 134
ggaaacagga tcccatgatg aagcgtgaga aaaatgtcat 40

<210> 135
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 135
ctatggccct gagcctctcc atcctttgga ggatttgact 40

<210> 136
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 136
gccggcgaaa tgctgtttcg tgctctccgc aagcactctc 40

<210> 137
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 137
atttgcctca agccttggtc gatgtggtcg gcgatgaatc 40

<210> 138
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 138
tttgagctac aaggagtttt ttgaggcaac cgtcttgctg 40

<210> 139
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 139
gctcagtccc tccacaattg tggctacaag atgaacgacg 40

<210> 140
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 140
5tcgttagtat ctgtgctgaa aacaataccc gtttcttcat 40

<210> 141
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 141
tccagtcatc gccgcatggt atatcggtat gatcgtggct 40

<210> 142
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 142
ccagtcaacg agagctacat tcccgacgaa ctgtgtaaag 40

<210> 143
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 143
tcatgggtat ctctaagcca cagattgtct tcaccactaa 40

40<210> 144

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 144
gaatattctg aacaaagtcc tggaagtcca aagccgcacc 40

<210> 145
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 145
aactttatta agcgtatcat catcttggac actgtggaga 40

<210> 146
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 146
atattcacgg ttgcgaatct ttgcctaatt tcatctctcg 40

<210> 147
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 147
ctattcagac ggcaacatcg caaactttaa accactccac 40

<210> 148
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 148
ttcgaccctg tggaacaagt tgcagccatt ctgtgtagca 40

<210> 149
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 149
gcggtactac tggactccca aagggagtca tgcagaccca 40

<210> 150
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 150
tcaaaacatt tgcgtgcgtc tgatccatgc tctcgatcca 40

<210> 151
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 151
5cgctacggca ctcagctgat tcctggtgtc accgtcttgg 40

<210> 152
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 152
tctacttgcc tttcttccat gctttcggct ttcatattac 40

<210> 153
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 153
tttgggttac tttatggtcg gtctccgcgt gattatgttc 40

<210> 154
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 154
cgccgttttg atcaggaggc tttcttgaaa gccatccaag 40

40<210> 155

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 155
attatgaagt ccgcagtgtc atcaacgtgc ctagcgtgat 40

<210> 156
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 156
cctgtttttg tctaagagcc cactcgtgga caagtacgac 40

<210> 157
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 157
ttgtcttcac tgcgtgaatt gtgttgcggt gccgctccac 40

<210> 158
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 158
tggctaagga ggtcgctgaa gtggccgcca aacgcttgaa 40

<210> 159
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 159
tcttccaggg attcgttgtg gcttcggcct caccgaatct 40

<210> 160
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 160
accagcgcta ttattcagtc tctccgcgat gagtttaaga 40

<210> 161
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 161
gcggctcttt gggccgtgtc actccactca tggctgctaa 40

<210> 162
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 162
gatcgctgat cgcgaaactg gtaaggcttt gggccctaac 40

<210> 163
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 163
caagtgggcg agctgtgtat caaaggccct atggtgagca 40

<210> 164
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 164
agggttatgt caataacgtc gaagctacca aggaggccat 40

<210> 165
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 165
cgacgacgac ggctggttgc attctggtga ttttggatat 40

<210> 166

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 166
tacgacgaag atgagcattt ttacgtcgtg gatcgttaca 40

<210> 167
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 167
aggagctgat caaatacaag ggtagccagg ttgctccagc 40

<210> 168
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 168
tgagttggag gagattctgt tgaaaaatcc atgcattcgc 40

<210> 169
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 169
gatgtcgctg tggtcggcat tcctgatctg gaggccggcg 40

<210> 170
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 170
aactgccttc tgctttcgtt gtcaagcagc ctggtaaaga 40

<210> 171
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 171
aattaccgcc aaagaagtgt atgattacct ggctgaacgt 40

<210> 172
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 172
gtgagccata ctaagtactt gcgtggcggc gtgcgttttg 40

<210> 173
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 173
5ttgactccat ccctcgtaac gtaacaggca aaattacccg 40

<210> 174
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 174
caaggagctg ttgaaacaat tgttggagaa ggccggcggt 40

<210> 175
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 175
tagtaaagtc ttcatgatta tatagaaaaa aaagctagtg 40

<210> 176
30<211> 40
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 176
taatcatgaa gactttacta accgccggcc ttctccaaca 40

40<210> 177

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 177
attgtttcaa cagctccttg cgggtaattt tgcctgttac 40

<210> 178
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 178
gttacgaggg atggagtcaa caaaacgcac gccgccacgc 40

<210> 179
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 179
aagtacttag tatggctcac acgttcagcc aggtaatcat 40

<210> 180
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 180
acacttcttt ggcggtaatt tctttaccag gctgcttgac 40

<210> 181
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 181
aacgaaagca gaaggcagtt cgccggcctc cagatcagga 40

<210> 182
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 182
atgccgacca cagcgacatc gcgaatgcat ggatttttca 40

<210> 183
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 183
acagaatctc ctccaactca gctggagcaa cctggctacc 40

<210> 184
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 184
cttgtatttg atcagctcct tgtaacgatc cacgacgtaa 40

<210> 185
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 185
aaatgctcat cttcgtcgta atatccaaaa tcaccagaat 40

<210> 186
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 186
gcaaccagcc gtcgtcgtcg atggcctcct tggtagcttc 40

<210> 187
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 187
gacgttattg acataaccct tgctcaccat agggcctttg 40

<210> 188

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 188
atacacagct cgcccacttg gttagggccc aaagccttac 40

<210> 189
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 189
cagtttcgcg atcagcgatc ttagcagcca tgagtggagt 40

<210> 190
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 190
gacacggccc aaagagccgc tcttaaactc atcgcggaga 40

<210> 191
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 191
gactgaataa tagcgctggt agattcggtg aggccga 37

<210> 192
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 192
agccacaacg aatccctgga agattcaagc gtttggcggc cac 43

<210> 193
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 193
ttcagcgacc tccttagcca gtggagcggc accgcaacac 40

<210> 194
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 194
aattcacgca gtgaagacaa gtcgtacttg tccacgagtg 40

<210> 195
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 195
ggctcttaga caaaaacagg atcacgctag gcacgttgat 40

<210> 196
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 196
gacactgcgg acttcataat cttggatggc tttcaagaaa 40

<210> 197
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 197
gcctcctgat caaaacggcg gaacataatc acgcggagac 40

<210> 198
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 198
cgaccataaa gtaacccaaa gtaatatgaa agccgaaagc 40

<210> 199

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 199
atggaagaaa ggcaagtaga ccaagacggt gacaccagga 40

<210> 200
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 200
atcagctgag tgccgtagcg tggatcgaga gcatggatca 40

<210> 201
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 201
gacgcacgca aatgttttga tgggtctgca tgactccctt 40

<210> 202
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 202
tgggagtcca gtagtaccgc tgctacacag aatggctgca 40

<210> 203
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 203
acttgttcca cagggtcgaa gtggagtggt ttaaagtttg 40

<210> 204
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 204
cgatgttgcc gtctgaatag cgagagatga aattaggcaa 40

<210> 205
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 205
agattcgcaa ccgtgaatat tctccacagt gtccaagatg 40

<210> 206
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 206
atgatacgct taataaagtt ggtgcggctt tggacttcca 40

<210> 207
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 207
ggactttgtt cagaatattc ttagtggtga agacaatctg 40

<210> 208
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 208
tggcttagag atacccatga ctttacacag ttcgtcggga 40

<210> 209
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 209
atgtagctct cgttgactgg agccacgatc ataccgatat 40

<210> 210

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 210
accatgcggc gatgactgga atgaagaaac gggtattgtt 40

<210> 211
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 211
ttcagcacag atactaacga cgtcgttcat cttgtagcca 40

<210> 212
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 212
caattgtgga gggactgagc cagcaagacg gttgcctcaa 40

<210> 213
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 213
aaaactcctt gtagctcaaa gattcatcgc cgaccacatc 40

<210> 214
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 214
gaccaaggct tgaggcaaat gagagtgctt gcggagagca 40

<210> 215
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 215
cgaaacagca tttcgccggc agtcaaatcc tccaaaggat 40

<210> 216
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 216
ggagaggctc agggccatag atgacatttt tctcacgctt 40

<210> 217
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 217
catcatggga tcctgtttcc tgtgtgaaat tgttatccgc 40

<210> 218
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 218

```
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
 1               5                  10                  15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
            20                  25                  30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
        35                  40                  45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
    50                  55                  60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65                  70                  75                  80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                85                  90                  95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
            100                 105                 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
        115                 120                 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
    130                 135                 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145                 150                 155                 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                165                 170                 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
            180                 185                 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
```

195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr

210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe

225 230 235 240

Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly

245 250 255

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys

260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val

275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser

290 295 300

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val

305 310 315 320

Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly

325 330 335

Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp

340 345 350

Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala

355 360 365

Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val

370 375 380

Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn

385 390 395 400

Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His

405 410 415

Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val

420 425 430

Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro

435 440 445

Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val

450 455 460

Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala

465 470 475 480

Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr

485 490 495

Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly

500 505 510

Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr

515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 219
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 219
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr

210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly

530 535 540

<210> 220
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 220
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser Tyr Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
210 215 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe

225 230 235 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 221
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 221

```
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
 1               5                  10                  15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
            20                  25                  30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
        35                  40                  45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
    50                  55                  60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65                  70                  75                  80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                85                  90                  95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
            100                 105                 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
        115                 120                 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
    130                 135                 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145                 150                 155                 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                165                 170                 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
            180                 185                 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
        195                 200                 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
    210                 215                 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225                 230                 235                 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
```

245 250 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270
Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285
Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 222
<211> 542

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 222

```
Met Met Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
 1               5                  10                  15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
            20                  25                  30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
        35                  40                  45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
    50                  55                  60
Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65                  70                  75                  80
Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                85                  90                  95
Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
            100                 105                 110
Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
        115                 120                 125
Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
    130                 135                 140
Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145                 150                 155                 160
Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                165                 170                 175
Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
            180                 185                 190
Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
        195                 200                 205
His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
    210                 215                 220
Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225                 230                 235                 240
Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
                245                 250                 255
Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
```

260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val

275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser

290 295 300

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val

305 310 315 320

Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly

325 330 335

Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Gly Asp

340 345 350

Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala

355 360 365

Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val

370 375 380

Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn

385 390 395 400

Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His

405 410 415

Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val

420 425 430

Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro

435 440 445

Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val

450 455 460

Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala

465 470 475 480

Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr

485 490 495

Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly

500 505 510

Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr

515 520 525

Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly

530 535 540

<210> 223

<211> 542

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 223

Met Ile Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80

Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175

Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240

Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300
Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Thr Leu Gly Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Thr Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Val Lys Ala Gly Gly
530 535 540

<210> 224
<211> 311
<212> PRT
<213> Renilla reniformis

<400> 224
Met Thr Ser Lys Val Tyr Asp Pro Glu Gln Arg Lys Arg Met Ile Thr

```
 1               5                  10                  15
Gly Pro Gln Trp Trp Ala Arg Cys Lys Gln Met Asn Val Leu Asp Ser
            20                  25                  30
Phe Ile Asn Tyr Tyr Asp Ser Glu Lys His Ala Glu Asn Ala Val Ile
        35                  40                  45
Phe Leu His Gly Asn Ala Ala Ser Ser Tyr Leu Trp Arg His Val Val
    50                  55                  60
Pro His Ile Glu Pro Val Ala Arg Cys Ile Ile Pro Asp Leu Ile Gly
65                  70                  75                  80
Met Gly Lys Ser Gly Lys Ser Gly Asn Gly Ser Tyr Arg Leu Leu Asp
                85                  90                  95
His Tyr Lys Tyr Leu Thr Ala Trp Phe Glu Leu Leu Asn Leu Pro Lys
            100                 105                 110
Lys Ile Ile Phe Val Gly His Asp Trp Gly Ala Cys Leu Ala Phe His
        115                 120                 125
Tyr Ser Tyr Glu His Gln Asp Lys Ile Lys Ala Ile Val His Ala Glu
    130                 135                 140
Ser Val Val Asp Val Ile Glu Ser Trp Asp Glu Trp Pro Asp Ile Glu
145                 150                 155                 160
Glu Asp Ile Ala Leu Ile Lys Ser Glu Glu Gly Glu Lys Met Val Leu
                165                 170                 175
Glu Asn Asn Phe Phe Val Glu Thr Met Leu Pro Ser Lys Ile Met Arg
            180                 185                 190
Lys Leu Glu Pro Glu Glu Phe Ala Ala Tyr Leu Glu Pro Phe Lys Glu
        195                 200                 205
Lys Gly Glu Val Arg Arg Pro Thr Leu Ser Trp Pro Arg Glu Ile Pro
    210                 215                 220
Leu Val Lys Gly Gly Lys Pro Asp Val Val Gln Ile Val Arg Asn Tyr
225                 230                 235                 240
Asn Ala Tyr Leu Arg Ala Ser Asp Asp Leu Pro Lys Met Phe Ile Glu
                245                 250                 255
Ser Asp Pro Gly Phe Phe Ser Asn Ala Ile Val Glu Gly Ala Lys Lys
            260                 265                 270
Phe Pro Asn Thr Glu Phe Val Lys Val Lys Gly Leu His Phe Ser Gln
        275                 280                 285
Glu Asp Ala Pro Asp Glu Met Gly Lys Tyr Ile Lys Ser Phe Val Glu
    290                 295                 300
Arg Val Leu Lys Asn Glu Gln
305                 310
```

<210> 225
<211> 311
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 225

Met Ala Ser Lys Val Tyr Asp Pro Glu Gln Arg Lys Arg Met Ile Thr
1 5 10 15
Gly Pro Gln Trp Trp Ala Arg Cys Lys Gln Met Asn Val Leu Asp Ser
20 25 30
Phe Ile Asn Tyr Tyr Asp Ser Glu Lys His Ala Glu Asn Ala Val Ile
35 40 45
Phe Leu His Gly Asn Ala Ala Ser Ser Tyr Leu Trp Arg His Val Val
50 55 60
Pro His Ile Glu Pro Val Ala Arg Cys Ile Ile Pro Asp Leu Ile Gly
65 70 75 80
Met Gly Lys Ser Gly Lys Ser Gly Asn Gly Ser Tyr Arg Leu Leu Asp
85 90 95
His Tyr Lys Tyr Leu Thr Ala Trp Phe Glu Leu Leu Asn Leu Pro Lys
100 105 110
Lys Ile Ile Phe Val Gly His Asp Trp Gly Ala Cys Leu Ala Phe His
115 120 125
Tyr Ser Tyr Glu His Gln Asp Lys Ile Lys Ala Ile Val His Ala Glu
130 135 140
Ser Val Val Asp Val Ile Glu Ser Trp Asp Glu Trp Pro Asp Ile Glu
145 150 155 160
Glu Asp Ile Ala Leu Ile Lys Ser Glu Glu Gly Glu Lys Met Val Leu
165 170 175
Glu Asn Asn Phe Phe Val Glu Thr Met Leu Pro Ser Lys Ile Met Arg
180 185 190
Lys Leu Glu Pro Glu Glu Phe Ala Ala Tyr Leu Glu Pro Phe Lys Glu
195 200 205
Lys Gly Glu Val Arg Arg Pro Thr Leu Ser Trp Pro Arg Glu Ile Pro
210 215 220
Leu Val Lys Gly Gly Lys Pro Asp Val Val Gln Ile Val Arg Asn Tyr
225 230 235 240
Asn Ala Tyr Leu Arg Ala Ser Asp Asp Leu Pro Lys Met Phe Ile Glu

245 250 255
Ser Asp Pro Gly Phe Phe Ser Asn Ala Ile Val Glu Gly Ala Lys Lys
260 265 270
Phe Pro Asn Thr Glu Phe Val Lys Val Lys Gly Leu His Phe Ser Gln
275 280 285
Glu Asp Ala Pro Asp Glu Met Gly Lys Tyr Ile Lys Ser Phe Val Glu
290 295 300
Arg Val Leu Lys Asn Glu Gln
305 310

<210> 226
<211> 311
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 226
Met Ala Ser Lys Val Tyr Asp Pro Glu Gln Arg Lys Arg Met Ile Thr
1 5 10 15
Gly Pro Gln Trp Trp Ala Arg Cys Lys Gln Met Asn Val Leu Asp Ser
20 25 30
Phe Ile Asn Tyr Tyr Asp Ser Glu Lys His Ala Glu Asn Ala Val Ile
35 40 45
Phe Leu His Gly Asn Ala Ala Ser Ser Tyr Leu Trp Arg His Val Val
50 55 60
Pro His Ile Glu Pro Val Ala Arg Cys Ile Ile Pro Asp Leu Ile Gly
65 70 75 80
Met Gly Lys Ser Gly Lys Ser Gly Asn Gly Ser Tyr Arg Leu Leu Asp
85 90 95
His Tyr Lys Tyr Leu Thr Ala Trp Phe Glu Leu Leu Asn Leu Pro Lys
100 105 110
Lys Ile Ile Phe Val Gly His Asp Trp Gly Ala Cys Leu Ala Phe His
115 120 125
Tyr Ser Tyr Glu His Gln Asp Lys Ile Lys Ala Ile Val His Ala Glu
130 135 140
Ser Val Val Asp Val Ile Glu Ser Trp Asp Glu Trp Pro Asp Ile Glu
145 150 155 160
Glu Asp Ile Ala Leu Ile Lys Ser Glu Glu Gly Glu Lys Met Val Leu

165 170 175
Glu Asn Asn Phe Phe Val Glu Thr Met Leu Pro Ser Lys Ile Met Arg
180 185 190
Lys Leu Glu Pro Glu Glu Phe Ala Ala Tyr Leu Glu Pro Phe Lys Glu
195 200 205
Lys Gly Glu Val Arg Arg Pro Thr Leu Ser Trp Pro Arg Glu Ile Pro
210 215 220
Leu Val Lys Gly Gly Lys Pro Asp Val Val Gln Ile Val Arg Asn Tyr
225 230 235 240
Asn Ala Tyr Leu Arg Ala Ser Asp Asp Leu Pro Lys Met Phe Ile Glu
245 250 255
Ser Asp Pro Gly Phe Phe Ser Asn Ala Ile Val Glu Gly Ala Lys Lys
260 265 270
Phe Pro Asn Thr Glu Phe Val Lys Val Lys Gly Leu His Phe Ser Gln
275 280 285
Glu Asp Ala Pro Asp Glu Met Gly Lys Tyr Ile Lys Ser Phe Val Glu
290 295 300
Arg Val Leu Lys Asn Glu Gln
305 310

<210> 227
<211> 311
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 227
Met Ala Ser Lys Val Tyr Asp Pro Glu Gln Arg Lys Arg Met Ile Thr
1 5 10 15
Gly Pro Gln Trp Trp Ala Arg Cys Lys Gln Met Asn Val Leu Asp Ser
20 25 30
Phe Ile Asn Tyr Tyr Asp Ser Glu Lys His Ala Glu Asn Ala Val Ile
35 40 45
Phe Leu His Gly Asn Ala Ala Ser Ser Tyr Leu Trp Arg His Val Val
50 55 60
Pro His Ile Glu Pro Val Ala Arg Cys Ile Ile Pro Asp Leu Ile Gly
65 70 75 80
Met Gly Lys Ser Gly Lys Ser Gly Asn Gly Ser Tyr Arg Leu Leu Asp

110

85 90 95

His Tyr Lys Tyr Leu Thr Ala Trp Phe Glu Leu Leu Asn Leu Pro Lys

100 105 110

Lys Ile Ile Phe Val Gly His Asp Trp Gly Ala Cys Leu Ala Phe His

115 120 125

Tyr Ser Tyr Glu His Gln Asp Lys Ile Lys Ala Ile Val His Ala Glu

130 135 140

Ser Val Val Asp Val Ile Glu Ser Trp Asp Glu Trp Pro Asp Ile Glu

145 150 155 160

Glu Asp Ile Ala Leu Ile Lys Ser Glu Glu Gly Glu Lys Met Val Leu

165 170 175

Glu Asn Asn Phe Phe Val Glu Thr Met Leu Pro Ser Lys Ile Met Arg

180 185 190

Lys Leu Glu Pro Glu Glu Phe Ala Ala Tyr Leu Glu Pro Phe Lys Glu

195 200 205

Lys Gly Glu Val Arg Arg Pro Thr Leu Ser Trp Pro Arg Glu Ile Pro

210 215 220

Leu Val Lys Gly Gly Lys Pro Asp Val Val Gln Ile Val Arg Asn Tyr

225 230 235 240

Asn Ala Tyr Leu Arg Ala Ser Asp Asp Leu Pro Lys Met Phe Ile Glu

245 250 255

Ser Asp Pro Gly Phe Phe Ser Asn Ala Ile Val Glu Gly Ala Lys Lys

260 265 270

Phe Pro Asn Thr Glu Phe Val Lys Val Lys Gly Leu His Phe Ser Gln

275 280 285

Glu Asp Ala Pro Asp Glu Met Gly Lys Tyr Ile Lys Ser Phe Val Glu

290 295 300

Arg Val Leu Lys Asn Glu Gln

305 310

<210> 228

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> A consensus sequence

<221> misc_feature

<222> (1)...(14)

<223> n = A,T,C or G

<400> 228
yggmnnnnng ccaa 14

<210> 229
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 229
gtactgagac gacgccagcc caagcttagg cctgagtg 38

<210> 230
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 230
ggcatgagcg tgaactgact gaactagcgg ccgccgag 38

<210> 231
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 231
ggatcccatg gtgaagcgtg agaa 24

<210> 232
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 232
ggatcccatg gtgaaacgcg a 21

<210> 233
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 233
ctagcttttt tttctagata atcatgaaga c 31

<210> 234
<211> 54
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 234
caaaaagctt ggcattccgg tactgttggt aaagccacca tggtgaagcg agag 54

<210> 235
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 235

caattgttgt tgttaacttg tttatt 26

<210> 236
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 236
aaccatggct tccaaggtgt acgaccccga gcaacgcaaa 40

<210> 237
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 237
gctctagaat tactgctcgt tcttcagcac gcgctccacg 40

<210> 238
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 238
cgctagccat ggcttcgaaa gtttatgatc c 31

<210> 239
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 239
5ggccagtaac tctagaatta ttgtt 25

<210> 240
<211> 5
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 240
tataa 5

<210> 241
<211> 6
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 241
stratg 6

<210> 242
30<211> 9
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<221> misc_feature
<222> (1)...(9)
<223> n = A,T,C or G
40

<400> 242
mttncnnma 9

<210> 243
<211> 5
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 243
tratg 5

<210> 244
<211> 7
<212> DNA
<213> Artificial Sequence

<220>
<223> A consensus sequence

<400> 244
tgastma 7

<210> 245
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> A consensus sequence

<221> misc_feature
<222> (1)...(14)
<223> n = A,T,C or G

<400> 245
yggmnnnnng ccaa 14

<210> 246
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 246
aaccatggct tccaaggtgt acgaccccga gcaacgcaaa 40

<210> 247
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 247
cgcatgatca ctgggcctca gtggtgggct cgctgcaagc 40

<210> 248
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 248
aaatgaacgt gctggactcc ttcatcaact actatgattc 40

<210> 249
<211> 50
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 249
cgagaagcac gccgagaacg ccgtgatttt tctgcatggt aacgctgcct 50

<210> 250
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 250
ccagctacct gtggaggcac gtcgtgcctc acatcgagcc 40

<210> 251
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 251
cgtggctaga tgcatcatcc ctgatctgat cggaatgggt 40

<210> 252
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 252
aagtccggca agagcgggaa tggctcatat cgcctcctgg 40

<210> 253
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 253
atcactacaa gtacctcacc gcttggttcg agctgctgaa 40

<210> 254
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 254
ccttccaaag aaaatcatct ttgtgggcca cgactggggg 40

<210> 255
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 255
gcttgtctgg cctttcacta ctcctacgag caccaagaca 40

<210> 256
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 256
agatcaaggc catcgtccat gctgagagtg tcgtggacgt 40

<210> 257

<211> 45
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 257
gatcgagtcc tgggacgagt ggcctgacat cgaggaggat atcgc 45

<210> 258
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 258
cctgatcaag agcgaagagg gcgagaaaat ggtgcttgag 40

<210> 259
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 259
aataacttct tcgtcgagac catgctccca agcaagatca 40

<210> 260
<211> 45
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 260
tgcggaaact ggagcctgag gagttcgctg cctacctgga gccat 45

<210> 261
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 261
tcaaggagaa gggcgaggtt agacggccta ccctctcctg 40

<210> 262
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 262
gcctcgcgag atccctctcg ttaagggagg caagcccgac 40

<210> 263
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 263
gtcgtccaga ttgtccgcaa ctacaacgcc taccttcggg 40

<210> 264
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 264
5ccagcgacga tctgcctaag atgttcatcg agtccgaccc 40

<210> 265
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 265
tgggttcttt tccaacgcta ttgtcgaggg agctaagaag 40

<210> 266
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 266
ttccctaaca ccgagttcgt gaaggtgaag ggcctccact 40

<210> 267
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 267
tcagccagga ggacgctcca gatgaaatgg gtaagtacat 40

<210> 268

<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 268
caagagcttc gtggagcgcg tgctgaagaa cgagcagtaa ttctagagc 49

<210> 269
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 269
gctctagaat tactgctcgt tcttcagca 29

<210> 270
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 270
cgcgctccac gaagctcttg atgtacttac ccatttcatc 40

<210> 271
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 271
tggagcgtcc tcctggctga agtggaggcc cttcaccttc 40

<210> 272
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 272
acgaactcgg tgttagggaa cttcttagct ccctcgacaa 40

<210> 273
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 273
tagcgttgga aaagaaccca gggtcggact cgatgaacat 40

<210> 274
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 274
cttaggcaga tcgtcgctgg cccgaaggta ggcgttgtag 40

<210> 275
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 275
5ttgcggacaa tctggacgac gtcgggcttg cctcccttaa 40

<210> 276
<211> 40
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 276
cgagagggat ctcgcgaggc caggagaggg taggccgtct 40

<210> 277
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 277
aacctcgccc ttctccttga atggctccag gtaggcagcg 40

<210> 278
30<211> 45
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 278
aactcctcag gctccagttt ccgcatgatc ttgcttggga gcatg 45

40<210> 279

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 279
gtctcgacga agaagttatt ctcaagcacc attttctcgc 40

<210> 280
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 280
cctcttcgct cttgatcagg gcgatatcct cctcgatgtc 40

<210> 281
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 281
aggccactcg tcccaggact cgatcacgtc cacgacactc tca 43

<210> 282
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 282
gcatggacga tggccttgat cttgtcttgg tgctcgtagg ag 42

<210> 283
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 283
tagtgaaagg ccagacaagc cccccagtcg tggcccacaa 40

<210> 284
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 284
agatgatttt ctttggaagg ttcagcagct cgaaccaagc 40

<210> 285
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 285
ggtgaggtac ttgtagtgat ccaggaggcg atatgagcca 40

<210> 286
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 286
5ttcccgctct tgccggactt acccattccg atcagatcag 40

<210> 287
<211> 45
<212> DNA
10<213> Artificial Sequence

<220>
<223> An oligonucleotide

15<400> 287
ggatgatgca tctagccacg ggctcgatgt gaggcacgac gtgcc 45

<210> 288
<211> 40
20<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide
25
<400> 288
tccacaggta gctggaggca gcgttaccat gcagaaaaat 40

<210> 289
30<211> 45
<212> DNA
<213> Artificial Sequence

<220>
35<223> An oligonucleotide

<400> 289
cacggcgttc tcggcgtgct tctcggaatc atagtagttg atgaa 45

40<210> 290

<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 290
ggagtccagc acgttcattt gcttgcagcg agcccaccac 40

<210> 291
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 291
tgaggcccag tgatcatgcg tttgcgttgc tcggggtcgt 40

<210> 292
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 292
acaccttgga agccatggtt 20

<210> 293
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> A Kozak sequence

<400> 293
aaccatggct 10

<210> 294
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> An oligonucleotide

<400> 294
taattctaga gc 12

<210> 295
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 295
gcgtagccat ggtaaagcgt gagaaaaatg tc 32

<210> 296
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> A primer

<400> 296
ccgactctag attactaacc gccggccttc acc 33

<210> 297
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 297

atggtgaaac gcgaaaagaa cgtgatctac ggcccagaac cactgcatcc actggaagac 60
ctcaccgctg gtgagatgct cttccgagca ctgcgtaaac atagtcacct ccctcaagca 120
ctcgtggacg tcgtgggaga cgagagcctc tcctacaaag aatttttcga agctactgtg 180
ctgttggccc aaagcctcca taattgtggg tacaaaatga acgatgtggt gagcatttgt 240
gctgagaata acactcgctt ctttattcct gtaatcgctg cttggtacat cggcatgatt 300
gtcgcccctg tgaatgaatc ttacatccca gatgagctgt gtaaggttat gggtattagc 360
aaacctcaaa tcgtctttac taccaaaaac atcttgaata aggtcttgga agtccagtct 420
cgtactaact tcatcaaacg catcattatt ctggataccg tcgaaaacat ccacggctgt 480
gagagcctcc ctaacttcat ctctcgttac agcgatggta atatcgctaa tttcaagccc 540
ttgcattttg atccagtcga gcaagtggcc gctattttgt gctcctccgg caccactggt 600
ttgcctaaag gtgtcatgca gactcaccag aatatctgtg tgcgtttgat ccacgctctc 660
gaccctcgtg tgggtactca attgatccct ggcgtgactg tgctggtgta tctgcctttc 720
tttcacgcct ttggtttctc tattaccctg ggctatttca tggtcggctt gcgtgtcatc 780
atgtttcgtc gcttcgacca agaagccttc ttgaaggcta ttcaagacta cgaggtgcgt 840
tccgtgatca acgtcccttc agtcattttg ttcctgagca aatctccttt ggttgacaag 900
tatgatctga gcagcttgcg tgagctgtgc tgtggcgctg ctcctttggc caaagaagtg 960
gccgaggtcg ctgctaagcg tctgaacctc cctggtatcc gctgcggttt tggtttgact 1020
gagagcactt ctgctaacat ccatagcttg cgagacgagt ttaagtctgg tagcctgggt 1080
cgcgtgactc ctcttatggc tgcaaagatc gccgaccgtg agaccggcaa agcactgggc 1140
ccaaatcaag tcggtgaatt gtgtattaag ggccctatgg tctctaaagg ctacgtgaac 1200
aatgtggagg ccactaaaga agccattgat gatgatggct ggctccatag cggcgacttc 1260
ggttactatg atgaggacga acacttctat gtggtcgatc gctacaaaga attgattaag 1320
tacaaaggct ctcaagtcgc accagccgaa ctggaagaaa ttttgctgaa gaacccttgt 1380
atccgcgacg tggccgtcgt gggtatccca gacttggaag ctggcgagtt gcctagcgcc 1440
tttgtggtga aacaacccgg caaggagatc actgctaagg aggtctacga ctatttggcc 1500
gagcgcgtgt ctcacaccaa atatctgcgt ggcggcgtcc gcttcgtcga ttctattcca 1560
cgcaacgtta ccggtaagat cactcgtaaa gagttgctga agcaactcct cgaaaaagct 1620
ggcggc 1626

<210> 298

<211> 542

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence of a synthetic luciferase

<400> 298

Met Val Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15

Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30

Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45

Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
50 55 60

Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
65 70 75 80

Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
85 90 95

Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
100 105 110

Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
115 120 125

Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
130 135 140

Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
145 150 155 160

Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
165 170 175

Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
180 185 190

Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
195 200 205

His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Val
210 215 220

Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
225 230 235 240

Phe His Ala Phe Gly Phe Ser Ile Thr Leu Gly Tyr Phe Met Val Gly
245 250 255

Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
260 265 270

Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
275 280 285

Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
290 295 300

Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val

305 310 315 320
Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
325 330 335
Phe Gly Leu Thr Glu Ser Thr Ser Ala Asn Ile His Ser Leu Arg Asp
340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 299
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 299
atggtgaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60

ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300
gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gcgctattat tcagtctctc cgcgatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg taaagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggagaaggcc 1620
ggcggt 1626

<210> 300
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 300
Met Val Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg

```
                20                  25                  30
  Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
          35                  40                  45
  Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln
5     50                  55                  60
  Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
  65                  70                  75                  80
  Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
                  85                  90                  95
10Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
              100                 105                 110
  Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
          115                 120                 125
  Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
15    130                 135                 140
  Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
  145                 150                 155                 160
  Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
                  165                 170                 175
20Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
              180                 185                 190
  Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
          195                 200                 205
  His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
25    210                 215                 220
  Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
  225                 230                 235                 240
  Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
                  245                 250                 255
30Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
              260                 265                 270
  Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
          275                 280                 285
  Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
35    290                 295                 300
  Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
  305                 310                 315                 320
  Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
                  325                 330                 335
40Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Ser Leu Arg Asp
```

340 345 350
Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
355 360 365
Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
370 375 380
Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Lys Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Glu Lys Ala Gly Gly
530 535 540

<210> 301
<211> 1626
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 301
atggtaaagc gtgagaaaaa tgtcatctat ggccctgagc ctctccatcc tttggaggat 60
ttgactgccg gcgaaatgct gtttcgtgct ctccgcaagc actctcattt gcctcaagcc 120
ttggtcgatg tggtcggcga tgaatctttg agctacaagg agtttttga ggcaaccgtc 180
ttgctggctc agtccctcca caattgtggc tacaagatga acgacgtcgt tagtatctgt 240
gctgaaaaca atacccgttt cttcattcca gtcatcgccg catggtatat cggtatgatc 300

gtggctccag tcaacgagag ctacattccc gacgaactgt gtaaagtcat gggtatctct 360
aagccacaga ttgtcttcac cactaagaat attctgaaca aagtcctgga agtccaaagc 420
cgcaccaact ttattaagcg tatcatcatc ttggacactg tggagaatat tcacggttgc 480
gaatctttgc ctaatttcat ctctcgctat tcagacggca acatcgcaaa ctttaaacca 540
ctccacttcg accctgtgga acaagttgca gccattctgt gtagcagcgg tactactgga 600
ctcccaaagg gagtcatgca gacccatcaa aacatttgcg tgcgtctgat ccatgctctc 660
gatccacgct acggcactca gctgattcct ggtgtcaccg tcttggtcta cttgcctttc 720
ttccatgctt tcggctttca tattactttg ggttacttta tggtcggtct ccgcgtgatt 780
atgttccgcc gttttgatca ggaggctttc ttgaaagcca tccaagatta tgaagtccgc 840
agtgtcatca acgtgcctag cgtgatcctg tttttgtcta agagcccact cgtggacaag 900
tacgacttgt cttcactgcg tgaattgtgt tgcggtgccg ctccactggc taaggaggtc 960
gctgaagtgg ccgccaaacg cttgaatctt ccagggattc gttgtggctt cggcctcacc 1020
gaatctacca gtgcgattat ccagactctc ggggatgagt ttaagagcgg ctctttgggc 1080
cgtgtcactc cactcatggc tgctaagatc gctgatcgcg aaactggtaa ggctttgggc 1140
ccgaaccaag tgggcgagct gtgtatcaaa ggccctatgg tgagcaaggg ttatgtcaat 1200
aacgttgaag ctaccaagga ggccatcgac gacgacggct ggttgcattc tggtgatttt 1260
ggatattacg acgaagatga gcatttttac gtcgtggatc gttacaagga gctgatcaaa 1320
tacaagggta gccaggttgc tccagctgag ttggaggaga ttctgttgaa aaatccatgc 1380
attcgcgatg tcgctgtggt cggcattcct gatctggagg ccggcgaact gccttctgct 1440
ttcgttgtca agcagcctgg tacagaaatt accgccaaag aagtgtatga ttacctggct 1500
gaacgtgtga gccatactaa gtacttgcgt ggcggcgtgc gttttgttga ctccatccct 1560
cgtaacgtaa caggcaaaat tacccgcaag gagctgttga aacaattgtt ggtgaaggcc 1620
ggcggt 1626

<210> 302
<211> 542
<212> PRT
<213> Artificial Sequence

<220>
<223> Sequence of a synthetic luciferase

<400> 302
Met Val Lys Arg Glu Lys Asn Val Ile Tyr Gly Pro Glu Pro Leu His
1 5 10 15
Pro Leu Glu Asp Leu Thr Ala Gly Glu Met Leu Phe Arg Ala Leu Arg
20 25 30
Lys His Ser His Leu Pro Gln Ala Leu Val Asp Val Val Gly Asp Glu
35 40 45
Ser Leu Ser Tyr Lys Glu Phe Phe Glu Ala Thr Val Leu Leu Ala Gln

```
     50                  55                  60
  Ser Leu His Asn Cys Gly Tyr Lys Met Asn Asp Val Val Ser Ile Cys
  65                  70                  75                  80
  Ala Glu Asn Asn Thr Arg Phe Phe Ile Pro Val Ile Ala Ala Trp Tyr
5                 85                  90                  95
  Ile Gly Met Ile Val Ala Pro Val Asn Glu Ser Tyr Ile Pro Asp Glu
             100                 105                 110
  Leu Cys Lys Val Met Gly Ile Ser Lys Pro Gln Ile Val Phe Thr Thr
         115                 120                 125
10Lys Asn Ile Leu Asn Lys Val Leu Glu Val Gln Ser Arg Thr Asn Phe
     130                 135                 140
  Ile Lys Arg Ile Ile Ile Leu Asp Thr Val Glu Asn Ile His Gly Cys
  145                 150                 155                 160
  Glu Ser Leu Pro Asn Phe Ile Ser Arg Tyr Ser Asp Gly Asn Ile Ala
15                165                 170                 175
  Asn Phe Lys Pro Leu His Phe Asp Pro Val Glu Gln Val Ala Ala Ile
             180                 185                 190
  Leu Cys Ser Ser Gly Thr Thr Gly Leu Pro Lys Gly Val Met Gln Thr
         195                 200                 205
20His Gln Asn Ile Cys Val Arg Leu Ile His Ala Leu Asp Pro Arg Tyr
     210                 215                 220
  Gly Thr Gln Leu Ile Pro Gly Val Thr Val Leu Val Tyr Leu Pro Phe
  225                 230                 235                 240
  Phe His Ala Phe Gly Phe His Ile Thr Leu Gly Tyr Phe Met Val Gly
25                245                 250                 255
  Leu Arg Val Ile Met Phe Arg Arg Phe Asp Gln Glu Ala Phe Leu Lys
             260                 265                 270
  Ala Ile Gln Asp Tyr Glu Val Arg Ser Val Ile Asn Val Pro Ser Val
         275                 280                 285
30Ile Leu Phe Leu Ser Lys Ser Pro Leu Val Asp Lys Tyr Asp Leu Ser
     290                 295                 300
  Ser Leu Arg Glu Leu Cys Cys Gly Ala Ala Pro Leu Ala Lys Glu Val
  305                 310                 315                 320
  Ala Glu Val Ala Ala Lys Arg Leu Asn Leu Pro Gly Ile Arg Cys Gly
35                325                 330                 335
  Phe Gly Leu Thr Glu Ser Thr Ser Ala Ile Ile Gln Thr Leu Gly Asp
             340                 345                 350
  Glu Phe Lys Ser Gly Ser Leu Gly Arg Val Thr Pro Leu Met Ala Ala
         355                 360                 365
40Lys Ile Ala Asp Arg Glu Thr Gly Lys Ala Leu Gly Pro Asn Gln Val
```

370 375 380

Gly Glu Leu Cys Ile Lys Gly Pro Met Val Ser Lys Gly Tyr Val Asn
385 390 395 400
Asn Val Glu Ala Thr Lys Glu Ala Ile Asp Asp Asp Gly Trp Leu His
405 410 415
Ser Gly Asp Phe Gly Tyr Tyr Asp Glu Asp Glu His Phe Tyr Val Val
420 425 430
Asp Arg Tyr Lys Glu Leu Ile Lys Tyr Lys Gly Ser Gln Val Ala Pro
435 440 445
Ala Glu Leu Glu Glu Ile Leu Leu Lys Asn Pro Cys Ile Arg Asp Val
450 455 460
Ala Val Val Gly Ile Pro Asp Leu Glu Ala Gly Glu Leu Pro Ser Ala
465 470 475 480
Phe Val Val Lys Gln Pro Gly Thr Glu Ile Thr Ala Lys Glu Val Tyr
485 490 495
Asp Tyr Leu Ala Glu Arg Val Ser His Thr Lys Tyr Leu Arg Gly Gly
500 505 510
Val Arg Phe Val Asp Ser Ile Pro Arg Asn Val Thr Gly Lys Ile Thr
515 520 525
Arg Lys Glu Leu Leu Lys Gln Leu Leu Val Lys Ala Gly Gly
530 535 540